

EXHIBIT 1

Joye Lowman

Reliance List
in Addition to Materials Referenced in Report

Pamela Bailey

Medical Literature

Aaron, L. Chronic diffuse musculoskeletal pain, fibromyalgia and co-morbid unexplained clinical conditions. Best Practice & Research Clinical Rheumatology 2003; 17(4): 563-574
Abbott - Evaluation and management of complications from synthetic mesh after pelvic reconstructive surgery: a multicenter study. Am J Obstet Gynecol 2014; 210:163.e1-8
Abdel-Fattah M, Barrington JW, Arunkalaivanan AS. Pelvicol pubovaginal sling versus tension free vaginal tape for treatment of urodynamic stress incontinence: a prospective randomized three-year follow-up study. Eur Urol 2004;46:629-35.
Abdel-fattah M, et al. (NHS Scotland) Primary and repeat surgical treatment for female pelvic organ prolapse and incontinence in parous women in the UK: a register linkage study. BMJ (2011)
Abdel-Fattah M, Familusi A, Ramsay I, N'Dow J. A randomised prospective single-blinded study comparing inside-out versus outside-in transobturator tapes in the management of female stress urinary incontinence (E-TOT study): 3 years follow-up. Neurourol Urodyn 2011;30:825-826.
Abdel-fattah M. Evaluation of transobturator tapes (E-TOT) study: randomised prospective single-blinded study comparing inside-out vs. outside-in transobturator tapes in management of urodynamic stress incontinence: Short term outcomes. European Journal of Obstetrics & Gynecology and Reproductive Biology 149 (2010) 106-111
Abdel-fattah M. How common are tape erosions? A comparison of two versions of the transobturator tension-free vaginal tape procedure. BJU International 98, 594-598
Abdel-fattah M. Lower urinary tract injuries after transobturator tape insertion by different routes: a large retrospective study. BJOG 2006;113:1377-1381.
Abdel-fattah M. Prospective Randomised Controlled Trial of Transobturator Tapes in management of Urodynamic Stress Incontinence in Women: 3-Year Outcomes from the Evaluation of Transobturator Tapes Study. EUROPEAN UROLOGY 62 (2012) 843-851
Abdel-fattah M. Randomised prospective single-blinded study comparing 'inside-out' versus 'outside-in' transobturator tapes in the management of urodynamic stress incontinence: 1-year outcomes from the E-TOT study. BJOG 2010;117:870-878.
Abdel-Fattah M. Single-Incision Mini-Slings versus Standard Midurethral Slings in Surgical Management of Female Stress Urinary Incontinence: A Meta-Analysis of Effectiveness and Complications. EUROPEAN UROLOGY 60 (2011) 468-480
Abdel-Fattah, M. Retrospective multicentre study of the new minimally invasive mesh repair devices for pelvic organ prolapse. BJOG 115: 22-30. Urogynecol j 22: 789-798 (2008)
Abdelmonem - (20%) dyspareunia) Vaginal length and incidence of dyspareunia after total abdominal versus vaginal hysterectomy. 2010
Abdelmonem, A. Vaginal length and incidence of dyspareunia after total abdominal versus vaginal hysterectomy. European Journal of Obstetrics & Gynecology and Reproductive Biology 2010; 151: 190-192
Abdelwahab O. Tension-Free Vaginal Tape versus Secure Tension-Free Vaginal Tape in Treatment of Female Stress Urinary Incontinence. Curr Urol 2010;4:93-98
Abduljabbar H. Comparison of the classic TVT and TVT Secur. Prime Research on Education ISSN: 2251-1253. Vol. 2(9), pp. 344-347, October 31st, 2012
Abed, H. Incidence and management of graft erosion, wound granulation, and dyspareunia following vaginal prolapse repair with graft materials: a systematic review. Int Urogynecol J; 2011;11:1384-95.
Abeles, M. Update on Fibromyalgia Therapy. The American Journal of Medicine 2008; 121: 555-561
Adebayo. ICS Abs 55 A Review of clinical outcomes after vaginal mesh repair of recurrent genital prolapse. 2011
Adhoute, F., et al. Use of transvaginal polypropylene mesh (Gynemesh) for the treatment of pelvic floor disorders in women. Prospective study in 52 patients. Prog Urol 2004;14(2):196-196.

Medical Literature

Adile B, Granese R, Lo Bue A, GuglioOtta G, Cardella AM, Adile C. A prospective randomized study comparing laparoscopic Burch versus TVT: short and long term follow-up. ICS 2003:Abstract 550.
Afonso, J. Mechanical properties of polypropylene mesh used in pelvic floor repair. Int Urogynecol J 2008; 19: 375-380
Agarwala N. A randomized comparison of two synthetic mid-urethral tension-free slings. Uro Today Int J 2008 Oct;1(4) doi:10.3834/uij. 1939-4810.2008.10.5.
Agarwala. An update on existing guidelines and position statements for the credentialing of pelvic surgeons performing complex urogynecological procedures.
Agostini A, et al. [Pop 12,280] Immediate complications of tension-free vaginal tape (TVT): results of a French survey. Eur J Obstet Gynecol. 2006; 124:237-239.
Agostini A. Immediate Complications of Tension-Free Vaginal Tape (TVT): Results of a French Survey. European Journal of Obstetrics & Gynecology and Reproductive Biology 124 (2006) 237-239
Ahn, C. Analysis of voiding dysfunction after transobturator tate procedure for stress urinary incontinence. Korean J Urol 2015; 56: 823-830
Aigmuller T. Reasons for dissatisfaction ten years after TVT Procedure. Int Urogynecol J (2014) 25:213-217.
Aigmuller T. Ten-year follow-up after the tension-free vaginal tape procedure. Am J Obstet Gynecol. 2011;205:1.e1-1.e5
Ala-Nissila. [Pop 130, mean 8 yr fu] TVT - a suitable procedure for patients with recurrent SUI; Acta Obstetricia et Gynecologica. 2010; 89:210-216
Albo ME et al. - NEJM - SISTER study - Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. N Engl J Med 2007; 356:2143-55.
Albo ME, et al. [Pop 516, 24 mo fu] Treatment Success of Retropubic and Transobturator Mid Urethral Slings at 24 Months. Journal of Urology, 2012; Vol. 188, 2281-2287
Alcalay, M. Burch colposuspension: a 10-20 year follow up. British Journal of Obstetrics & Gynaecology. 1995; 102: 740-745
Alcalay, M. Burch colposuspension: a 10-20 year follow up. British Journal of Obstetrics and Gynaecology, September 1995, Vol. 102, pp. 740-745
Alewijnse D, et al. Effectiveness of pelvic floor muscle exercise therapy supplemented with a health education program to promote longterm adherence among women with urinary incontinence. Neurourol Urodyn 2003;22:284-295
Ali, S.Abs. 292. A propspective randomized trial using Gynemesh PS for the repair of anterior vaginal wall prolapse. (2006)
Almassi, N. Intraoperative Ultrasound-Guided Removal of Retained Mini Sling Anchor Causing Vaginal Pain: A Case Report. Female Pelvic Med Reconstr Surg 2015; 1-3
Al-Nazar, MA. Abs 84. Comparative study between anterior colporrhaply versus vaginal wall repair with mesh for management of anterior vaginal wall prolapse. (2007)
Alperin, Moalli. Perioperative outcomes of the Prolift pelvic floor repair systems following introduction to a urogynecology teaching service. 2008
Alperin, Zyczynski. Two-Year Outcomes After Vaginal Prolapse Reconstruction with Mesh Pelvic Floor Repair System. 2013
Altman D. Surgery for cystiocele II: replies. Int Urogynecol J (2012) 23:663-664.
Altman, D. Anterior colporrhaphy versus transvaginal mesh for pelvic-organ prolapse. N Engl J Med 2011;364:1826-1836.
Altman, D. Perioperative morbidity using transvaginal mesh in pelvic organ prolapse repair. Obstet Gynecol 2007;109:303-8.
Altman, D. Short-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J:2008 DOI 10.1007/S00192-007-0526-2.

Medical Literature

Altman, D. Sexual Dysfunction after Trocar-Guided Transvaginal Mesh Repair of Pelvic Organ Prolapse. <i>Obstet Gynecol</i> 113: 127-33 (2009)
Alvarez, J. Complications in pelvic floor surgery. <i>Minerva Ginecol</i> 2013; 65: 53-67
Amaro JL, Yamamoto H, Kawano PR, Barros G, Gameiro MOO, Agostinho AD. Clinical and quality-of-life outcomes after autologous fascial sling and tension-free vaginal tape: a prospective randomized trial. <i>Int Braz J Urol</i> 2009;35:60-66; discussion 66-67.
Amat I Tardiu L, Martinez Franco E, Laila Vicens JM. Contasure-Needleless® compared with transobturator-TVT for the treatment of stress urinary incontinence. <i>Int Urogynecol J</i> 2011;22:827-833.
American Urogynecologic Society's Guidelines Development Committee - Guidelines for Providing Privileges and Credentials to Physicians for Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse. <i>Female Pelvic Med Reconstr Surg</i> 2012; 18(4): 194-197
Amias A. Sexual Life after Gynaecological Operations- II <i>British Medical Journal</i> 1975; 2: 680-681.
Amid, P. Biomaterials for abdominal wall hernia surgery and principles of their applications. <i>Langenbecks Arch Chir</i> 1994; 379: 168-171
Amid, P.K. Classification of biomaterials and their related complications in abdominal wall hernia surgery. <i>Hernia</i> :1997;1:15-21.
Amorim-Costa. Laparoscopic-Assisted Retropubic Midurethral Sling Placement: A Technique to Avoid major Complications. <i>The Journal of Minimally Invasive Gynecology</i> (2016), doi:10.1016/j.jmig.2016.03.011
Anderson, K.F Surgical management of ICS, IUGA class 1-4 transvaginal mesh (TVM) prolapse kit complications: 8-year review of 82 patients from a single center. (2015)
Andonian S, Chen T, St-Denis B, Coreas J. Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): one-year results. <i>Eur Urol</i> 2005;47:537-541.
Andonian S, et al. Prospective clinical trial comparing Obtape and DUPS to TVT: One-year safety and efficacy results. <i>European Urology</i> 52 (2007) 245-252.
Andonian S, et al. Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): One-year results. <i>European Urology</i> 47 (2005) 537-541
Andonian S, St-Denis B, Lemieux MC, Coreas J. Prospective clinical trial comparing Obtape® and DUPS to TVT: one-year safety and efficacy results. <i>Eur Urol</i> 2007;52:245-251.
Anger, J. Trends in the Surgical Management of Stress Urinary Incontinence among Female Medicare Beneficiaries. <i>Urology</i> 2009; 74(2): 283-287
Angioli R, Plotti F, Muzii L, Montera R, Panici PB, Zullo MA. Tension-free vaginal tape versus transobturator suburethral tape: five-year follow-up results of a prospective, randomised trial. <i>Eur Urol</i> 2010;58 :671-677.
Angioli. [Pop 72, 5 yr fu] TVT versus transobturator suburethral Tape Five-Year Follow-up Results of a Prospective, Randomised Trial; <i>European Urology</i> 58 (2010) 671-677
Aniuliene R. Tension-free vaginal tape versus tension-free vaginal tape obturator (inside-outside) in the surgical treatment of female stress urinary incontinence. <i>Medicina (Kaunas)</i> . 2009;45(8):639-643.
Aniuliene. TVT-Exact and midurethral sling (SLING-IUFT) operative procedures: a randomized study; <i>Open Med</i> . 2015; 10:311-317
Any and all articles/information referenced in her report
Appelbaum, P. Assessment of Patients' Competence to Consent to Treatment. <i>N Engl J Med</i> 2007; 357: 1834-40
Araco F, Gravante G, Sorge R, et al. TVT-O vs TVT: a randomized trial in patients with different degrees of urinary stress incontinence. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:917-926.
Araco. The influence of BMI, smoking, and age on vaginal erosions after synthetic mesh repair of pelvic organ prolapses. A multicenter study. 2009
Araujo, M. Urodynamic study and quality of life in patients with fibromyalgia and lower urinary tract symptoms. <i>Int Urogynecol J</i> 2008; 19: 1103-1107

Medical Literature

Argirovic. Abs 1143. Transvaginal repair of genital prolapse with polypropylene mesh using a tension-free technique. 2011
Argirovic. Treatment of post hysterectomy vaginal vault prolapse with a polypropylene mesh. 2011
Arts-de Jong. [Pop 55, 1 yr fu] Improvement of sexual function after transobturator tape procedure in women with stress urinary incontinence. Gynecol Surg (2011) 8:315-319
Arunkalaivanan AS, Barrington JW. Randomized trial of porcine dermal sling (Pelvicol implant) vs. tension-free vaginal tape (TVT) in the surgical treatment of stress incontinence: a questionnaire-based study. Int Urogynecol J Pelvic Floor Dysfunct 2003;14:17-23; discussion 21-22.
Arunkalaivanan AS, Barrington JW. Randomized trial of porcine dermal sling Pelvicol implant vs TVT in the surgical treatment of stress incontinence: a questionnaire-based study. Int Urogynecol J (2003) 14:17-23
Aslan, E. Female sexual dysfunction. Int Urogynecol J 2008; 19: 293-305
Athanasίου S. Grigoriadis T, Zacharakis D, Skampardonis N, Laurantou D, Antsaklis A. [Pop 124, 7 yr fu] Seven years of objective and sub-jective outcomes of transobturator (TVT-O) vaginal tape: why do tapes fail? Int Urogynecol J (2014) 25:219-225
Athanasίου, S. Seven years of objective and subjective outcomes of transobturator (TVT-O) vaginal tape: Why do tapes fail? Int Urogynecol J 2014; 25: 219-225
Atis, G. Tissue Reaction of the Rat Urinary Bladder to Synthetic Mesh Materials. The Scientific World Journal 2009; 9: 1046-1051
Aube M, et al. (Prolift, Elevate, Avaulta, et al.) [Pop 225, median 37 mo fu] ICS Abs 456 - Long term efficacy and patient satisfaction of pelvic organ prolapse reduction using trans-vaginal mesh. (2015)
Aube, M. Abs. 456. Long term efficacy and patient satisfaction of pelvic organ prolapse reduction using trans-vaginal mesh. (2015)
Aube-Peterkin, M. Long-term efficacy and patient satisfaction of pelvic organ prolapse reduction using transvaginal mesh. ABS MP10-16; 2016
Aungst, Horbach. De novo stress incontinence and pelvic muscle symptoms after transvaginal mesh repair. 2009
Avery. IUGA Oral Presentation 57 A cohort study to determine the outcome and complication rate and to classify complications using IUGA,ICS terminology following vaginal mesh for POP surgery (Prosima, Prolift). 2012
Azar, M. Sexual function in women after surgery for pelvic organ prolapse. Int Urogynecol J 2008; 19: 53-57
Badrol. Surgical Prolift mesh repair. An audit of patient outcomes. 2012
Bai SW, Sohn WH, Chung DJ, Park JH, Kim SK. Comparison of the efficacy of Burch colposuspension, pubovaginal sling, and tension-free vaginal tape for stress urinary incontinence. Int J Gynaecol Obstet 2005;91:246-251.
Balchandra, P. Perioperative outcomes and prospective patient reported outcome measure for transvaginal mesh surgery. Arch Gynecol Obstet (2015)
Bang, S. Autologous pubovaginal slings: back to the future or a lost art? Research and Reports in Urology 2016; 8: 11-20
Barber M. OPTIMAL RCT SSLFvs. USLS Supplementary Online Content. Table 8 Adverse Events JAMA (2014)
Barber M. Single-Incision Mini-Sling Compared With Tension-Free Vaginal Tape for the Treatment of Stress Urinary Incontinence. Obstet Gynecol 2012;119:328-37
Barber M., et al., Apical prolapse, Int. Urogynecol. J., 24:1815-33 (+2013)
Barber M., et al., Operations and Pelvic Muscle Training in the Management of Apical Support Loss (OPTIMAL) Trial: Design and Methods, Contem. Clin. Trials, 30(2): 178-189 (March 2009)
Barber MD, et al. Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: A randomized controlled trial. Obstetrics & Gynecology, Vol 111, No 3, March 2008

Medical Literature

Barber MD, et al., Continence Program for Women Research Group Sexual function in women with urinary incontinence and pelvic organ prolapse. <i>Obstet Gynecol.</i> 2002; 99(2):281-289
Barber MD, Kleeman S, Karram MM, et al. Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. <i>Obstet Gynecol</i> 2008;111:611-621.
Barber MD, Weidner AC, Sokol AI, et al. Single-incision mini-sling compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. <i>Obstet Gynecol</i> 2012;119:328-337.
Barber, M. Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse – The OPTIMAL randomized trial. <i>JAMA</i> :2014;311:1023-1034.
Barber, M. Factorial comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse. <i>JAMA</i> :2014;11:1719.
Barber, M. Defining Success After Surgery for Pelvic Organ Prolapse. <i>Obstetrics & Gynecolog</i> (Sept 2009), Vol 114, No. 3, pgs 600 – 609
Barry C, Lim YN, Muller R, et al. [Pop 187, 3 mo fu] [TOT] A multi-centre, randomised clinical control trial comparing the retropubic (RP) approach versus the transobturator approach (TO) for tension-free, suburethral sling treatment of urodynamic stress incontinence: the TORP study. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:171-178.
Bartley, J. Secondary surgery after vaginal prolapse repair with mesh is more common for stress incontinence and voiding dysfunction than for mesh problems or prolapse recurrence. <i>Int Urol Nephrol</i> 2015:DOI 10.1007/s11255-015-0930-3.
Bartley, Sirs. Abs 2148. Reoperation for any reason after pelvic organ prolapse surgery with mesh. 2013
Bartuzi A. Transvaginal Prolift® mesh surgery due to advanced pelvic organ prolapse does not impair female sexual function: a prospective study. <i>Eur J Obstet Gynecol Reprod Biol</i> 2012; http://dx.doi.org/10.1016/j.ejogrb.2012.07.011
Basu M, Duckett J. A randomised trial of a retropubic tension-free vaginal tape versus a mini-sling for stress incontinence. <i>BJOG</i> 2010;117:730-735.
Bazi, T. Polypropylene Midurethral Tapes do not have similar biologic and biomechanical performance in the Rat. <i>European Urology</i> 2007; 51: 1364-1375
Beckmann, C. Table 47.1 Categories of Sexual Dysfunction in Obstetrics and Gynecology Sixth Edition Chapter 47 - Human Sexuality; 419
Benbouzid, S. Pelvic organ prolapse transvaginal repair by the Prolift system: evaluation of efficacy and complications after a 4.5 years follow up. <i>Int J Urol</i> 2012;19:1010-16.
Bendavid, Iakovlev - Mesh-related SIN syndrome. A surreptitious irreversible neuralgia and Its morphologic background in the Etiology of Post-Herniorrhaphy Pain. <i>International Journal of Clinical Medicine</i> , 2014, 5, 799-810.
Benson, J. Vaginal versus abdominal reconstructive surgery for the treatment of pelvic support defects: A prospective randomized study with long-term outcome evaluation. <i>Am J Obstet Gynecol</i> 1996;175:1418-1422.
Bent, A. Tissue reaction to expanded polytetrafluoroethylene suburethral sling for urinary incontinence: clinical and histologic study. <i>Am J Obstet Gynecol</i> 1993; 169: 1198-204
Berger, A. The Role of Obesity in Success and Complication in Patients Undergoing Retropubic Tension-free Vaginal Tape Surgery. <i>Female Pelvic Medicine & Reconstructive Surgery</i> ; 2015
Bernasconi F. TVT SECUR System: Final results of a prospective, observational, multicentric study. <i>Int Urogynecol J</i> (2012) 23:93-98
Berrocal J., et al., Conceptual advances in the surgical management of genital prolapse, <i>Journal De Gynécologie Obstétrique</i> (Nov. 2004)
Berrocal, J. Conceptual advances in the surgical management of genital prolapse. <i>J Gynecol Obstet Biol Reprod</i> 2004; 33:577-587.

Medical Literature

Bezerra - [Full version Cochrane Review] Suburethral sling operations for urinary incontinence in women (review); The Cochrane Library 2001, Issue 3
Bezhenar V, et al. [Pop 467. 7 yr] ICS Abs 768. 7-Year old Clinical Experience of Treating women's urinary incontinence using suburethral slings. (2013)
Bezhenar, V. ICS ABS 768 7-Year Old Clinical Experience of Treating Women's Urinary Incontinence Using Suburethral Slings. 2013
Bhal. ICS Abs 250 A Six Year Retrospective Audit of Clinical and Subjective Outcomes of Surgical Vaginal Prolapse Repair with the Insertion of Mesh. 2013
Bhatia, Murphy, Lucente. A comparison of short term sexual function outcomes for patients undergoing the transvaginal mesh procedure using the standard polypropylene mesh vs a hybrid polypropylene/poliglecaprone mesh. [Oral Poster 1] Female Pelvic Med Reconstr Surg 2010; 16(2): S15-16
Bhatia, Murphy, Lucente. [AUGS Oral Poster 19] A comparison of sexual function outcomes 1 year after undergoing a transvaginal mesh procedure using polypropylene mesh vs. hybrid polypropylene/poliglecaprone mesh. Female Pelvic Med Reconstr Surg 2012;18:S20-S21.
Bhatia, Murphy. ICS Abs 34. A comparison of short term sexual function outcomes for patients undergoing the transvaginal mesh procedure using the standard polypropylene mesh vs a hybrid polypropylene/poliglecaprone mesh (Prolift vs P+M). 2010
Bhatia, Murphy. Oral Poster 19 "A Comparison of Sexual Function Outcomes 1 year after undergoing a transvaginal mesh procedure using polypropylene mesh vs. hybrid polypropylene/poliglecaprone mesh . 2012
Bianchi-Ferraro A. Single-incision sling compared with transobturator sling for treating stress urinary incontinence: a randomized controlled trial. Int Urogynecol J (2012)
Bing, M. Clinical risk factors and urodynamic predictors prior to surgical treatment for stress urinary incontinence: a narrative review. Int Urogynecol J 2014; Epub Ahead of Print
Binnebosel - Biocompatibility of prosthetic meshes in abdominal surgery. Semin Immunopathol (2011) 33:235-543
Birolini C, et al. [case report] Mesh cancer: long-term mesh infection leading to squamous-cell carcinoma of the abdominal wall. Hernia (2013).
Bjelic-Radisic V. Mesh devices for pelvic organ prolapse. Results of the Austrian Registry. Int Urogynecol J 2013 24 (Suppl 1): S60-61
Black, N. The effectiveness of surgery for stress incontinence in women: a systematic review. British Journal of Urology 1996; 78: 497-510
Blaivas - Pubovaginal Fascial Sling for the Treatment of all Types of SUI: Surgical Technique and Long-term Outcome. Urol Clin N Am 38 (2011) 7-15
Blaivas - Pubovaginal fascial sling for the treatment of complicated SUI. J Urol, 145, 1214-1218, June 1991
Blaivas - Salvage surgery after failed treatment of synthetic mesh sling complications. The Journal of Urology Vol. 190, 1281-1286, October 2013
Blaivas, Iakovlev - (corrected in color) Safety considerations for synthetic sling surgery. Nat. Rev. Urol. 12, 481-509 (2015)
Blaivas, J. Ch. 17 Pubovaginal Sling. Female Urology, edited by Elroy D. Kursh and Edward McGuire. J.B. Lippincott, Philadelphia, 1994; ISBN 0-397-51154-X
Blandon Article, Complications from vaginally placed mesh in pelvic reconstructive surgery. In Urogynecol J (2009) 20:523-531.
Blefari. Treatment of cystocele by trans obturator tension free preconfigured polypropilene mesh. 2008
Blitstein, J. A novel composite sling for the Treatment of Stress Urinary Incontinence: First Clinical Experience. Presented June 22, 2001, Milan Italy, XXIII International Congress of the European Hernia Society
Blum, Sirls. Abs 2149 Mesh exposure rates and management after transvaginal prolapse repair with the Elevate and Prolift systems. 2013

Medical Literature

Bo K, Kvarstein B, Nygaard I: Lower urinary tract symptoms and pelvic floor muscle exercise adherence after 15 years. <i>Obstet Gynecol</i> 2005, 105(5 Pt 1):999-1005
Bonnet, P. Transobturator vaginal tape inside out for the surgical treatment of female stress urinary incontinence: anatomical considerations. <i>The Journal of Urology</i> 2005; 173: 1223-1228
Boukerro. Objective analysis of mechanical resistance of tension-free devices. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 124 (2006) 240-245
Boukerro. Study of the biomechanical properties of synthetic mesh implanted in vivo. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 134 (2007) 262-267
Boukerrou M., et al., Study of the biomechanical properties of synthetic mesh implanted in vivo, <i>European Journal of Obstetrics & Gynecology</i> , 134: 262-67 (2007)
Boulanger L, Boukerrou M, Lambaudie E, Defossez A, Cosson M. Tissue integration and tolerance to meshes used in gynecologic surgery: an experimental study, <i>Eur J Obstet Gynecol Reprod Biol</i> 2006; 125(1): 103-8.
Boulanger L., et al., Development of an animal model to study meshes used in genital prolapse surgery, <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> , 136: 254-59 (2008)
Bourdy. Sling exposure after treatment of urinary incontinence with sub-urethral transobturator slings. 2014
Brennan, E. Twelve-month outcomes following midurethral sling procedures for stress incontinence: impact of obesity. <i>BJOG</i> 2015; 122: 1705-1712
Bringman S, et al. Hernia repair: The search for ideal meshes. <i>Hernia</i> (2010) 14:81-87.
Bringman, S. Hernia repair: the search for ideal meshes. <i>Hernia</i> 2010; 14: 81-87
Brown BN, et al. Characterization of the host inflammatory response following implantation of prolapse mesh in rhesus macaque. <i>American Journal of Obstetrics and Gynecology</i> (2015), doi:10.1016/j.ajog.2015.08.002.
Brown. Pelvic organ prolapse surgery in the United States, 1997. <i>Am J Obstet Gynecol</i> , Volume 186, Number 4 , pg. 712-716 (2002)
Brubaker L, et al. Adverse events over two years after retropubic or transobturator midurethral sling surgery: Findings from the trial of midurethral slings (TOMUS) Study. <i>AJOG</i> 2011;205:498.e1-6.
Brubaker L, et al., A randomized trial of colpopexy and urinary reduction efforts (CARE): design and methods, <i>Controlled Clinical Trials</i> 24 (2003)
Brubaker L. 5-year Continence Rates, Satisfaction and Adverse Events of Burch Urethropexy and Fascial Sling Surgery for Urinary Incontinence. <i>J Uro</i> (2012) Vol. 187, 1324-1330
Brubaker, L. Abdominal sacrocolpopexy with Burch colposuspension to reduce urinary stress incontinence. <i>N Engl Med</i> 354;15: 1557-1566 (2006)
Brubaker, L. Adverse events over two years after retropubic or transobturator midurethral sling surgery: findings from the Trial of Midurethral Slings (TOMUS) study. <i>Am J Obstet Gynecol</i> 2011; 205: 498.e1-6
Brubaker, L. Surgery for Pelvic Organ Prolapse. <i>Female Pelvic Med Reconstr Surg</i> 2010; 16(1): 9-19
Brubaker, L. Two-year outcomes after sacrocolpopexy with and without Burch to prevent Stress Urinary Incontinence. <i>Obstet Gynecol</i> . 2008 July; 112(1): 49-55
Bryans, F. Marlex gauze hammock sling operation with Cooper's ligament attachment in the management of recurrent urinary stress incontinence. <i>Am J Obstet Gynecol</i> 1979; 133: 292-294
Burgio, K. Bladder symptoms one year after abdominal sacrocolpopexy with and without Burch colposuspension in women without preoperative stress incontinence symptoms. <i>Am J Obstet Gynecol</i> 2007; 197:647.e1-647.e6
Bury. Five-year results of a randomized clinical trial comparing a polypropylene mesh with a poliglecaprone and polypropylene composite mesh for inguinal hernioplasty. <i>Herina DOI</i> 10.1007/s10029-012-0916-3
But I, Faganelj M. Complications and short-term results of two different transobturator techniques for surgical treatment of women with urinary incontinence: a randomized study. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:857-861.

Medical Literature

Byung. [pop 151, 6 mo fu] Changes in sexual function after mid-urethral tape sling operations for stress urinary incontinence in Korean women. Korean Journal of Urology Vol. 50 No 9:908-915 September 2009
Cadish, L. Preoperative vaginal estrogen and midurethral sling exposure: a retrospective cohort study. Int Urogynecol J 2016; 27: 413-417
Cammu H, Van Nylen M, Blockeel C, Kaufman L, Amy JJ: Who will benefit from pelvic floor muscle training for stress urinary incontinence? Am J Obstet Gynecol 2004, 191(4):1152-1157
Cammu, H. Dramatic increase (1997-2007) in the number of procedures for stress urinary incontinence in Belgium. Int Urogynecol J 2010; 21: 1511-1515
Campbell. BSU Abs An audit of surgical outcomes following Gynaecare Prolift pelvic floor repair system. 2011
Campeau L, Tu LM, Lemieux MC, et al. A multicenter, prospective, randomized clinical trial comparing tension-free vaginal tape surgery and no treatment for the management of stress urinary incontinence in elderly women. Neurourol Urodyn 2007;26:990-994.
Canel, V. Postoperative groin pain and success rates following transobturator midurethral sling placement: TVT Abbrevio® system versus TVT™ obturator system. Int Urogynecol J 2015; Epub Ahead of Print
Capobianco, G. TVT-Abbrevio: efficacy and two years follow-up for the treatment of stress urinary incontinence. Clin Exp Obstet Gynecol 2014; 41(4): 445-447
Caquant F, et al. Safety of Trans Vaginal Mesh procedure - retrospective study of 684 patients (Gynemesh PS). J Obstet Gynaecol Res 2008; 34:449-456.
Caquant, F. Safety of transvaginal mesh procedure: retrospective study of 684 patients. J. Obstet Gynaecol Res; 2008; 34:449-456.
Carey, M. Vaginal repair with mesh versus colporrhaphy for prolapse; a randomized controlled trial. BJOG 2009;116:1380-1386.
Carey, M. Vaginal surgery for pelvic organ prolapse using mesh and a vaginal support device. BJOG 2008;115:391-397
Carlsen, Flynn. Abs V1942 Total pelvic floor reconstruction utilizing Prolift, A Polypropylene mesh reinforced pelvic floor repair and vaginal vault suspension. 2008
Caruso S, Rugolo S, Bandiera S, Mirabella D, Cavallaro A, Cianci A. Clitoral blood flow changes after surgery for stress urinary incontinence: pilot study on TVT Versus TOT procedures. Urology 2007;70:554-557.
Cassidenti - [OBGMgmt] Editorial. The crushing of innovation for treating female pelvic floor disorders: A story of "lead or be led"; OBG Management April 2016 Vol. 28 No. 4
Cavkaytar, S. Effects of Horizontal vs. Vertical Vaginal Cuff Closure Techniques on Vagina Length After Vaginal Hysterectomy: A Prospective Randomized Study. Journal of Minimally Invasive Gynecology 2014; 21(5): 884-7
Cayan, F. Sexual function after surgery for stress urinary incontinence: vaginal sling versus Burch colposuspension. Arch Gynecol Obstet 2008; 277: 31-36
Celebi. [Pop 563, 5 yrs fu] Results of the TVT procedure for treatment of female SUI: a 5 year follow-up study; Arch Gynecol Obstet (2009) 279:463-467
Chaikin, Blaivas - Results of pubovaginal sling for stress incontinence - a prospective comparison of 4 instruments for outcome analysis. The Journal of Urology Vol. 162, 1670-1673, November 1999
Chaikin, Blaivas - Pubovaginal fascial sling for all types of SUI Long-term analysis. The Journal of Urology, Vol. 160, 1312-1316 Oct. 1998
Chaliha C & Stanton SL, Complications of surgery for genuine stress incontinence. Br J Obstet Gynaecol 1999; 106:1238-45
Chapple, Zimmern, et al. Mesh sling in an era of uncertainty. Lessons learned and the way forward. European Urology 64(2013) 525-529.
Chen, H. Efficacy and complication of TVT procedure and TVT-O procedure in treatment of female stress urinary incontinence. Journal of Shanghai Jiaotong University Medical Science 2012; 32(4): 412-415

Medical Literature

Chen. Midterm prospective comparison of vaginal repair with mesh vs Prolift system devices for prolapse. 2012
Cheng D. [Pop 103, 5 yr fu] Tension-free vaginal tape-obturator in the treatment of stress urinary incontinence: a prospective study with five-year follow-up. European Journal of Obstetrics & Gynecology and Reproductive Biology 161 (2012) 228-231
Chermansky, C. Role of pelvic floor in lower urinary tract function. Autonomic Neuroscience Basic and Clinical 2015; http://dx.doi.org/10.1016/j.autneu.2015.06.003
Cheung, R. Inside-out versus outside-in transobturator tension-free vaginal tape: A 5-year prospective comparative study. International Journal of Urology 2014; 21: 74-80
Cho, M. Anatomic and functional outcomes with the Prolift Procedure in Elderly Women with Advanced Pelvic Organ Prolapse Who Desire Uterine Preservation. Journal of Minimally Invasive Gynecology 2012; 19: 307-312
Cho. Anatomic and Functional Outcomes with the Prolift Procedure in Elderly Women with Advanced Pelvic Organ Prolapse Who Desire Uterine Preservation. 2012
Cho. New criteria for pelvic organ prolapse repair with prolift mesh without hysterectomy. 2011
Choe, J. Ch. 33 The Use of Synthetic Materials in Pubovaginal Sling. Bladder Disease: Research Concepts and Clinical Applications. Edited by A. ATala and D. Slade, Kluwer Academic/Plenum Publishers; 2003: 481-492
Cholhan H. Dyspareunia association with paraurethral banding in the transobturator sling. Am J Obstet Gynecol 2010;202:481.e1-5.
Christensen, H. Long-term Results of the Stamey Bladder-Neck Suspension Procedure and of the Burch Colposuspension. Scand J Urol Nephrol 1997; 31: 349-353
Christofi, N. Which procedure for incontinence? Journal of the British Menopause Society 2005; 11(1): 23-27
Chughtai - Use and risks of surgical mesh for pelvic organ prolapse surgery in women in New York state: population based cohort study; BMJ 2015;350:h2685
Chughtai BI. Midurethral Sling Is the Dominant Procedure for Female Stress Urinary Incontinence: Analysis of Case Logs From Certifying American Urologists. Urology. 2013 Oct 15. doi:pii: S0090-4295(13)00963-1. 10.1016/j.urology.2013.07.040. (Epub ahead of print)
Chughtai, B. Midurethral Sling is the dominant procedure for Female Stress Urinary Incontinence: Analysis of Case Logs From Certifying American Urologists. Urology 2013; 82(6): 1267-71
Chung C. Incidence and risk factors of postoperative urinary tract infection after uterosacral ligament suspension. Int Urogynecol J 2012; 23:947-950.
Chung C. Recognition and management of nerve entrapment pain after uterosacral ligament suspension. Obstet & Gynecol 2012; 120:292-95
Chung, M. Comparison of Laparoscopic Burch and Tension-free Vaginal Tape in Treating Stress Urinary Incontinence in Obese Patients. JSLS 2002; 6: 17-21
Claerhout, Deprest - Medium-term anatomic and functional results of laparoscopic sacrocolpopexy beyond the learning curve. EUROPEAN UROLOGY 55 (2009) 1459-1468.
Clark A. Epidemiologic evaluation of reoperation for surgically treated pelvic organ prolapse and urinary incontinence. Am J Obstet Gynecol 2003;189:1261-7
Clark, A. Epidemiologic evaluation of reoperation for surgically treated pelvic organ prolapse and urinary incontinence. Am J Obstet Gynecol 2003;189:1261-7
Clave. Polypropylene as a reinforcement in pelvic surgery is not inert comparative analysis of 100 explants. Int Urogynecol J (2010) 21:261-270
Clemons - Impact of the 2011 FDA Transvaginal Mesh Safety Update on AUGS Members' use of Synthetic Mesh and Biologic Grafts in Pelvic Reconstructive Surgery. Female Pelvic Med Reconstr Surg 2013;19:191-198
Climent. Abs 1090 Impact of vaginal mesh on sexual function. 2011
Coady D. Chronic sexual pain. A layered guide to evaluation. Contemporary Ob/Gyn, September 2015, pp. 18-28.

Medical Literature

Cobb - The Argument for Lightweight Polypropylene Mesh in Hernia Repair. Surgical Innovation, Vol. 12, No. 1 (March), 2005: pp 63-69
Cobb W., et al., Textile Analysis of Heavy Weight, Mid-Weight, and Light Weight Polypropylene Mesh in a Porcine Ventral Hernia Model, Journal of Surgical Research, 136:1-7 (2006)
Cobb WS, et al. The Argument for Lightweight Polypropylene Mesh in Hernia Repair. Surgical Innovation, Vol 12, No 1 (March), 2005: pp69-69.
Cobb, Carbonell. Open Retromuscular Mesh Repair of Complex Incisional Hernia: Predictors of Wound Events and Recurrence. J Am Coll Surg 2015; 220:606-616
Coda A, et al. Classification of prosthetics used in hernia repair based on weight and biomaterial. Hernia (2012) 16:9-20.
Coda, Bendavid. Structural alterations of prosthetic meshes in humans. Hernia (2003) 7:29-34
Coelho, S. Female pelvic organ prolapse using pessaries: systematic review. Int Urogynecol J 2016; Epub ahead of print
Cohen, Kavalier. The incidence of mesh extrusion after vaginal incontinence and pelvic floor prolapse surgery. 2014
Collinet P. The safety of the inside-out transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women. Int Urogynecol J (2008) 19:711-715
Comprehensive Review Course in Female Pelvic Medicine and Reconstructive Surgery- Master Suggested Readings List. Jan. 2013
Conze, J. New Polymer for Intra-Abdominal Meshes - PVDF Copolymer. J Biomed Mater Res B Appl Biomater 2008; 87(2): 321-8
Conze, Klinge, et al. Polypropylene in the intra-abdominal position Influence of pore size and surface area. Hernia (2004) 8:365-372.
Cornu. Midterm Prospective Evaluation of TVT-Secur Reveals High Failure Rate. 2010
Corona, R. Tension-free Vaginal Tapes and Pelvic Nerve Neuropathy. Journal of Minimally Invasive Gynecology 2008; 15: 262-267
CORRECTION: Incorrect Data for Absolute Rates of Adverse Effects for JAMA 2015; 313(12): 1258-1259; JAMA 2015; 313(22): 2287
Cosson M, et al. Prolift (Mesh (Gynecare) for Pelvic Organ Prolapse Surgical Treatment: Using the TVM Group Technique: A Retrospective Study of 687 Patients. ICS Abstract 121 (2005)
Cosson M, et al. Prolift mesh (Gynecare) for pelvic organ prolapse surgical treatment using the TVM group technique: a retrospective study of 96 women of less than 50 years old. ABS 686 (2005)
Cosson M. Abst. 56 - Trans-vaginal mesh technique for treatment of pelvic organ prolapse: 5 years of prospective follow up. (2010)
Cosson M. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: which is the ideal material? Int Urogynecol J (2003) 14: 169 178
Cosson, M. Prolift (Mesh (Gynecare) for pelvic organ prolapse surgical treatment using the TVM group technique: a retrospective study of 687 patients. ICS Abs 121 (2005).
Cosson, M. Chapter 7: Properties of Synthetic Implants Used in the Repair of Genital Prolapses and Urinary Incontinence in Women in Theobald's New Techniques in Genital Prolapse Surgery ISBN: 978-1-84882-135-4
Cosson, M; Jacquetin, B. Prospective clinical assessment of the total vaginal mesh (TVM) technique for treatment of pelvic organ prolapse - 6 and 12 months results
Cosson. IUGA Abs 89 Preservation Of Uterus When Treating Prolapse By Prolift TM Does Not Significantly Reduce Risk of early post surgical complications and failures. 2008
Cosson. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: which is the ideal material? Int Urogynecol J (2003) 14:169-178

Medical Literature

Costantini. [Pop 87, median 100 mos fu] Long-term efficacy of the trans-obturator and retropubic MUS for SUI: update from a randomized clinical trial; World J Urol, DOI 10.1007/s00345-015-1651-z, 2015
Costello CR, et al. Characterization of Heavyweight and Lightweight Polypropylene Prosthetic Mesh Explants from a Single Patient. Surgical Innovation 2007; 14(3): 168-176.
Coutinho. Abs 386 Evaluation of results of transvaginal surgery for genital prolapse with a polypropylene implant- Prolift system. 2011
Cox [Nat Rev Urol] - (Good copy) Surgical management of female SUI- Is there a gold standard? Nat.Rev.Urol. 10, 78-89 (2013)
Cox A, Herschorn S, Lee L. Surgical management of female SUI: is there a gold standard? Nat Rev Urol. 2013 Feb;10(2):78-89.
Crane, A. Surgical privileging in Gynecology: A Fellows' Pelvic Research Network Study. Female Pelvic Medicine & Reconstructive Surgery 2014; 20(1): 19-22
Cresswell. [pop 118, mean 6.6 yrs fu] Long-term evaluation of tension-free vaginal tape (TVT) outcomes for a UK surgeon: Objective assessment and patient satisfaction questionnaires; British Journal of Medical and Surgical Urology (2008) 1, 58-62
Crosby - Symptom resolution after operative management 2014
Da Silveira, S. Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. Int Urogynecol J 2014.
da Silveira DRB, et al. Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. Int Urogynecol J. 2015 Mar; 26(3):335-42.
D'Afiero. Abs 0156 Short-term effects of mesh augmented surgery for pelvic organ prolapse on functional outcomes and quality of life. A comparison between trocar guided and single incision devices (Proxima, Prolift) . 2012
D'Afiero. Abs 1142 Treatment of posterior vaginal wall prolapse associated with anorectal dysfunctions using a vaginal polypropylene mesh kit (Posterior Prolift): One year follow-up study. 2011
Dallenbach P., To mesh or not to mesh: a review of pelvic organ reconstructive surgery, International Journal of Women's Health (2015)
Damoiseaux A, et al. [IUGA Abs PP 01] Long-term follow-up (7 years) of a randomized controlled trial. Trocar guided mesh compared with conventional vaginal repair in recurrent pelvic organ prolapse. Int Urogynecol J (2015) 26 (Suppl 1): S23-S174
Dandolu V, Pathak P. [IUGA Abs PP 37] Mesh complications in U.S. after transvaginal mesh repair versus abdominal or laparoscopic sacrocolpopexy. Int Urogynecol J (2015) 26 (Suppl 1): S23-S174
Dandolu, V. IUGA Abs PP 37 - Mesh complications in U.S. after transvaginal mesh repair versus abdominal or laparoscopic sacrocolpopexy. (2015)
Daneshgari, F. Complications of Mid Urethral Slings: Important Outcomes for Future Clinical Trials. Journal of Urology 2008; 180: 1890-1897
Darai E. Functional Results After the Suburethral Sling Procedure for Urinary Stress Incontinence: A Prospective Randomized Multicentre Study Comparing the Retropubic and Transobturator Routes. EUROPEAN UROLOGY 51 (2007) 795-802
Dati, S. M432 Single-Incision minisling (AJUST) vs. Obturator tension-free vaginal shortened tape (TVT-Abbrevio) in surgical management of female stress urinary incontinence. International Journal of Gynecology & Obstetrics 2012; 119S3: S670
Dati, S. Prolift vs. Avaulta for transvaginal repair of severe pelvic prolapse. (2008) (ETH-03227-03228)
Davila GW. Pelvic Floor Dysfunction Management Practice Patterns: A Survey of Members of the International Urogynecological Association. Int Urogynecol J (2002) 13:319-325
De Boer T. Predictive factors for overactive bladder symptoms after pelvic organ prolapse surgery. Int Urogynecol J 2010; 21: 1143-1149.

Medical Literature

de Boer. Predictive factors for overactive bladder symptoms after pelvic organ prolapse surgery. 2010
de Landsheere L. Surgical intervention after transvaginal Prolift mesh repair: retrospective single-center study including 524 patients with 3 years' median follow-up. Am J Obstet Gynecol 2012;206:83.e1-7
de Landsheere, Cosson. Abs 1109 Patient satisfaction after Prolift mesh repair for pelvic organ prolapse. 2011
De Landsheere, L. Surgical intervention after transvaginal Prolift mesh repair: retrospective single-center study including 524 patients with 3 years' median follow-up. Am J Obstet Gynecol 2012;206:83.e1-7
de Leval J, Thomas A, Waltregny D. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. Int Urogynecol J 2011;22:145-156.
De Leval J. Novel Surgical Technique for the Treatment of Female Stress Urinary Incontinence: Transobturator Vaginal Tape Inside-Out. Eur Urol. 2003 Dec;44(6):724-30
De Leval, J. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. Int Urogynecol J 2011; 22: 145-156
de Oliveira L, Girao MJ, Sartori MG, Castro RA, Fonseca E. Comparison of retro-pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. Int Urogynecol J 2007;18(Suppl I):S180-S181.
De Souza A. Sexual function following retropubic TVT and transobturator Monarc sling in women with intrinsic sphincter deficiency: a multicentre prospective study. Int Urogynecol J. 2012 Feb;23(2):153-8
de Tayrac R and Letouzey V. Basic Science and Clinical Aspects of Mesh Infection in Pelvic Floor Reconstructive Surgery. Int Urogynecol J (2011)
de Tayrac R, Droupy S, Calvanese L, and Fernandez H. A prospective randomized study comparing TVT and transobturator suburethral tape (T.O.T.) for the surgical treatment of stress incontinence. ICS 2003:Abstract 344.
de Tayrac R. Complications of pelvic organ prolapse surgery and methods of prevention. Int Urogynecol J 2013; 24: 1859-1872.
de Tayrac R., et al., Transvaginal repair of stage III-IV cystocele using a lightweight mesh: safety and 36-month outcome, PubMed (Aug. 2015)
De Tayrac, Letouzey. Basic Science and Clinical Aspects of Mesh Infection in Pelvic Floor Reconstructive Surgery. Int Urogynecol J doi 10.1007/s00192-011-1405-4
De Tayrac, R. Comparison between tran-obturator trans-vaginal mesh and traditional anterior colporrhaphy in the treatment of anterior vaginal wall prolapse: results of a French RCT. Int Urogynecol J 2013; 24: 1651-1661
Dean, N. Laparoscopic colposuspension and tension-free vaginal tape: a systematic review. BJOG 2006; 113: 1345-1353
Debet, B. Transvaginal repair of genital prolapse by the Prolift technique: outcome one year after surgery.
Debodinance P. Trans-obturator urethral sling for the surgical correction of female stress urinary incontinence: Outside-in (Monarc) versus inside-out (TVT-O) are the two ways reassuring? European Journal of Obstetrics & Gynecology and Reproductive Biology 133 (2007) 232-238
Debodinance, P. Trans-obturator urethral sling for surgical correction of female stress urinary incontinence: outside-in (Monarc®) versus inside-out (TVT-O®). Are both ways Safe? J Gynecol Obstet Biol Reprod 2006; 35: 571-577
Debodinance, P. Trans-obturator urethral sling for the surgical correction of female stress urinary incontinence: Outside-in (Monarc®) versus inside-out (TVT-O®) Are the two ways reassuring? European Journal of Obstetrics & Gynecology and Reproductive Biology 2007; 133: 232-238
Deffieux X. Prevention of complications related to the use of prosthetic meshes in prolapse surgery: guidelines for clinical practice. Eur J Obstet Gynecol Reprod Biol 2012 http://dx.doi.org/10.1016/j.ejogrb.2012.09.001
Deffieux X. Transobturator TVT-O versus retropubic TVT: results of a multicenter randomized controlled trial at 24 months follow-up. Int Urogynecol J (2010) 21:1337-1345

Medical Literature

Delmas - Ltrs to editor Re. de Leval's -Novel surgical technique for the treatment of female stress urinary incontinence: transobturator vaginal tape inside-out. (2004)
Delorme E, et al. Transobturator tape (Uratape). A new minimally-invasive procedure to treat female urinary incontinence. European Urology 45 (2004) 203-207.
Delorme E. Trans-obturator tape- a mini invasive procedure for the treatment of female stress urinary incontinence. Progres en Urologie (Progress in Urology) (2001), II, 1306-1313
Delroy, C. The use of transvaginal synthetic mesh for anterior vaginal wall prolapse repair: a randomized controlled trial. Int Urogynecol J 2013; 24: 1899-1907
Demirci F, et al. Long-term results of Burch colposuspension Gynecol Obstet Invest 2001; 51:243-247
Demirci F. Perioperative Complications in Abdominal Sacrocolpopexy, Sacrospinous Ligament Fixation and Prolift Procedures. Balkan Med J 2014;31:158-63
Demirci, F. Comparison of pubovaginal sling and burch colposuspension procedures in type I/II genuine stress incontinence. Arch Gynecol Obstet 2001; 265: 190-194
Demirci. Perioperative complications in abdominal sacrocolpopexy, sacrospinous ligament fixation and Prolift procedures. 2014
Demirci. Perioperative complications in vaginal mesh procedures using trocar in pelvic organ prolapse repair. 2013
Deng - Risk factors for mesh erosion after female pelvic floor reconstructive surgery: a systemic review and meta-analysis BJU Int 2015 doi:10.1111/bju.13158
Deng, Raz - Presentation and Management of Major Complications of Midurethral Slings: Are Complications Under-reported? Neurolgoy and Urodynamics 26:46-52 (2007)
Denis, S. Pelvic organ prolapse treatment by the vaginal route using a Vypro composite mesh: preliminary results about 106 cases. Abs 620 (2004)
Deprest J, et al. The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. Int Urogynecol J (2006) 17:S16-S25.
Deprest. Synthetic and biodegradable prostheses in pelvic floor surgery. International Congress Series 1279 (2005) 387-397
Dereska. New-onset pelvic organ prolapse following the use of a transvaginal mesh kit for single-compartment pelvic organ prolapse repair. 2010
deTayrac R. A prospective randomized trial comparing tension-free vaginal tape and transobturator suburethral tape for surgical treatment of stress urinary incontinence. American Journal of Obstetrics and Gynecology (2004) 190, 602e8
Dhingra, C. Urogynecological Causes of Pain and the Effect of Pain on Sexual Function in Women. Female Pelvic Med Reconstr Surg 2012; 18: 259-267
Di Biase, M. Management of stress urinary incontinence. Seminars in Colon and Rectal Surgery 2016; 27: 46-50
Dietz H P, Erdmann M, Shek K L, Mesh contraction: myth or reality? American Journal of Obstetrics & Gynecology (Feb. 2011)
Dietz H. TVT vs Monarc: a comparative study. Int Urogynecol J (2006) 17: 566-569
Dietz HP, et al. [Pop 68, median 1.6 yrs fu] Does the Tension-Free Vaginal tape stay Where you Put It? Am J Obstet Gynecol 2003; 188:950-3
Dietz HP. Mechanical properties of urogynecologic implant materials. Int Urogynecol J (2003) 14: 239-243.
Dietz, H. Mesh contraction: myth or reality? Am J Obstet Gynecol 2011; 204: 173.e1-4
Dietz, V. Pelvic organ prolapse and sexual function. Int Urogynecol J; 2013;24:1853-1857.
Dietz. [Pop 68, median 1.6 yrs fu] Does the tension-free vaginal tape stay where you put it? Am J Obstet Gynecol 2003; 188:950-3
Dietz. Opinion: Mesh in prolapse surgery: an imaging perspective. Ultrasound Obstet Gynecol 2012; 40: 495-503

Medical Literature

Dindo, D. Classification of surgical complications: A new proposal with evaluation in a Cohort of 6336 patients and results of a survey. Ann Surg 2004; 240: 205-213
Diwadkar, G. Complication and reoperation rates after apical vaginal prolapse surgical repair. Obstet Gynecol 2009;113:367-73.
Diwadkar, G. Complication and reoperation rates after apical vaginal prolapse surgical repair_ A systematic review. Obstetrics & Gynecology 2009; 113;2 367-373
Dmochowski R, Blaivas. (AUA Guidelines) Update of AUA Guideline on the Surgical Management of Female Stress Urinary Incontinence. J Uro, Vol. 183, 1906-1914, May 2010
Dmochowski. AUA Abs 1520 One year results from a World-Wide Registry of TVT-secur in women with SUI; The Journal of Urology, Vol. 181, No. 4, Supplement, 2009
Dooley. Urinary Incontinence Prevalence: Results from the National Health and Nutrition Examination Survey. (2008)
dos Reis Brandao da Silveira S. [Pop 184, 1 yr fu] Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. Int Urogynecol J. 2014. 26: 335-342.
Drahoradova P, Maata J, Martan A, Svabfk K. Comparative development of quality of life between TVT and Burch colposuspension. ICS 2004:Abstract 278.
Dramitinos. AUGS Poster 26 Mesh augmented repair of cystocele with anterior approach to bilateral sacrospinous ligament fixation. 2008
Drutz H. IUGA guidelines for training in female pelvic medicine and reconstructive pelvic surgery (FPM-RPS). Updated Guidelines 2010. Int Urogynecol K=J 2010; 21: 1445-1453.
Duckett, J. Groin pain after a tension-free vaginal tape or similar suburethral sling: management strategies. BJU International 2005; 95: 95-97
Duckett, J. Pain after suburethral sling insertion for urinary stress incontinence. Int Urogynecol J 2013; 24: 195-201
Dunn GE - Changed women. The long-term impact of vaginal mesh complications. Female Pelvic Med. Reconstr Surg 2014; 20:131-136
Duvvur. Abs 1130 Clinical audit on surgical outcomes of vaginal wall prolapse repair using mesh. 2011
Dwyer, N. An update on slings. Current Opinion in Urology 2005; 15: 244-249
Dwyer, P. Transvaginal repair of anterior and posterior compartment prolapse with Atrium polypropylene mesh. BJOG 2004; 111: 831-836
Dyrkorn OA, Kulseng-Hanssen S, Sandvik L. TVT compared with TVT-O and TOT: Results from the Norwegian National Incontinence Registry; Int Urogynecol J (2010) 21:1321-1326.
Ehsani. Abs 023 Four month and one year results of transvaginal mesh placement (Prolift procedure) in the treatment of POP. 2009
Eickmeyer, S. Pelvic Floor Disorders. Chapter 38 in Braddom's Physical Medicine & Rehabilitation Fifth Edition ISBN: 978-0-323-28046-4
Ek. Effects of anterior trocar guided transvaginal mesh surgery on lower urinary tract symptoms. 2010
El Haddad. IUGA Abs 097. Mesh impact on sexual function. 2011
El Haddad. Women's quality of life and sexual function after transvaginal anterior repair with mesh insertion. 2013
El-Barky E, El-Shazly A, El-Wahab OA, Kehinde EO, Al-Hunayan A, Al-Awadi KA. Tension free vaginal tape versus Burch colposuspension for treatment of female stress urinary incontinence. Int Urol Nephrol 2005;37:277-281.
El-Din Shwki, H. The Role of Trans-obturator Vaginal Tape (TVT-O) and some Traditional Surgical interventions in the management of female genuine stress urinary incontinence - randomized controlled trial. International Journal of Gynecology & Obstetrics 2012; 119S3: S337

Medical Literature

El-Hefnawy AS, Wadie BS, El Mekresh M, Nabeeh A, Bazeed MA. TOT for treatment of stress urinary incontinence: how should we assess its equivalence with TVT? <i>Int Urogynecol J</i> 2010;21:947-953.
Elmer C, et al. Histological inflammatory response to transvaginal polypropylene mesh for pelvic reconstructive surgery, <i>J Urol</i> (2009), 181 (3), 1189-95.
Elmer, C. Risk Factors for Mesh Complications after Trocar Guided Transvaginal Mesh Kit Repair of Anterior Vaginal Wall Prolapse. <i>Neurourol Urodyn</i> . 2012 Sep;31(7):1165-9 (2012)
Elmer, C. Trocar-Guided Transvaginal Mesh Repair of Pelvic Organ Prolapse. <i>Obstet Gynecol</i> 113: 117-26. (2009)
El-Nazer, MA. Anterior colporrhaphy versus repair with mesh for anterior vaginal wall prolapse: a comparative clinical study. <i>Arch Gynecol Obstet</i> (2012) 286:965-972
Elyasi, F. Sexual Dysfunction in Women with Type 2 Diabetes Mellitus. <i>Iran J Med Sci</i> 2015; 40(3): 206-213
Elzevier H. Female Sexual Function after Surgery for Stress Urinary Incontinence: Transobturator Suburethral Tape vs. Tension-Free Vaginal Tape Obturator. <i>J Sex Med</i> 2008;5:400-406
Endo, M. Mesh contraction: in vivo documentation of changes in apparent surface area utilizing meshes visible on magnetic resonance imaging in the rabbit abdominal wall model. <i>Int Urogynecol J</i> 2014; 25(6): 737-43
Ercan, O. Comparison of postoperative vaginal length and sexual function after abdominal, vaginal, and laparoscopic hysterectomy. <i>International Journal of Gynecology and Obstetrics</i> 2016; 132: 39-41
Eriksen, B. Long-term effectiveness of the burch colposuspension in Female Urinary Stress Incontinence. <i>Acta Obstet Gynecol Scand</i> 1990; 69: 45-50
Espuna-Pons, M., et al., Eliciting Women's Preferences for Treatment of Stress Urinary Incontinence with the Method of Paired Comparison, <i>Int. Urogynecol. J.</i> , 17(Suppl. 2) (2006)
Fabian, G. Vaginal excision of the sub-urethral sling: analysis of indications, safety and outcome. <i>Arch Med Sci</i> 2015; 11(5): 982-988
Falconer C, Ulmsten U. Influence of Different Sling Materials on Connective Tissue Metabolism in Stress Urinary Incontinent Women. <i>Int Urogynecol J</i> (2001) (Suppl 2): S19-S23
Falconer C. Clinical Outcome and Changes in Connective Tissue Metabolism After Intravaginal Slingplasty in Stress Incontinent Women. <i>Int Urogynecol J</i> (1996) 7:133-137
Falconer, C. Clinical Outcome and Changes in Connective Tissue Metabolism After Intravaginal Slingplasty in Stress Incontinence Women. <i>Int Urogynecol J</i> 1996; 7: 133-137
Falconer. Influence of Different Sling Materials on Connective Tissue Metabolism in SUI Women; <i>Int Urogynecol J</i> (2001) (Suppl 2):S19 S23
Fan. Tension free vaginal mesh for the treatment of pelvic organ prolapse in Chinese women. 2013
Fatton, B. Transvaginal repair of genital prolapse: preliminary results of a new tension-free vaginal mesh (Prolift technique) – a case series multicentric study. <i>Int Urogynecol J</i> 2007;18:743-752.
Fatton, B. Postoperative pain after transvaginal repair of pelvic organ prolapse with or without mesh: a prospective study of 132 patients. <i>ABS 0300 International Journal of Gynecology & Obstetrics</i> 2009; 107S2: S178-179
Fatton, B. Preliminary results of the “Prolift™” technique in the treatment of pelvic organ prolapse by vaginal approach: a multicentric retrospective series of 110 patients. <i>ABS 275 Int Urogynecol J</i> 2006 17(Suppl 2): S212-213
Fatton, B. Transvaginal repair of genital prolapse: preliminary results of a new tension-free vaginal mesh (Prolift™ technique) - case series multicentric study. <i>Int Urogynecol J</i> 2007; 18: 743-752
Fatton, Jacquetin. IUGA Abs 407. Transvaginal Mesh Repair Of Pelvic Organ Prolapse With Prolift Technique. One Year Outcomes. 2007
Fatton. IUGA Abs 275. Preliminary results of the 'Prolift' technique in the treatment of pelvic organ prolapse by vaginal approach. A multicentric retrospective series of 110 patients. 2006
Fatton. ICS/IUGA Abs 53. Sexual outcome after transvaginal repair of pelvic organ prolapse with and without mesh. A prospective study of 323 patients. 2010

Medical Literature

Fatton-2007-Int Urogynecol J-Transvaginal repair of genital prolapse - preliminary results
Fayyad. Abs 308. Anatomical quality of life and sexual function outcomes following anterior Prolift for recurrent anterior vaginal wall prolapse. 2009
Fayyad. Prospective study of anterior transobturator mesh kit (Prolift) for the management of recurrent anterior vaginal wall prolapse. 2011
Feiner B, et al. Efficacy and safety of transvaginal mesh kits in the treatment of prolapse of the vaginal apex: a systematic review. BJOG 2009;116:15-24
Feiner B. A prospective comparison of two commercial mesh kits in the management of anterior vaginal prolapsed. Int Urogynecol J (2012) 23:279-283
Feiner B., et al., Vaginal mesh contraction: definition, clinical presentation, and management, Obstetrics & Gynecology, Vol. 115, Number 2, Part 1 (Feb. 2010)
Feiner. Anterior vaginal mesh sacrospinous hysteropexy and and posterior fascial plication for anterior compartment dominated uterovaginal prolapse. 2010
Feiner. Efficacy and safety of transvaginal mesh kits in the treatment of prolapse of the vaginal apex: a systematic review. BJOG 116: 15-24. (2008)
Feola A., et al, Deterioration in Biomechanical Properties of the Vagina Following Implantation of a High Stiffness Prolapse Mesh, BJOG, 120(2): 224-232 (Jan. 2013)
Ferrero, S. Deep dyspareunia: causes, treatments, and results. Current Opinion in Obstetrics and Gynecology 2008; 20: 394-399
Fialkow, M. Incidence of recurrent pelvic organ prolapse 10 years following primary surgical management: a retrospective cohort study. Int Urogynecol J: 2008;19:1483-1487.
Filindris. IUGA Abs 1144 Evaluation of the long term results and complications of the use of posterior pelvic floor repair systems on fifty women. 2011
Finamore. Risk factors for mesh erosion 3 months following vaginal reconstructive surgery using commercial kits vs. fashioned mesh-augmented vaginal repairs. 2010
Firoozi, F. Abs 260. Short and intermediate-term complications of the Prolift transvaginal mesh procedure. 2009
Firoozi, F. Short and intermediate-term complications of the Prolift transvaginal mesh procedure. Int Urogynecol J 2009;3:S283.
Firoozi, Farzeen, et al. "Purely Transvaginal/Perineal Management of Complications From Commercial Prolapse Kits Using a New Prostheses/Grafts Complication Classification System," The Journal of Urology 2012;187:1674-1679.
Fitzgerald, M. Failure of allograft suburethral slings. BJU International 1999; 84: 785-788
Flam. Sedation and local anaesthesia for vaginal pelvic floor repair of genital prolapse using mesh. 2007
Flynn, M. Sensory nerve injury after uterosacral ligament suspension. American Journal of Obstetrics and Gynecology 2006; 195: 1869-72
Fokaefs, E. Experimental evaluation of free versus pedicled Fascial Flaps for Sling Surgery of Urinary Stress Incontinence. The Journal of Urology 1997; 157: 1039-1043
Fong, E. Mid-urethral synthetic slings for female stress urinary incontinence. BJU Int 2010; 106(5): 596-608
Ford - (Cochrane Review) Mid-urethral sling operations for stress urinary incontinence in women (review); The Cochrane Library 2015, Issue 7
Ford AA, et al. (Cochrane Review[FULL]) Mid-urethral sling operations for stress urinary incontinence in women. The Cochrane Library 2015, Issue 7
Ford AA. (Summary Cochrane Review) Mid-urethral sling operations for stress urinary incontinence in women (review). (2015)
Ford AA. Mid-urethral sling operations for stress urinary incontinence in women (Review); The Cochrane Collaboration 2015

Medical Literature

Ford. (Cochrane Review) [Abstract] Mid-urethral sling operations for stress urinary incontinence in women (review); The Cochrane Library 2015, Issue 7
Formisano. Correction of genital prolapse with tension free vaginal mesh kit Prolift. Our experience. 2010
Fortelny, R. Adverse effects of polyvinylidene fluoride-coated polypropylene mesh after for laparoscopic intraperitoneal onlay repair of incisional hernia. British Journal of Surgery 2010; 97: 1140-1145
Francis - Dyspareunia following vaginal surgery 1961
Francis, W. Dyspareunia Following Vaginal Operations. The Journal of Obstetrics and Gynaecology of the British Commonwealth 1961; 68(1): 1-10
Frankman. Mesh exposure and associated risk factors in women undergoing transvaginal prolapse repair with mesh. 2013
Freeman R, Holmes D, Hillard T, et al. What patients think: patient-reported outcomes of retropubic versus trans-obturator mid-urethral slings for urodynamic stress incontinence-a multi-centre randomised controlled trial. Int Urogynecol J 2011;22:279-286.
Fuentes AE. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tensionfree vaginal tape transobturator tape (TVT-O) in women with severe genital prolapse and occult stress incontinence: long term follow up. Int Urogynecol J 2011;22(Suppl I):S60-S61.
Fultz, N. Burden of stress urinary incontinence for community-dwelling women. Am J Obstet Gynecol 2003; 189: 1275-82
Funk, M. Trends in the Surgical Management of Stress Urinary Incontinence. Obstet Gynecol 2012; 119(4): 845-851
Futyma. ICS Abs 488. Efficacy Of Prolift System In The Treatment Of Pelvic Floor Disorders. Experience After First Hundred Cases. 2007
Futyma. Does a midurethral sling inserted at the time of pelvic organ prolapse mesh surgery increase the rate of de novo OAB. A prospective longitudinal study . 2014
Gabriel, Cosson. Prolapse surgery in women of 80 years and older using the Prolift technique. 2010
Gad Outcome of Prolift mesh repair in treatment of pelvic organ prolapse and its effect on lower urinary tract symptoms: 5-year retrospective case study. 2012
Gaines, N. Pelvic Prolapse Repair in the Era of Mesh. Curr Urol Rep 2016; 17: 20
Galloway, N. The Complications of Colposuspension. British Journal of Urology 1987; 60: 122-124
Gandhi S. TVT versus SPARC: comparison of outcomes for two midurethral tape procedures. Int Urogynecol J (2006) 17: 125-130
Ganj, F. Complications of transvaginal monofilament polypropylene mesh in pelvic organ prolapse repair. Int Urogynecol J (2009) 20: 919-925
Garcia, S. Complications of Polypropylene Mesh for the Treatment of Female Pelvic Floor Disorders. Neurologic and Urodinamical Urology Arch. Esp. Urol. 2011; 64(7): 620-628
Gauruder-Burmester, A. Follow-up after polypropylene mesh repair of anterior and posterior compartments in patients with recurrent prolapse. Int Urogynecol J 2007; 18: 1059-1064
Gehrich, A. Risk of postoperative urinary tract infections following midurethral sling operations in women undergoing hysterectomy. Int Urogynecol J 2015; Epub Ahead of Print
Gerstenbluth - [case report] Simultaneous urethral erosion of TVT and woven polyester pubovaginal sling. The Journal of Urology Vol. 170, 525-526, August 2003
Gerwin, R. A review of myofascial pain and fibromyalgia - factors that promote their persistence. Acupuncture in Medicine 2005; 23(3): 121-134
Ghezzi F. Impact of tension-free vaginal tape on sexual function: results of a prospective study. Int Urogynecol J (2005) 17: 54-59

Medical Literature

Ghezzi F. Influence of the type of anesthesia and hydrodissection on the complication rate after tension-free vaginal tape procedure. European Journal of Obstetrics & Gynecology and Reproductive Biology 118 (2005) 96-100
Ghoneim, G. Female pelvic medicine and reconstructive surgery practice patterns: IUGA member survey. Int Urogynecol J 2015; 26(10): 1489-94
Giana. Abs 048. Long term outcomes after transvaginal mesh repair of pelvic organ prolapse. 2011
Giana. Abs M433. Outcome of first line versus second line mesh surgery in high stage pelvic prolapse. 2012
Gigliobianco, G. Biomaterials for pelvic floor reconstructive surgery: How can We do Better? BioMed Research International 2015; Article ID 968087, 20 pages
Gilbert AI, et al. Ch. 9 Polypropylene. The Standard of Mesh Materials. Meshes - Benefits and Risks (2004)
Gilpin SA. The pathogenesis of genitourinary prolapse and stress incontinence of urine. A histological and histochemical study. British Jollmal of Obstetrics and Gynaecology January 1989, Vol. 96, pp. 15-23
Ginath. Magnetic resonance imaging of abdominal versus vaginal prolapse surgery with mesh. 2012
Glatt, A. The prevalence of dyspareunia. Obstet & Gynecol; 1990;75:433-436.
Glavind, K. Incidence and treatment of postoperative voiding dysfunction after the tension-free vaginal tape procedure. Int Urogynecol J 2015; 26: 1657-1660
Gleason, Sung, Richter. Outcomes of MUS procedures in women with mixed urinary incontinence; Int Urogynecol J (2015) 26:715-721
Godazandeh, G. Laparoscopic Repair of Morgagni Hernia Using Polyvinylidene Fluoride (PVDF) Mesh. Middle East J. Dig Dis 2012; 4:232-235
Gold. Factors associated with exposure of transvaginally placed polypropylene mesh for POP. 2012
Goldman, HW. Complications of Female Incontinence & Pelvic Reconstructive Surgery. Current Clinical Urology 2013.
Golomb, J. Management of urethral erosion caused by a pubovaginal fascial sling. Urology 2001; 57: 159-160
Gomelsky - (Ann Long-Term Care) Urinary incontinence in the elderly female. Annals of Long-Term Care: Clinical Care and Aging 2009; 17[10]:41-45
Gomelsky, A. Commentary on "Pain Scores and Exposure Rates after Polypropylene Mesh for Pelvic Organ Prolapse" Southern Medical Journal 2015; 108(12): 722-723
Gomelsky, A. Midurethral sling: is there an optimal choice? Curr Opin Urol 2016; 26: 000-000 DOI: 10.1097/MOU.0000000000000282
Goode PS, Burgio KL, Locher JL, Roth DL, Umlauf MG, Richter HE, Varner RE, Lloyd LK: Effect of behavioral training with or without pelvic floor electrical stimulation on stress incontinence in women: a randomized controlled trial. JAMA 2003, 90(3):345-352
Goretzlehner, U. PVDF as an implant material in urogynaecology. BIOMaterialien 2007; 8(S1): 28-29
Greer WJ. Obesity and pelvic floor disorders: a systematic review. Obstet Gynecol. 2008 Aug;112(2 Pt 1):341-9
Groenen. IUGA Abs 399. Medium-Term Outcome Of Prolift For Vaginal Prolapse. 2007
Groenen. IUGA Abs 562. Initial experience and short term outcome of tensionfree vaginal mesh (TVM). 2006
Groutz A, Rosen G, Cohen A, Gold R, Lessing JB, Gordon D. [Pop 52, 10 yr fu] Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. J Minim Invasive Gynecol (2011) 18:726-729
Groutz A, Rosen G, Cohen A, Gold R, Lessing JB, Gordon D. Pop 52, 10 yr fu] Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. J Minim Invasive Gynecol (2011) 18:726-729
Groutz A. [Pop 61, 5 yr fu] Long-Term Outcome of Transobturator Tension-Free Vaginal Tape: Efficacy and Risk Factors for Surgical Failure. Journal of Women's Health, Volume 20, Number 10, 2011 1525-1528
Groutz, A. Long-Term Outcome of Transobturator Tension-Free Vaginal Tape: Efficacy and Risk Factors for Surgical Failure. Journal of Women's Health 2011; 20(10): 1525-1528

Medical Literature

Groutz, Blaivas - Pubovaginal sling surgery for simple SUI - analysis by an outcome score. The Journal of Urology Vol. 165, 1597-1600, May 2001
Groutz. [Pop 52, 10 yr fu] Ten-Year Subjective Outcome Results of the Retropubic Tension-Free Vaginal Tape for Treatment of SUI; Journal of Minimally Invasive Gynecology, Vol.18, No 6, November/December 2011
Groutz. "Inside Out" Transobturator Tension-free Vaginal Tape for Management of Occult Stress Urinary Incontinence in Women Undergoing Pelvic Organ Prolapse Repair (2010)
Guerrero KL. A randomised controlled trial comparing TVT Pelvicol and autologous fascial slings for the treatment of stress urinary incontinence in women. BJOG 2010;117:1493-1503
Gupta, P. AUA Abs PD20-08 The impact of comorbid chronic pain syndromes on sexual activity and dyspareunia pelvic organ prolapse repair. (2015)
Gupta. Poster Abs NM-110 Transvaginal rectocele repairs using mesh A retrospective Review of Complications. 2014
Gutman R. Three-Year Outcomes of Vaginal Mesh for Prolapse. Obstet Gynecol 2013; 122: 770-777.
Gutman. Three-Year Outcomes of Vaginal Mesh for Prolapse - A Randomized Controlled Trial. 2013
Haddad R. Women's quality of life and sexual function after transvaginal anterior repair with mesh insertion. Eur J Obstet Gynecol Reprod Biol 2013; 167(1): 110-113.
Haferkamp - [case report] Urethral erosion of tension-free vaginal tape. The Journal of Urology Vol. 167, 250, January 2002
Halaska, M. A multicenter, randomized, prospective, controlled study comparing sacrospinous fixation and transvaginal mesh in the treatment of posthysterectomy vaginal vault prolapse. Am J Obstet Gynecol 2012;207:301.e1-7.
Halaska. Abs 161. The quality of life after the prolapse surgery. A comparison of Prolene mesh suspension with classical methods. 2008
Halaska. Abs 284. A randomized multicentric prospective comparison of prolene meshes and sacrospinous fixation in the treatment of pelvic organs prolapse. 2010
Halder, G. Botox with Physical Therapy for Myofascial Pelvic Pain. Presentation Number: Poster 193. Female Pelvic Medicine & Reconstructive Surgery 2015; 21(5)(Suppl 1): S143
Hamamsy, D. new onset stress urinary incontinence following laparoscopic sacrocolpopexy and its relation to anatomical outcomes. Int Urogynecol J 2015; 26: 1041-1045
Hamer M. One-year results of a prospective randomized, evaluator-blinded, multicenter study comparing TVT and TVT Secur. Int Urogynecol J (2013) 24:223-229
Hamer MA, Larsson PG, Teleman P, Eten-Bergqvist C, Persson J. Short-term results of a prospective randomized evaluator blinded multicenter study comparing TVT and TVT-Secur. Int Urogynecol J Pelvic Floor Dysfunct 2011;22:781-787.
Hammad - Erosions and Urinary Retention Following Polypropylene Synthetic Sling. Australasian Survey. European Urology 47 (2005) 641-647
Han JY, Effectiveness of retropubic tension-free vaginal tape and transobturator inside-out tape procedures in women with overactive bladder and stress urinary incontinence. Int Neurourol J. 2013 Sep;17(3):145-51
Han J-Y, Park J, Choo M-S. [Pop 88, 12 yr fu] Long-term durability, functional outcomes, and factors associated with surgical failure of tension-free vaginal tape procedure. Int Urol Nephrol (2014) 46:1921-1927
Han, Ji-Yeon. Efficacy of TVT-Secur and factors affecting cure of female stress urinary incontinence: 3-year follow-up. Int Urogynecol J (2012) 23:1721-1726
Handa VL, et al., Female sexual function and pelvic floor disorders. Obstet Gynecol. 2008; 111(5):1045-1052.
Handa VL, Zyczynski HM, Brubaker L, et al. Sexual function before and after sacrocolpopexy for pelvic organ prolapse. Am J Obstet Gynecol 2007;197:629.e1-6.
Hanno P., et al., Diagnosis and Treatment of Interstitial Cystitis/Bladder Pain Syndrome, American Urological Association Guideline (2014)

Medical Literature

Hansen, Gradel. [Danish Registry] Reoperation for urinary incontinence-a nationwide cohort study, 1998 thru 2007; Am J Obstet Gynecol 2016;214:263.e1-8
Hardiman PJ, Drutz HP. Sacrospinous vault suspension and abdominal colposacropexy: success rates and complications. Am J Obstet Gynecol 1996; 175:612-6
Haug JD. Physicians preferences for information sources - a meta-analytical study. Bull Med Libr Assoc 85(3), July 1997.
Hazell L. and Shakir SAW. Under-reporting of adverse drug reactions. Drug Safety 2006; 29(5):385-396.
Heinonen P, et al. Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J (2016)
Heinonen P. [Pop 191, mean 10.5 yrs fu] Tension-free vaginal tape procedure without preoperative urodynamic examination: Long-term outcome. Int J Urol 2012; 19:1003-1009
Heinonen, P. IUGA Abs OP 093. Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. (2015)
Heinonen. Tension-free vaginal tape procedure without preoperative urodynamic examination: Long-term outcome; International Journal of Urology (2012) 19, 1003-1009
Heinonen. Trocar guided polypropylene mesh for pelvic organ prolapse surgery perioperative morbidity and short term outcome of the first 100 patients. 2011
Heinz. The Reaction of Formaldehyde with Proteins - Formalin Reaction. From the Western Regional Research Laboratory. September 7, 1948
Hellberg D. The very obese woman and the very old woman: tensionfree vaginal tape for the treatment of stress urinary incontinence. Int Urogynecol J (2007) 18:423-429
Hendrix, S. Pelvic organ prolapse in the Women's Health Initiative: Gravity and gravidity. Am J Obstet Gynecol, (2002) Volume 186, Number 6
Herbertsson - Surgical results and urodynamic studies 10 years after retropubic colpourethrocystopexy. Acta Obstet Gynecol Scand 1993; 72:298-301
Hermieu. Les bandelettes sous-uretrales synthetiques dans le traitement de l'incontinence urinaire d'effort feminine. Peoples en Urologie (2003), 13, 636-647
Hill, Barber. Histopathology of excised midurethral sling mesh. Int Urogynecol J (2015) 26:591-595
Hilton, P. The "learning curve" for retropubic mid-urethral sling procedures: a retrospective cohort study. Int Urogynecol J 2016; 27: 565-570
Hinoul P, et al. A Randomized, Controlled Trial Comparing an Innovative Single Incision Sling With an Established Transobturator Sling to Treat Female stress urinary incontinence. Journal of Urology 2011; 185:1356-1362.
Hinoul P, Vervest HAM, Venema P, Den Boon J, Milani A, Roovers J. TVT obturator system versus TVT Secur: a randomized controlled trial, short term results. Int Urogynecol J Pelvic Floor Dysfunct 2009;20:S213.
Hinoul P. An anatomic comparison of the original versus a modified inside-out transobturator procedure. Int Urogynecol J (2011) 22:997-1004
Hinoul P. Anatomical variability in the trajectory of the inside-out transobturator vaginal tape technique (TVT-O). Int Urogynecol J (2007) 18:1201-1206
Hinoul P. Review of surgical techniques to insert implants in urogynaecology. International Congress Series 1279 (2005) 398-406
Hinoul P. Surgical management of urinary stress incontinence in women: A historical and clinical overview. European Journal of Obstetrics & Gynecology and Reproductive Biology 145 (2009) 219-225
Hinoul, P. A Randomized, Controlled Trial Comparing an Innovative Single Incision Sling With an Established Transobturator Sling to Treat Female Stress Urinary Incontinence. 2011; 185: 1356-1362
Hinoul, P. An Anatomic Comparison of the Traditional TVT-O Versus a modified TVT-O Procedure. Int Urogynecol J 2011; 22 (Suppl 2): S1190-1191

Medical Literature

Hinoult. IUGA Abs 424 Prolift anterior(c): 6 month data on 29 procedures. 2006
Hollander. Anterior and Posterior Repair with Polypropylene. 2010
Holly. Implants in operative therapy in women with pelvic organ prolapse- Two years of experience. 2009
Holmgren C. Frequency of de novo urgency in 463 women who had undergone the tension-free vaginal tape (TVT) procedure for genuine stress urinary incontinence - A long-term follow-up. European Journal of Obstetrics & Gynecology and Reproductive Biology 132 (2007) 121-125
Holmgren CG. Long-Term Results with Tension-Free Vaginal Tape on Mixed and Stress Urinary Incontinence. Obstetrics & Gynecology, VOL. 106, NO. 1, JULY 2005, 38-43
Holmgren S, Nilsson. [Pop 760, 8 yr fu] Long-Term Results with Tension-Free Vaginal Tape on Mixed and Stress Urinary Incontinence. Obstetrics & Gynecology; Vol. 106, No. 1, July 2005
Holmgren, C. Frequency of de novo urgency in 463 women who had undergone the tension-free vaginal tape (TVT) procedure for genuine stress urinary incontinence - A Long-Term Follow-up. European Journal of Obstetrics & Gynecology and Reproductive Biology 2007; 132: 121-125
Holmgren. Quality of life after TVT surgery for female stress incontinence; Scandinavian Journal of Urology and Nephrology, 2006; 40: 131-137
Hong. High success rate and considerable adverse events of pelvic prolapse surgery with Prolift. A single center experience. 2013
Hota, L. TVT-Secur (Hammock) Versus TVT-Obturator: A Randomized Trial of Suburethral Sling Operative Procedures. Female Pelvic Med Reconstr Surg 2012; 18:41-45
Hott. Abs 432 Tension free vaginal polypropylene soft mesh (Prolift) in treatment of genital prolapse: Experience of two centers in Chile. 2009
Hou, Lemack, Zimmern. Outcome of Transvaginal Mesh and Tape Removed for Pain Only . 2014
Houwert RM, Renes-Zijl C, Vos MC, Vervest HA. TVT-O versus Monarc after a 2-4-year follow-up: a prospective comparative study. Int Urogynecol J (2009) 20:1327-1333
Houwert, R. Perspectives by patients and physicians on outcomes of mid-urethral sling surgery. Int Urogynecol J 2010; 21: 415-421
Hu, T. Costs of Urinary incontinence and overactive bladder in the United States: A comparative Study. Urology 2004; 63: 461-465
Huang, L. Medium-term comparison of uterus preservation versus hysterectomy in pelvic organ prolapse treatment with Prolift™ Mesh. Int Urogynecol J 2015
Huang, Y. High Failure Rate using Allograft Fascia Lata in Pubovaginal sling surgery for Female Stress Urinary Incontinence. Urology 2001; 58: 943-946
Huang. Outcome of transvaginal pelvic reconstructive surgery with Prolift after a median of 2 years follow-up. 2011
Huang. Abs 475. Evaluate the short-term outcome of pelvic reconstruction with Prolift mesh for severe pelvic organ prolapse. 2009
Hubka, P. Anatomical study of position of the TVT-O to the obturator nerve influenced by the position of the legs during the procedure: based upon findings at formalin-embalmed and fresh-frozen bodies. Arch Gynecol Obstet 2011; 284: 901-905
Hubka, P. TVT Abbrevio: cadaveric study of tape position in foramen obturatum and adductor region. Int Urogynecol J 2016; Epub Ahead of Print
Huebner M. The use of graft materials in vaginal pelvic floor surgery. Int J Gynecol & Obstet (2006) 92:279-288
Huser, M. OP 106 Prospective Randomized Comparison of the Trans-obturator mid-urethral sling and the single-incision sling in women with stress urinary incontinence: One-year follow-up study. Int Urogynecol J 2015; 26(Suppl1): S135-136

Medical Literature

Hwang E. Predictive factors that influence treatment outcomes of innovative single incision sling: comparing TVT-Secur to an established transobturator sling for female stress urinary incontinence. <i>Int Urogynecol J</i> (2012) 23:907-912
Iakovlev, Mekel, Blaivas - ICS Abs 228 Pathological findings of transvaginal polypropylene slings explanted for late complications: mesh is not inert.(2014)
Iglesia, C. The Use of mesh in Gynecologic Surgery. <i>Int Urogynecol J</i> 1997; 8: 105-115
Iglesia, C. Vaginal Mesh for Prolapse: A Randomized Controlled Trial. <i>OBSTETRICS & GYNECOLOGY</i> , 116:2:1, August 2010
Iglesia. Oral Presentation, A Randomized Clinical Trial of Vaginal Mesh for Prolapse (vamp) . 2010
Ignjatovic. Optimal primary minimally invasive treatment for patients with stress urinary incontinence and symptomatic pelvic organ prolapse: Tension free slings with colporrhaphy, or Prolift with the tension free midurethral sling? 2010
Ignjatovic. Reutilization of the Prolift system for the simultaneous correction of prolapse and incontinence in patients with pelvic organ prolapse and stress urinary incontinence. 2008
Ignjatovic. Simultaneous Correction of Anterior and Apical Vaginal Prolapse with the Modified Placement of the Transobturator-Guided Mesh (Anterior Prolift) Set. 2011
Iliev VN and Andova IT. Minimally invasive surgery for stress urinary incontinence - mesh complications. <i>Med. Sci.</i> 2, 2014.
Illston, J. Pain Scores and Exposure Rates after Polypropylene Mesh for Pelvic Organ Prolapse. <i>Southern Medical Journal</i> 2015; 108(12): 715-721
Imel, A. In vivo oxidative degradation of polypropylene pelvic mesh. <i>Biomaterials</i> 2015; 73: 131-141
Incidence and management of graft erosion, wound granulation, and dyspareunia following vaginal prolapse repair with graft material: a systematic review
Ingber, M. Retropubic Synthetic Midurethral Slings: Techniques and Outcomes. <i>Current Urology Reports</i> 2009; 10: 375-383
Irwin, D. Population-based survey of urinary incontinence, overactive bladder, and other lower urinary tract symptoms in five countries: results of the EPIC study. <i>European Urology</i> 2006; 50: 1306-1315
Ismail. Surgical re-intervention after prolift mesh repair for pelvic organ prolapse A 4 year retrospective cohort study. 2011
Jackson, S. Stress urinary incontinence: new management options. <i>Current Medical Research and Opinion</i> 2005; 21(10): 1669-1675
Jacquetin B. Complications of vaginal mesh: our experience. <i>Int Urogynecol J</i> 2009; 20: 893-896.
Jacquetin B. Prospective clinical assessment of the trans vaginal mesh (TVM) technique for treatment of pelvic organ prolapse - One year results of 175 patients. <i>ICS Abstract</i> 291, 2006.
Jacquetin B. Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse: 1.5-year prospective follow-up study. <i>Int Urogynecol J</i> 2013. DOI 10.1007/s00192-013-2080-4.
Jacquetin, B . Total transvaginal mesh technique for treatment of pelvic organ prolapse: a 3-year prospective follow-up study. <i>Int Urogynecol J</i> 21: 1455-1462 (2010)
Jacquetin, B. Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse: 1 5-year prospective follow-up study. <i>Int Urogynecol J</i> DOI 10.1007/s00192-013-2080-4. (2013)
Jacquetin, B. Complications of vaginal mesh: our experience. <i>Int Urogynecol J</i> (2009) 20:893-896
Jacquetin. Transvaginal Mesh: A 5 year prospective follow-up study. <i>Int Urogynecol J</i> (2013)
Jain P, Jirschele K, Botros SM, Latthe PM. Effectiveness of midurethral slings in mixed urinary incontinence: a systematic review and meta-analysis. <i>Int Urogynecol J</i> . 2011;22:923-932
Jain, P. Effectiveness of midurethral slings in mixed urinary incontinence: a systematic review and meta-analysis. <i>Int Urogynecol J</i> DOI: 10.1007/s00192-011-1406-3

Medical Literature

Jamieson, D. The Prevalence of dysmenorrhea, dyspareunia, pelvic pain, and irritable bowel syndrome in primary care practices. <i>Obstet Gynecol</i> 1996; 87(1): 55-58
Jarnagin, B. Postoperative ureteral obstruction after confirmed ureteral patency: a case report. <i>Int Urogynecol J</i> 2004; 15: 356-357
Jelovsek J, et al. [Pop 72, mean 62 mos fu] Randomized trial of laparoscopic Burch colposuspension versus tension-free vaginal tape: long-term follow up. <i>BJOG</i> 2008; 115: 219-225.
Jelovsek JE & Barber MD., Women seeking treatment for advanced pelvic organ prolapse have decreased body image and quality of life. <i>Am J Obstet Gynecol.</i> 2006; 194(5):1455-1461
Jelovsek, J. Predicting Risk of Urinary Incontinence and Adverse Events After Midurethral Sling Surgery in Women. <i>Obstet Gynecol</i> 2016; 127: 330-40
Jeon. [pop 253] Comparison of the treatment outcome of pubovaginal sling, TVT, and TVT-O for SUI with intrinsic sphincter deficiency; <i>American Journal of Obstetrics & Gynecology</i> ; July 2008; Volume 199, Number 1
Jeppson, S. NON-ORAL POSTER 31 Effect of TVT-O Abbrevio on Post-Operative Groin Pain <i>Journal of Minimally Invasive Gynecology</i> 2014; 21: S27-S28
Jern. [pop 144, 62 at 7 yr fu] Long-Term Follow-up of the TVT Procedure for Treating Female SUI; <i>Journal of Urology</i> Volume 181, Number 4; April 2009
Jha - [Meta-analysis] Impact of incontinence surgery on sexual function. A systematic review and meta-analysis. <i>J Sex Med</i> 2012;9:34-43
Jha S. A systematic review and meta-analysis of the impact of native tissue repair for pelvic organ prolapse on sexual function, <i>Int Urogynecol J.</i> 2014
Jha, S. Surgical Management of Stress Urinary Incontinence A Questionnaire Based Survey. <i>European Urology</i> 2005; 47: 648-652
Jha. (see 2011 full article) IUGA Abs 213 Impact of incontinence surgery on sexual function: a systematic review and meta-analysis. <i>Int Urogynecol J</i> (2010) 21 (Suppl 1):S1-S428
Jha. Prolapse or incontinence - what affects sexual function the most? <i>Int Urogynecol J</i> (2016) 27:607-611
Jones, K. Tensile properties of commonly used prolapse meshes. <i>Int Urogynecol J</i> 2009; 20: 847-853
Jonsson Funk M. Sling Revision/ Removal for Mesh Erosion and Urinary Retention: Long-Term Risk and Predictors. <i>Am J Obstet Gynecol.</i> 2013; 208(1): 73.e1-73.e7
Juang C-M, Yu K-J, Chou P, et al. Efficacy analysis of trans-obturator tension-free vaginal tape (TVT-O) plus modified Ingelman-Sundberg procedure versus TVT-O alone in the treatment of mixed urinary incontinence: a randomized study. <i>Eur Urol</i> 2007;51:1671-1678
Kaelin-Gambirasio I. Complications associated with transobturator sling procedures: analysis of 233 consecutive cases with a 27 months follow-up. <i>BMC Women's Health</i> 2009, 9:28
Kahn, M. Posterior colporrhaphy: its effects on bowel and sexual function. <i>British Journal of Obstet & Gynaecol</i> ; 1997;104:82-86.
Kalichman, L. Association between fibromyalgia and sexual dysfunction in women. <i>Clin Rheumatol</i> 2009; 28: 365-369
Kaplan, S. Comparison of Fascial and Vaginal Wall Slings in The Management of Intrinsic Sphincter Deficiency. <i>Urology</i> 1996; 47: 885-889
Karagkounis. Abs 349 Treating high grade uterine prolapse. Preservation or not of major anatomic structures. 2009
Karaman, U. AUA ABS PS28-07 The impact of obesity on outcomes after retropubic midurethral sling for female stress urinary incontinence. 2015
Karateke A, Haliloglu B, Cam C, Sakalli M. Comparison of TVT and TVT-O in patients with stress urinary incontinence: short-term cure rates and factors influencing the outcome. A prospective randomized study. <i>Australian NZ J Obstet Gynaecol</i> 2009;49:99-105.

Medical Literature

Karim, N. Review on midurethral sling procedures for stress urinary incontinence. <i>Gynecology and Minimally Invasive Therapy</i> 2015; 4: 33-36
Karlovsy, M. Synthetic Biomaterials for Pelvic Floor Reconstruction. <i>Current Urology Reports</i> 2005; 6: 376-384
Karmakar, D. Long-Term Outcomes (8-Years) From the Prospective Randomized Control Trial of Trans-obturator tapes for stress incontinence in women (The ETOT Study). <i>Int Urogynecol J</i> 2015; 26 (Suppl 1): S74-75
Karram - Complications and Untowards Effects of the TVT Procedure. <i>Obstet Gynecol</i> 2003; 101:929-32
Karram M and Maher C. Surgery for posterior vaginal wall prolapse. <i>Int Urogynecol J</i> (2013) 24: 1835-1841
Karram M. Complications and Untoward Effects of the Tension-Free Vaginal Tape Procedure. <i>The American College of Obstetricians and Gynecologists</i> (2003) Vol. 101, No. 5, Part 1
Karram M. High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse. <i>Am J Obstet Gynecol</i> 2001; 185: 1339-1343.
Karram, M. Genitourinary sundrome of menopause: Current and emerging therapies. <i>OBG Management</i> 2015; 27(8): e1-e6
Karram, M. Surgery for posterior vaginal wall prolapse. <i>Int Urogynecol J</i> ; 2013:24:1835-1841.
Karram, M. When and how to place an autologous rectus fascia pubovaginal sling. <i>OBG Management</i> 2012; 24(11): 24-33
Kasturi S. High uterosacral liagment vaginal vault suspension: comparison of absorbable vs. permanent suture for apical fixation, <i>Int Urogynecol J</i> (2012) 23: 941-945
Kasturi, S. Pelvic magnetic resonance imaging for assessment of the efficacy of the Prolift system for pelvic organ prolapse. <i>Am J Obstet Gynecol</i> 2010; 203: 504.e1-504.e5
Kasturi, S., et al., Pelvic magnetic resonance imaging for assessment of the efficacy of the Prolift system for pelvic organ prolapse, <i>American Journal of Obstetrics & Gynecology</i> (Nov. 2010)
Kasyan. Abs 834. Complication rate of pelvic organ prolapse repair with prolift transvaginal mesh. 2011
Kasyan. Mesh-related and intraoperative complications of pelvic organ prolapse repair. 2014
Kaufman. Age and sexual activity are risk factors for mesh exposure following transvaginal mesh repair. 2011
Kavvadias T, et al. Chapter 56 - Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse.
Kavvadias, Klinge. Ch. 56 Alloplastic Implants for the Treatment of SUI and Pelvic Organ Prolapse. <i>Hernia Repair Sequelae Chapter 56</i> pp. 440-444
Kenton K, Zyczynski H, Sirs LT, Richter HE, et al. (TOMUS published) 5-Year Longitudinal Followup after Retropubic and Transobturator Mid-urethral slings. <i>The Journal of Urology</i> , Vol. 193, 203-210, January 2015.
Kenton, K. Surgical Management of Stress Urinary Incontinence in Women: Bladder neck fascial sling procedures. <i>UpToDate</i> ; 2015: 1-4
Kenton, KS., Richter, H. - Risk Factors Associated with Urge Incontinence after Continence Surgery. <i>J Urol</i> 2009 Dec; 182 (6):2805-2809
Kersey J. The gauze hammock sling operation in the treatment of stress incontinence. <i>British Journal of Obstetrics & Gynecology</i> 1983; 90:945-949.
Khan ZA, Thomas L, Emery SJ. Outcomes and complications of trans-vaginal mesh repair using the Prolift kit for pelvic organ prolapse at 4 years median follow-up in a tertiary referral centre. <i>Arch Gynecol Obstet</i> (2014) 290:1154-1157.
Khan, M. Posterior colporrhaphy: its effect on bowel and sexual function. <i>British Journal of Obstetrics and Gynaecology</i> 1997; 104: 82-86
Khan. [Pop 162, median 10 yr fu] Long term follow-up of a multicentre randomised controlled trial comparing TVT, xenograft and autologous fascial slings for the treatment of SUI in women; doi:10.1111/bju.12851; 2014
Khandwala S. Experience with TVT-Secur sling for stress urinary incontinence: a 141-case analysis. <i>Int Urogynecol J</i> (2010) 21:767-772

Medical Literature

Khandwala, S. ICS Abstract 571 - Clinical outcomes of an observational registry utilizing a trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh. (2011)
Khandwala, S. Transvaginal mesh Surgery for Pelvic Organ Prolapse: One-Year Outcome Analysis. Female Pelvic Medicine & Reconstructive Surgery. March/April 2013; 19(2): 84-89.
Kim, Jung Jun. Randomized Comparative Study of the U-and H-type Approaches of the TVT-Secur Procedure for the Treatment of Female Stress Urinary Incontinence: One Year Follow-Up. Korean J Urol 2010;51:250-256
King A. Is there an association between polypropylene midurethral slings and malignancy. Urology 84: 789-792, 2014
King, A. Prospective Evaluation of the Effect of Thigh Dissection for Removal of Transobturator Midurethral Slings on Refractory Thigh Pain. (Author's Manuscript) The Journal of Urology 2016; 10.1016/j.juro.2016.03.153
King, Goldman. Current controversies regarding oncologic risk associated with Polypropylene Midurethral Slings. Curr Urol Rep (2014) 15:453
Kinn, A. Burch Colposuspension for Stress Urinary Incontinence. Scand J Urol Nephrol 1995; 29: 449-455
Kirby, A. Midurethral slings: which should I choose and what is the evidence for use? Curr Opin Obstet Gynecol 2015; 27: 359-365
Kjohede P. Long-term Efficacy of Burch Colposuspension: A 14-year Follow-up Study. Acta Obstet Gynecol Scand 2005; 84: 767-772.
Klein-Patel M, et al. [AUGS Abs 11] Ultra-Lightweight synthetic mesh has similar cellular response but increased tissue ingrowth relative to heavier weight prototype; Female Pelvic Med Reconstr Surg 2011; 17(5) Suppl 2.
Klinge - Foreign Body Reaction to Meshes Used for the Repair of Abdominal Wall Hernias. Eur J Surg 1999; 165:665-673
Klinge U. Demands and Properties of the Alloplastic Implants for the Treatment of Stress Urinary Incontinence. Expert Rev. Med. Devices 4(3), 349-359 (2007)
Klinge, Klosterhalfen, et al. Shrinking of Polypropylene Mesh in vivo. An Experimental Study in Dogs. Eur J Surg 1998; 164:965-969.
Klinge, U. Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. Hernia Repair Sequelae, Ch. 56, 440-444
Klinge, U. Ch. 38. Vypro: A new generation of polypropylene mesh. 2001; 286-291
Klinge. Impact of Polymer Pore Size on the Interface Scar Formation in a Rat Model. Journal of Surgical Research 103, 208-214 (2002)
Klinge. Polypropylene in the intra-abdominal position: Influence of pore size and surface area. Hernia (2004) 8:365-372
Klinge U. [review-discussion] Advances in Urogynecology (discusses TVT). Int J Fertil 50[1]:18-23, 2005
Klink, C. Comparison of Long-Term Biocompatibility of PVDF and PP Meshes. Journal of Investigative Surgery 2011; 24: 292-299
Klosterhalfen B, et al. The lightweight and large porous mesh concept for hernia repair. Expert Rev. Med. Devices 2(1) 2005.
Klosterhalfen B, Klinge U, Schumpelick V. Ch. 29 - Carcinogenicity of Implantable Biomaterials. Ben David's Abdominal Wall Hernias (2001)
Klosterhalfen B., et al., The lightweight and large porous mesh concept for hernia repair, Future Drugs, Ltd. (2005)
Klosterhalfen, B. Influence of implantation interval on the long-term biocompatibility of surgical mesh. British Journal of Surgery 2002; 89: 1043-1048
Klosterhalfen, Klinge - The lightweight and large porous mesh concept for hernia repair. Expert Rev. med. Devices 2(1), 103-117 (2005)

Medical Literature

Klosterhalfen, Klinge, et al. Ch. 16 - Long-term inertness of meshes In Meshes. Biomaterial-related FBR. IN Meshes-Benefits and Risks. (2004)
Klosterhalfen. Foreign-body Carcinogenesis of Surgical Meshes. Meshes: Benefits and Risks. Chapter 24 pp.254-261
Kobashi K. Erosion of woven Polyester Pubovaginal Sling. J Urology, Vol. 162, 2070-2072, December 1999
Kobashi, K. Management of vaginal erosion of polypropylene mesh slings. The Journal of Urology 2003; 169: 2242-2243
Kobashi, K. Perioperative complications: The First 140 Polypropylene Pubovaginal Slings. The Journal of Urology 2003; 170: 1918-1921
Kohli, N. Mesh Erosion after abdominal sacrocolpopexy. Obstet Gynecol 1998; 92: 999-1004
Kokanali, M. Risk factors for mesh erosion after vaginal sling procedures for urinary incontinence. European Journal of Obstetrics & Gynecology and Reproductive Biology 2014; 177: 146-50
Kolle D. Bleeding Complications With The Tension-Free Vaginal Tape Operation. American Journal of Obstetrics and Gynecology (2005) 193. 2045-9
Komesu, Y. Posterior repair and sexual function. AJOG:2007:54:101-103.
Komesu, Y. Epidemiology of mixed, stress, and urgency urinary incontinence in middle-aged/older women: the importance of incontinence history. Int Urogynecol J 2014; Epub Ahead of Print
Kondo A, I so be Y, Kimura K, et al. Efficacy, safety and hospital costs of tension-free vaginal tape and pubovaginal sling in the surgical treatment of stress incontinence. J Obstet Gynaecol Res 2006;32:539- 544.
Koo, Gormley. [published] Transvaginal Mesh in the Media Following the 2011 US FDA Public Health Notification Update; Neurourology and Urodynamics DOI 10.1002/nau 2015
Koo, Gormley. AUA Abs MP81-05 Transvaginal Mesh in the Media Following the 2011 FDA Update
Kozal, S. Morbidity and functional mid-term outcomes using Prolift pelvic floor repair systems. Can Urol Assoc J 2014;8(9-10):e605-9.
Kozal. Abs MP12-05. Transvaginal repair of genital prolapse with Prolift system. Morbidity and anatomic outcomes after 6 years of use A Multicentric study. 2011
Kozal. Abs 2144. Transvaginal repair of genital prolapse with Prolift system. Morbidity and anatomic outcomes after 6 years of use - A Multicentric study. 2012
Kozal. Morbidity and functional mid-term outcomes using Prolift pelvic floor repair systems. 2014
Krambeck, A. Time-Dependent Variations in Inflammation and Scar Formation of Six Different Pubovaginal Sling Materials in the Rabbit Model. Urology 2006; 67: 1105-1110
Krasnopolsky. Abs 238. Complications of mesh use in pelvic organ prolapses surgery Retrospective multicenter study of 677 patients. 2011
Krasnopolsky. Abs 443. Vaginal and laparoscopic mesh surgery could improve quality of life. 2011
Krause H, et al. Biomechanical properties of raw meshes used in pelvic floor reconstruction. Int Urogynecol J (2008) 19:1677-1681.
Krcmar. Abs 024. Long term results of mesh trocar guided surgery in reconstruction of pelvic organ prolapse. 2011
Krofta L, Feyereisl J, Otcenasek M, Velebil P, Kasikova E, Krcmar M. TVT and TVT-O for surgical treatment of primary stress urinary incontinence: prospective randomized trial. Int Urogynecol J 2010;21:141-148.
Krofta L. TVT-S for surgical treatment of stress urinary incontinence: prospective trial, 1-year follow-up. Int Urogynecol J (2010) 21:779-785
Krofta. Abs 695. Mesh implants in pelvic organ prolapse surgery Prospective study One year follow up. 2011
Kuhn, A. Sexual function after suburethral sling removal for dyspareunia. Surg Endosc 2009; 23: 765-768
Kulseng-Hanssen S. Follow-up of TVT Operations in 1,113 women with mixed urinary incontinence at 7 and 38 months. Int Urogynecol J (2008) 19:391-396

Medical Literature

Kurien, A. EP13.17 TVT Abbrevio for management of female stress urinary incontinence: a prospective analysis over 22 months in a tertiary care hospital. BJOG 2014; 121(2): 235-236
Kurtz. Effects of reactive oxygen species on the physical properties of polypropylene surgical mesh at various concentrations: a model for inflammatory reaction as a cause for mesh embrittlement and failure. Surg Endosc doi 10.1007/s00464-015-4614-3
Kuuva - [Pop 1455 2 mo fu] A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure; Acta Obstet Gynecol Scand 2002; 81:72-77
Kuuva, Nilsson. [Pop 129, 6 yr fu] Long-term results of the TVT operation in an unselected group of 129 stress incontinent women; Acta Obstetrica et Gynecologica. 2006; 85: 482-487
Kuuva, Nilsson.- [pop 51] TVT procedure. An effective minimally invasive operation for the treatment of recurrent SUI?; Gynecol Obstet Invest 2003;56:93-98
Labrie J, et al. Protocol for Physiotherapy Or TVT Randomised Efficacy Trial (PORTRET): a multicentre randomized controlled trial to assess the cost-effectiveness of the tension free vaginal tape versus pelvic floor muscle training in women with symptomatic moderate to severe stress urinary incontinence. BMC Womens Health. 2009;9:24
Labrie, Julien. Surgery versus Physiotherapy for Stress Urinary Incontinence. N Engl J Med (2013) 369:12, 1124-33.
Lamers BH, et al. Pessary treatment for pelvic organ prolapse and health-related quality of life: a review. Int Urogynecol J. 2011 Jun;22(6):637-44
Lamers BH, Vaart CH van der: Medium-term efficacy of pelvic floor muscle training for female urinary incontinence in daily practice. Int Urogynecol J Pelvic Floor Dysfunct 2007, 18(3):301-307
Lamvu, G. Vaginal Apex Resection: A Treatment Option for Vaginal Apex Pain. Obstet Gynecol 2004; 104: 1340-6
Lane, F. Repair of Posthysterectomy vaginal-vault prolapse. Obstet & Gynecol. 1962;20:72-77.
Langer - Long-Term (10-15 years) Follow-up after Burch Colposuspension for Urinary Stress Incontinence. Int Urogynecol J (2001) 12:323-327
Lapitan - (Cochrane Rev) Open Retropubic Colposuspension Urinary Inc in Women Short Version Cochrane Review; Neurourology and Urodynamics 28:472-480 (2009)
Lapitan - Open Retropubic Colposuspension for urinary incontinence in women (Review) Reprint of Cochran review prepare and maintained by The Cochrane collaboration and published in The Cochrane Library 2012, Issue 6
Lapitan, Cody - [Summary Cochrane review] Open retropubic colposuspension for urinary incontinence in women (review). Cochrane Database of Systemic Reviews 2016 , Issue 2. Art. No.:CD002912
Latthe P. Two routes of transobturator tape procedure in stress urinary incontinence: a meta-analysis with direct and indirect comparison of randomized trials. BJUI (2009) 106 , 68-76
Latthe PM. Transobturator and retropubic tape procedures in stress urinary incontinence: a systematic review and meta-analysis of effectiveness and complications. BJOG 2007;114:522-531.
Lau. A prospective study of transobturator tape as treatment for stress urinary incontinence after transvaginal mesh repair. 2012
Laumann, E. Sexual Dysfunction in the United States: Prevalence and Predictors. JAMA 1999; 281: 537-544
Laurikainen E, Takala T, Aukee P, et al. Retropubic TVT compared with transobturator TVT (TVT-O) in treatment of stress urinary incontinence: five-year results of a randomized trial. Neuraural Uradyn 2011;30:803-805.
Laurikainen E, Valpas A, Aukee P, Kivelä A, Rinne K, Takala T, Nilsson CG. [Pop 254, 5 yr fu] Five-year results of a randomized trial comparing retropubic and transobturator midurethral slings for stress incontinence. Eur Urol (2014) 65:1109-1114
Laurikainen E. Retropubic Compared With Transobturator Tape Placement in Treatment of Urinary Incontinence. J Obstet Gynecol 2007;109:4-11

Medical Literature

Laurikainen. [Pop 254, 5 yr fu] Five-year Results of a Randomized Trial Comparing Retropubic and Transobturator Midurethral Slings for Stress Incontinence; Eur Urol (2014), http://dx.doi.org/10.106/j/eururo.2014.01.031
Laurikainen. Retropubic Compared with Transobturator Tape Placement in Treatment of Urinary Incontinence. A Randomized Controlled Trial; Obstetrics & Gynecology (2007) Vol. 109, No. 1, January 2007
Lavelle, E. Stress Urinary Incontinence: Comparative Efficacy Trials. Obstet Gynecol Clin N Am 2016; 43: 45-57
Lee KS, Choo M-S, Lee YS, et al. Prospective comparison of the 'inside-out' and 'outside-in' transobturator-tape procedures for the treatment of female stress urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:577-582.
Lee K-S, Han DH, Choi YS, et al. A prospective trial comparing tension-free vaginal tape and transobturator vaginal tape inside-out for the surgical treatment of female stress urinary incontinence: 1-year followup. J Urol 2007;177:214-218.
Lee, E. Midurethral slings for all stress incontinence: A urology Perspective. Urol Clin N Am 2012; 39: 299-310
Lee, K. A prospective trial comparing tension-free vaginal tape and transobturator vaginal tape inside-out for the surgical treatment of female stress urinary incontinence 1-year followup. The journal of Urology 2007; 177: 214-218
Lee, Kyu-Sung. A Prospective Multicenter Randomized Comparative Study Between the U-and H-type Methods of the TVT Secur Procedure for the Treatment of Female Stress Urinary Incontinence: 1-Year Follow-up. EUROPEAN UROLOGY 57 (2010) 973-979
Lee. [Pop 141, 85.5 mo fu] Long-term outcome of the TVT procedure in female urinary incontinence: a 6 year follow-up; Korean J Urol 2010; 51:409-415
Lee. Changes in Urinary and Sexual Function 6 months after Cystocele Repair with a Polypropylene Mesh. 2012
Leng WW, Davies BJ, Tarin T, Sweeney DD, Chancellor MB. Delayed treatment of bladder outlet obstruction after sling surgery: association with irreversible bladder dysfunction. J Urol. 2004;172:1379-81
Lensen. Comparison of two trocar-guided trans-vaginal mesh systems (Prolift & P+M) for repair of pelvic organ prolapse: a retrospective cohort study. 2013
Leong. ICS/IUGA Abs 666 Retrospective review of mesh erosion associated with transvaginal mesh prolapse repair in a community setting. 2010
Lesavre. Elevate versus Prolift mesh. Comparative study of anatomic and functional outcomes 6 months after vaginal prolapse surgery. 2012
Leval J. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial.
Leyla. anagement of the Mesh Complications in POP treatment. 2012
Li B, Zhu L, Lang JH, Fan R, et al. [Pop 55, 7 yr fu] Long-term outcomes of the tension-free vaginal tape procedure for female stress urinary incontinence: 7-year follow-up in China. J Minim Invasive Gynecol. 2012 Mar-Apr;19(2):201-5.
Liang. Sexual function in women following transvaginal mesh procedures for the treatment of pelvic organ prolapse. 2012
Liapis A, Bakas P, Christopoulos P, Giner M, Creatsas G. Tension-free vaginal tape for elderly women with stress urinary incontinence. Int J Gynaecol Obstet 2006;92:48-51.
Liapis A, Bakas P, Creatsas G. [Pop 115, 4 yr fu] Efficacy of inside-out transobturator vaginal tape (TVTO) at 4 years follow-up. Eur J Obstet Gynecol Reprod Biol (2010) 148:199-201
Liapis A, Bakas P, Creatsas G. [Pop 65, 5 & 7 yr fu] Long-term efficacy of tension-free vaginal tape in the management of stress urinary incontinence in women: efficacy at 5- and 7-year follow-up. Int Urogynecol J Pelvic Floor Dysfunct (2008) 19:1509-

Medical Literature

Liapis A, Bakas P, Creatsas G. Burch colposuspension and tension-free vaginal tape in the management of stress urinary incontinence in women. Eur Urol 2002;41:469-473.
Liapis A, Bakas P, Creatsas G. Long-term efficacy of tension-free vaginal tape in the management of stress urinary incontinence in women: efficacy at 5- and 7-year follow-up. Int Urogynecol J Pelvic Floor Dysfunct (2008) 19:1509-1512
Liapis, A. Efficacy of inside-out transobturator vaginal tape (TVTO) at 4 years follow up. European Journal of Obstetrics & Gynecology and Reproductive Biology 2010; 148: 199-201
Liapis, A. Monarc vs TVT-O for the treatment of primary stress incontinence: a randomized study. Int Urogynecol J (2008) 19:185-190
Liapis, A. Tension-Free Vaginal Tape versus Tension-Free Vaginal Tape Obturator in Women with Stress Urinary Incontinence. Gynecol Obstet Invest 2006;62:160-164
Liapis. [Pop 65, 5 & 7 yr fu] Long-term efficacy of TVT in the management of SUI in women - efficacy at 5- and 7-year follow-
Liebert. Subcutaneous Implants of Polypropylene Filaments. J Biomed Mater. Res. Vol. 10 pp939-951 (1976)
Lim J. Short-term clinical and quality-of-life outcomes in women treated by the TVT-Secur procedure. Australian and New Zealand Journal of Obstetrics and Gynaecology 2010; 50: 168-172
Lim JL. Clinical and quality-of-life outcomes in women treated by the TVT-O procedure. BJOG 2006;113:1315-1320.
Lim YN, Muller R, Corstiaans A, Dietz HP, Barry C, Rane A. Suburethral slingplasty evaluation study in North Queensland, Australia: the SUSPEND trial. Australian NZ J Obstet Gynaecol 2005;45:52-59.
Lim. [Pop 664] Do the Advantage slings work as well as the tension-free vaginal tapes? Int. Urogynecol J (2010) 21:1157-1162
Lin, A. In Vivo Tension sustained by Fascial Sling in Pubovaginal sling surgery for Female Stress Urinary Incontinence. The Journal of Urology 2005; 173: 894-897
Linder - Predictors of vaginal mesh exposure after midurethral sling placement a case-control study; Int Urogynecol J DOI 10.1007/s00192-016-2947-2
Linder BJ, et al. Evaluation of the local carcinogenic potential of mesh used in the treatment of female stress urinary
Linder, B. Assessing the learning curve of robotic sacrocolpopexy. Int Urogynecol J 2016; 27: 239-246
Linder, B. Predictors of vaginal mesh exposure after midurethral sling placement: a case - control study. Int Urogynecol J 2016; Epub Ahead of Print
Lindquist. [pop 44, mean 4.9 yr fu] Long-term follow-up of sexual function in women before and after TVT operation for stress urinary incontinence. Int Urogynecol J doi 10.1007/s00192-016-3004-x
Lleberia J. Surgical Treatment of Mixed Urinary Incontinence: effect of anterior colpoplasty. Int Urogynecol J (2011) 22:1025-1030
Lo TS, et al. Ultrasound assessment of mid-urethra tape at three-year follow-up after tension-free vaginal tape procedure.
Lohse, C. A Rare Complication with TVT: Vaginal Protursion of the Tape. Int Urogynecol J 2002; 13: 330-331
Long Lin A. In Vivo Tension Sustained By Fascial Sling in Pubovaginal Sling Surgery for Female Stress Urinary Incontinence. J urology (March 2005) Vol. 173, 894-897
Long, C. Three-year outcome of transvaginal mesh repair for the treatment of pelvic organ prolapse. Eur J Obstet Gynecol 2012;161:105-108.
Long. (rev TOT v. TVT) Comp TVT & transobturator tape procedure for treatment of SUI; Current Opinion in Obstetrics and Gynecology 2009, 21:342-347
Long. Comparison of clinical outcome and urodynamic findings using Perigee and/or Agogee versus Prolift anterior and/or posterior system devices for the treatment of pelvic organ prolapse. 2011

Medical Literature

Lord HE, Taylor JD, Finn JC, et al. A randomized controlled equivalence trial of short-term complications and efficacy of tension-
Lose, G. Voiding Difficulties After Colposuspension. Obstet Gynecol 1987; 69: 33-38
Lovatsis D, Drutz BP. Vaginal surgical approach to vaginal vault prolapse: considerations of anatomic correction and safety. Curr Opin Obstet Gynecol 2003;15:435-7;
Lowder J., et al., The Role of Apical Vaginal Support in the Appearance of Anterior and Posterior Vaginal Prolapse, Obstetrics & Gynecology, Vol. 111, No. 1 (Jan. 2008)
Lowder JL, Moalli P, Zyczynski H, et al. Body image in women before and after reconstructive surgery for pelvic organ prolapse. Int Urogynecol J (2010) 21: 919-925
Lowder, Moalli, Zyczynski. Body image in women before and after reconstructive surgery for pelvic organ prolapse. 2010
Lowenstein, L. Does Hysterectomy affect genital sensation? European Journal of Obstetrics & Gynecology and Reproductive Biology 2005; 119: 242-245
Lowenstein, L. Vulvar vestibulitis severity - assessment by sensory and pain testing modalities. Pain 2004; 107: 47-53
Lowman, J. Does the Prolift system cause dyspareunia?, Am. J. Obstet. Gynecol. 199(6):707-712 (2008)
Lowman, J., et al., Tobacco use is a risk factor for mesh erosion after abdominal sacral colpoperineopexy, American Journal of
Lucas MG, EAU Guidelines on Surgical Treatment of Urinary Incontinence. Eur Urol. 2012; 62:1118-29
Lucena, H. Early postoperative voiding dysfunction after insertion of retropubic midurethral tape. Int Urogynecol J 2016; Epub Ahead of Print
Lucente, V. Oral Poster 55 – A Clinical Assessment of Gynemesh PS for the repair of POP. Journal of Pelvic Medicine and Surgery (2004) Vol 10, S35
Lucente, V. Outcome Incidence: A Retrospective Series of Over 1000 Patients Following Transvaginal Mesh Surgery For Pelvic Organ Prolapse. Female Pelvice Medicine and Reconstructive Surgery, 18:8, Supp. 1 Sept/ Oct 2012.
Lucente, V., et al. Medium-Term Clinical Outcomes Following Trocar-Guided Mesh Repair of Vaginal Prolapse Using Partially Absorbable Mesh. AUGS Abstract. Submitted 4/5/2012)
Lucioni. The Surgical Technique and Early Postoperative Complications of the Gynecare Prolift Pelvic Floor Repair System. 2008
Luck, A. Suture erosion and wound dehiscence with permanent versus absorbable suture in reconstructive posterior vaginal surgery.
Luijendijk RW, et al. A comparison of suture repair with mesh repair for incisional hernia. N Engl J Med 2000; 343:392-8
Lukacz ES, et al. [Pop 54, 1 yr fu] The effects of the tension-free vaginal tape on proximal urethral position: a prospective, longitudinal evaluation. Int Urogynecol J Pelvic Floor Dysfunct. 2003 Aug;14(3):179-84.
Luo, X. Biomechanics and Biocompatibility Test based on Pelvic Floor Repairing in Clinical Application of Synthesis Mesh. ABS 189 Int Urogynecol J 2013 24 (Suppl1): S144-145
Lv, J. Risk factors of long-term complications after Tension-Free Vaginal Tape (TVT) procedure in Chinese patients with stress urinary incontinence. Biomedical Research 2015; 26(1): 55-58
Lykke, R. The indication for hysterectomy as a risk factor for subsequent pelvic organ prolapse repair. Int Urogynecol J (2015)
Maaita M. Sexual function after using tension-free vaginal tape for the surgical treatment of genuine stress incontinence. BJU International (2002), 90, 540-543
Madhuvrata, P. Systematic review and meta-analysis of “inside-out” versus “outside-in” transobturator tapes in management of stress urinary incontinence in women. University of York 2012
Magee, G. A Real-World Comparative Assessment of Complications Following Various Mid-Urethral Sling Procedures for the

Medical Literature

Magno-Azevedo V. Single Incision Slings: Is There a Role?. Curr Bladder Dysfunct Rep (2013) 8:19-24
Maher - Surgical management of Pelvic Organ Prolapse in Women: A short Version Cochrane Review; Neuroourology and Urodynamics 27:3-12 (2007)
Maher C, et al. (full 141pp) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). The Cochrane Collaboration (2016)
Maher C, et al. (Summary) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). The Cochrane Collaboration (2016)
Maher C, et al. Surgical Management of Pelvic Organ Prolapse in Women: A Short Version Cochrane Review. Neurourol Urodyn (2008) 27: 3-12
Maher C, Qatawneh A, Baessler K, Croppe M, Schluter P. Laparoscopic colposuspension or tension-free vaginal tape for
Maher C. Surgical management of pelvic organ prolapse in women. Cochrane Review (2013).
Maher C., Anterior vaginal compartment surgery, Int. Urogynecol. J., 24:1791-1802 (2013)
Maher, C. Laparoscopic sacral colpopexy versus total Vaginal mesh for Vaginal vault Prolapse: A Randomized Trial. Am J Obstet Gynecol 2011;204 1.e1-1.d7
Maher, C. Surgical management of anterior vaginal wall prolapse: an evidence based literature review. Int Urogynecol J 2006; 17: 195-201
Maher, C. Surgical Management of Pelvic Organ Prolapse in Women: A meta-analysis of randomized controlled trials. ABS 088 Int Urogynecol J 2009; 20 (Suppl 2): S151
Maher, C. Surgical Management of Pelvic Organ Prolapse in Women: A Short Version Cochrane Review. Neurourol Urodyn 27: 3-12 (2008)
Maher, C. Surgical management of pelvic organ prolapse in women: the updated summary version Cochrane review. Int Urogynecol J 2011; 22: 1445-1457
Maher. Abs 089. Laparoscopic sacral colpopexy versus total vaginal mesh for the management of vaginal vault.... 2009
Malcolm G. Lucas, et al., EAU Guidelines on Surgical Treatment of Urinary Incontinence. European Urology 62 (2012) 1118-1129.
Malek, J. The Effect of Age on Stress and Urgency Urinary Incontinence Outcomes in Women Undergoing Primary Midurethral
Malinowski. Abs 1248 Pelvic organ prolapse treatment with Gynecare Prolift system - Our experience. 2010
Management of Stress Urinary Incontinence and Pelvic Organ Prolapse, part 4, page 270
Manchana. IUGA Abs 092 The use of Prolift in the surgical treatment of pelvic organ prolapse. 2007
Manriquez, V. Inflammatory and remodeling response to surgical repair for pelvic organ prolapse. ABS 198 Int Urogynecol J 2013 24 (Suppl1): S151-152
Margulies, R. Outcomes of transvaginal uterosacral ligament suspension: systematic review and metaanalysis. Am J Obstet
Markland. Prevalence and trends of urinary incontinence in adults in the United States, 2001 to 2008. (2011)
Martan A. TVT SECUR System - Tension-free Support of the Urethra in Women Suffering from Stress Urinary Incontinence - Technique and Initial Experience. Ces. Gynek. 72, 2007, C. 1 s.42-49
Martijnse, I, Perineal Hernia Repair After Abdominoperineal Rectal Excision, Diseases of the Colon & Rectum, Vol. 55:1 (2012)
Martin LA, et al. Reoperation After Robotic and Vaginal Mesh Reconstructive Surgery: A Retrospective Cohort Study. Female Pelvic Med Reconstr Surg 2015; 21(6): 315-318
Mary. Comparison of the in vivo behavior of polyvinylidene fluoride and polypropylene sutures in vascular surgery. ASAIO

Medical Literature

Marzik. Abs 450 Surgical treatment of vaginal prolapse with meshes Results and Outcome. 2011
Masata J, Svabik K, Drahoradova P, et al. Randomized prospective trial of a comparison of the efficacy of TVT-O and TVT secur system in the treatment of stress urinary incontinent women - comparison of the long- and short-term results. Neurourol
Masata J. Randomized trial of a comparison of the efficacy of TVT-O and single-incision tape TVT Secur systems in the treatment of stress urinary incontinent women -2-year follow-up. Int Urogynecol J (2012) 23:1403-1412
Masata, J. Comparison of the efficacy of tension-free vaginal tape obturator (TVT-O) and single-incision tension-free vaginal tape (Ajust™) in the treatment of female stress urinary incontinence: a 1-year follow-up randomized trial. Int Urogynecol J 2016; Epub Ahead of Print
Masata, J. Randomized Prospective Trial of a Comparison of the Efficacy of TVT-O and TVT Secur system in the treatment of stress urinary incontinent women - Long-term results with a minimum of five years follow-up. Int Urogynecol J 2015; 26 (Suppl
Masata. IUGA Abs 664 Early postoperative infections. Comparison between patients using synthetic mesh and those undergoing traditional pelvic reconstructive surgical procedures. 2011
Mathias, S. Chronic Pelvic Pain: Prevalence, Health-Related Quality of Life, and Economic Correlates. Obstet Gynecol 1996;
Mattimore, J. AUA Abs FR11-07 - The History of Pelvic Organ Prolapse from antiquity to present day. (2015)
Maurer, M. Prosthetic meshes for repair of hernia and pelvic organ prolapse: comparison of biomechanical properties.
Maxova, Halaska. Abs. 368 Do the transvaginal mesh systems improve the quality of life. 2009
Mazzilli, R. Sexual Dysfunction in diabetic women: prevalence and differences in type 1 and type 2 diabetes mellitus. Diabetes,
McAhran S. Robotic Abdominal Sacrocolpopexy, Chapter 9, 117-129
McCracken. Five Year Follow-Up Comparing TVT and Colposuspension; Ulster Med J; 76 (3) 146-149
McDermott C. Sacral Colpopexy Versus Transvaginal Mesh Colpopexy in Obese Patients, J Obstet Gynaecol Can 2013; 35(5):
McDermott, Hale. Surgical outcomes following total Prolift: colpopexy versus hysteropexy. 2011
McEvoy. IUGA Abs 425 Long term sexual, urinary and bowel function after Prolift. 2008
McGregor. Evaluation of the carcinogenic risks to humans associated with surgical implants and other foreign bodies - a report of an IARC Monographs Programme Meeting. European Journal of Cancer 36 (2000) 307-313
McGuire - Experience with pubovaginal slings for urinary incontinence at the University of Michigan. J. Urol, 138:525-526;1987
McGuire, E. Pubovaginal Sling Procedure for Stress Incontinence. The Journal of Urology 1978; 119: 82-84
McLennan G. Perioperative experience of pelvic organ prolapse repair with the Prolift ® and Elevate ® vaginal mesh procedures. Int Urogynecol J. 2012
McLennan M. Bladder Perforation During Tension-Free Vaginal Tape Procedures: Abdominal versus Vaginal Approach. Female Pelvic Medicine & Reconstructive Surgery, Volume 18, Number 1, January/February 2012
McLennan, Sirls. Abs. 2146 Factors associated with vaginal mesh exposure after using the Elevate and Prolift Prolapse Repair systems. 2012
Meana, M. Painful Intercourse Genito-Pelvic Pain/Penetration Disorder Chapter 11 in Katherine Hertlein's Systemic Sex Therapy Second Edition. ISBN: 978-0-415-73821-7
Meana, M. Psychosocial Correlates of Pain Attributions in Women With Dyspareunia. Psychosomatics 1999; 40: 497-502
Medscape (2010) Fibromyalgia and Overlapping Conditions: Comprehensive Assessment.

Medical Literature

Mellano, E. The Role of Chronic Mesh Infection in Delayed-Onset Vaginal Mesh Complications or Recurrent Urinary Tract Infections: Results from Explanted Mesh Cultures. Female Pelvic Med Reconstr Surg 2016; 00: 00-00
Menefee, S. Colporrhaphy compared with mesh or graft-reinforced vaginal paravaginal repair for anterior vaginal wall prolapse. 2011; 118;6: 1337-1344
Meschia M, et al. [IUGA Abs 003] A Multicenter Randomized Comparison of Tension-Free Vaginal Tape (TVT) and Trans-Obturator In-Out Technique (TVT-O) For The Treatment of stress urinary incontinence: One year results. Int Urogynecol J
Meschia M, Pifarotti P, Bernasconi F, et al. Tension-free vaginal tape (TVT) and intravaginal slingplasty (IVS) for stress urinary incontinence: a multi center randomized trial. Am J Obstet Gynecol 2006;195:1338-1342.
Meschia M, Pifarotti P, Spennacchio M, Buonaguidi A, Gattei U, Somigliana E. A randomized comparison of tension-free
Meschia M. Tension-free vaginal tape: analysis of risk factors for failures. Int Urogynecol J (2007) 18:419-422
Meschia M. TVT-Secur: A Minimally invasive procedure for the treatment of primary stress urinary incontinence. One year data from a multi-centre prospective trial. Int Urogynecol J (2009) 20:313-317
Meschia. IUGA Abs 087 A Multicenter Retrospective Study on Transvaginal Mesh Repair of Genital Prolapse with the Prolift System. 2007
Meyer, Richter, et al. Synthetic Graft Augmentation in Vaginal Prolapse Surgery: Long-term Objective and Subjective
Migliari, R. Tension-free vaginal mesh repair for anterior vaginal wall prolapse. Eur Urol. 2000;38:151-155.
Milani AL, et al. [IUGA, ICS Abs 81] Medium-Term Clinical Outcomes Following Trocar-Guided Mesh Repair of Vaginal Prolapse Using Partially Absorbable Mesh. Int Urogynecol J (2012) 23 (Suppl 2):S128-S129
Milani AL, et al. Trocar-guided total tension-free vaginal mesh repair of post-hysterectomy vaginal vault prolapse. Int Urogynecol J (2009) 20:1203-1211
Milani, A. Trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh: 1 year outcomes. Am J Obstet Gynecol 2011;204:74.e1-8
Milani. (IUJ) Trocar-guided total tension-free vaginal mesh repair of post-hysterectomy vaginal vault prolapse. 2009
Milani. Outcomes and predictors of failure of trocar-guided vaginal mesh surgery for pelvic organ prolapse. 2012
Milani. Sexual Function Following Trocar-guided Mesh or Vaginal Native Tissue Repair in Recurrent Prolapse. 2011
Miller JM, et al. Clinical Evaluation of Monofilament Polypropylene Suture. Am. Surgeon 33- 666-70. (1967)
Miller, D. Prosepctive clinical assessment of the transvaginal mesh technique for treatment of pelvic organ prolapse – 5 year results. Female Pelvic Med Reconstr Surg 2011;17:139-143.
Miller, D. Informed surgical consent for a mesh/graft-augmented vaginal repair of pelvic organ prolapse. Int Urogynecol J 2012
Minassian, V. Urinary incontinence as a worldwide problem. International Journal of Gynecology and Obstetrics 2003; 82: 327-338
Minassian. [pop 108] TVT: do patients who fail to follow-up have the same results as those who do?; Neurourology and Urodynamics 24:35-38 (2005)
Misrai, V. Surgical Resection for Suburethral Sling Complications After treatment for Stress Urinary Incontinence. Journal of Urology 2009; 181: 2198-2203
Mistrangelo, E. Rising use of synthetic mesh in transvaginal pelvic reconstructive surgery: A review of the risk of vaginal
Miyazaki, F. Raz Four-Corner Suspension for Severe Cystocele: Poor Results. Int Urogynecol J 1994; 5: 94-97

Medical Literature

Moalli P. Tensile properties of five commonly used mid-urethral slings relative to the TVT. Int Urogynecol J (2008) 19:655-663
Moalli PA, et al. Tensile Properties of five commonly used mid-urethral slings relative to the TVT. Int Urogynecol J (2008)
Moalli, Nager. Polypropylene mesh evidence for lack of carcinogenicity. Int Urogynecol J (2014) 25:573-576
Moalli, Nager. Polypropylene mesh: evidence for lack of carcinogenicity. Int Urogynecol J (2014)
Mobley. AUA Abs 1307 Vaginal prolapse repair employing transvaginal tension-free nonabsorbable polypropylene mesh: outcomes at 24 months. 2008
Moen, M. A Comparison of Midurethral Sling Versus Burch Urethropexy for Treating Urodynamic Stress Incontinence at the Time of Abdominal Sacrocolpopexy. Journal of Pelvic Medicine & Surgery 2009; 15(2): 56
Mohamad Al-Ali, B. Clinical Impact of Body Mass Index on the Outcome of the SPARC-sling system for the treatment of female stress urinary incontinence. World J Urol 2013; 31: 875-880
Moir. The Gauze-Hammock Operation. A Modified Aldrige Sling Procedure. The Journal of Obstetrics and Gynaecology of the British Commonwealth Vol. 75, No. 1 January 1968
Molnar. Abs 373 Anterior colporrhaphy: Comparison of midline plication and mesh for repair of cystocele. 2009
Montoya T. Sensory neuropathy following suspension of the vaginal apex to the proximal uterosacral ligaments, Int Urogynecol J (2012) 23:1735-1740
Moore, R. Minimally Invasive Treatment for Female Stress Urinary Incontinence: (SUI): A Review Including TVT, TOT, and Mini-
Moore, R. Vaginal mesh kits for pelvic organ prolapse, friend or foe: A comprehensive review. (2009)
Morgan, J. A Sling operation, using Marlex polypropylene mesh, for treatment of recurrent stress incontinence. Am J Obstet Gynec 1970; 106(3): 369-377
Morgan, J. The Marlex sling operation for the treatment of recurrent stress urinary incontinence: a 16-year review. Am J Obstet Gynecol 1985; 151: 224-6
Mueller, E. Comparison of flowrates and voided volumes during non-instrumented uroflowmetry and pressure-flow studies in
Mueller, E. Relative efficacy of retropubic and transobturator slings. Nat Rev Urol 2009; 6(10): 523-4
Mueller, E. Retropubic Bladder Neck Suspensions. Chapter 10 in Howard B. Goldman's Complications of Female Incontinence and Pelvic Reconstructive Surgery ISBN 978-1-61779-923-5
Muhl T, et al. New Objective Measurement to Characterize the Porosity of Textile Implants. Wiley InterScience (2007)
Murphy, Lucente. IUGA Abs Early U.S. experience with vaginal extraperitoneal colpopexy using a polypropylene graft (Prolift) for the treatment of pelvic organ prolapse. 2006
Murphy, M, et al (2011). Time to rethink: An Evidence based response from pelvic surgeons to the FDA Safety Communication: "UPDATE on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse". Int
Murphy, M. Early US Experience with Vaginal Extraperitoneal colpopexy using a polypropylene graft (Prolift™) for the treatment of pelvic organ prolapse. ABS 392 Int Urogynecol J 2006; 17 (Suppl 2): S273
Murphy, M., et al. Outcome Incidence: A Retrospective Series of Over 1000 Patients Following Transvaginal Mesh Surgery for Pelvic Organ Prolapse. American Urogynecologic Society. 2012
Murphy, Saltz. Quality of life and surgical satisfaction after vaginal reconstructive vs obliterative surgery for the treatment of
Murphy. Vaginal hysterectomy at the time of transvaginal mesh placements. 2010
Muzsnai, D. Retropubic Vaginopexy for Correction of Urinary Stress Incontinence. Obstetrics & Gynecology 1982; 59:113-118

Medical Literature

Myers, E. Differences in recurrent prolapse at 1 year after total vs. supracervical hysterectomy and robotic sacrocolpopexy. <i>Int Urogynecol J</i> 2015; 26: 585-589
Nager - A Randomized Trial of Urodynamic Testing before Stress-Incontinence Surgery. <i>N Engl J Med</i> 366; 21 (2012)
Nager - [FMPRS] Editorial. AUGS-SUFU Position statement on mesh midurethral slings for SUI. <i>Female Pelvic Medicine & Nager</i> (2014) AUGS - Final Presidential Blog
Nager C. Midurethral Slings: Evidence-based Medicine vs. The Medicolegal System. <i>Accepted Manuscript to appear in: American Journal of Obstetrics and Gynecology; 2016</i> doi: 10.1016/j.ajog.2016.04.018
Nager, C. Synthetic full-length midurethral slings remain the standard of care for SUI surgery. <i>OBG Management</i> 2012; 24(11): 6-7
Nager, Charles. Design of the Value of Urodynamic Evaluation (ValUE) Trial: A Non-Inferiority Randomized Trial of Preoperative Urodynamic Investigations. <i>Contemp Clin Trials</i> . 2009 November; 30(6): 531-539
Nager, Charles. Randomized Trial of Urodynamic Testing before Stress-Incontinence Surgery. <i>N Engl J Med</i> 366;21 1987-1997;
Nair. Transvaginal mesh (Prolift) repair. 2-year anatomic outcomes. 2011
Najjai, L. ICS ABS 401 Comparing Different Types of Suburethral Slings using Perineal Ultrasound. 2012
Najjari, L. Visualization of Polypropylene and Polyvinylidene Fluoride Slings in Perineal Ultrasound and Correlation with Clinical
Nappi, R. Clinical Biologic Pathophysiologies of Women's Sexual Dysfunction. <i>J Sex Med</i> 2005; 2: 4-25
Natale F, et al. A prospective, randomized, controlled study comparing Gynemesh, a synthetic mesh, and Pelvicol, a biologic graft, in the surgical treatment of recurrent cystocele. <i>Int Urogynecol J</i> (2009) 20:75-81.
Nerli RB, Kumar AG, Koura A, Prabha V, Alur SB. Transobturator vaginal tape in comparison to tensionfree vaginal tape: A prospective trial with a minimum 12 months follow-up. <i>Indian J Urol</i> 2009;25:321- 325.
Neuman M. Perioperative Complication and Early Follow-up with 100 TVT-Secur Procedures. <i>Journal of Minimally Invasive Gynecology</i> (2008) 15,480-484
Neuman M. Post Tension-free Vaginal Tape Voiding Difficulties. <i>Journal of Pelvic Medicine and Surgery</i> , Volume 10, Number 1,
Neuman M. Training TVT Secur: The first 100 Teaching Operations. <i>Int Urogynecol J</i> (2007) 18 (Suppl 1):S25-S105
Neuman M. Transobturator vs. Single-Incision Suburethral Mini-slings for Treatment of Female Stress Urinary Incontinence: Early Postoperative Pain and 3-Year Follow-up. <i>Journal of Minimally Invasive Gynecology</i> (2011) 18, 769-773
Neuman M. TVT and TVT-Obturator: Comparison of Two Operative Procedures. <i>Eur J Obstet Gynecol Reprod Biol</i> 131 (2007) 89-92.
Neuman M. TVT and TVT-Obturator: Comparison of Two Operative Procedures. <i>Int Urogynecol J</i> (2006) 17 (Supp. 2) S101-152
Neuman, M. Transobturator vs. Single-Incision Suburethral Mini-Slings for Treatment of Female Stress Urinary Incontinence: Early Postoperative Pain and 3-Year Follow-up.
Nguyen J, Burchette. Outcome after Anterior Vaginal Prolapse Repair; A randomized Controlled Trial. <i>Obstet Gynecol</i> 2008;111;891-8
Nguyen J. [Pop 4,142] Perioperative Complications and Reoperations After Incontinence and Prolapse Surgeries Using Prosthetic Implants, <i>Obstet Gynecol</i> . 2012 Mar;119(3):539-46
Nguyen J., et al., Outcome After Anterior Vaginal Prolapse Repair, <i>Obstetrics & Gynecology</i> , Vol. 111, No. 4 (April 2008)
Nguyen. Perioperative complications and reoperations after incontinence and prolapse surgeries using prosthetic implants. 2012
Nichols DH. The Mersilene Mesh Guaze-Hammond for Severe Urinary Stress Incontinence. <i>Obstet Gynecol</i> 1973; 41(1): 88-93.

Medical Literature

Nicita, G. A new operation for genitourinary prolapse. <i>Journal of Urology</i> .1998;160:741-745.
Niemczyk, P. United States Experience with Tension-free Vaginal Tape Procedure for Urinary Stress Incontinence: Assessment of Safety and Tolerability. <i>Techniques in Urology</i> 2001; 7(4): 261-265
Nieminen K. Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up. <i>Am J Obstet Gynecol</i> 2010;203:235.e1-8.
Nieminen K. Symptom resolution and sexual function after anterior vaginal wall repair with or without polypropylene mesh. <i>Int Urogynecol</i> (2008) 19:1611-1616
Nieminen K., et al., Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up, <i>American Journal of Obstetrics & Gynecology</i> (Sept. 2010)
Nieminen K., et al., Symptom resolution and sexual function after anterior vaginal wall repair with or without polypropylene mesh, <i>Int. Urogynecol. J.</i> , 19:1611-1616 (2008)
Nieuwoudt. IUGA Abs 095 Anatomical outcomes and complications of the total vaginal mesh (Prolift) procedure for pelvic organ prolapse. 2009
Nilsson C. Creating a gold standard surgical procedure. The development and implementation of TVT (Ulf Ulmsten Memorial Lecture 2014). <i>Int Urogynecol J</i> (2015) DOI 10.1007/s00192-014-2616-2
Nilsson C. Creating a gold standard surgical procedure: the development and implementation of TVT. <i>Int Urogynecol J</i> 2015; 26(4): 467-469
Nilsson C. Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. <i>Obstet Gynecol</i> (2004) 104, 1259-1262
Nilsson CG, et al. [Pop 90, median 56 mo fu] Long-term Results of the Tension-free Vaginal Tape (TVT) Procedure for Surgical Treatment of Female Stress Urinary Incontinence. <i>Int Urogynecol J</i> , 2001 (Suppl 2): S5-S8
Nilsson CG, Palva K, Aarnio R, Morcos E, Falconer C. [Pop 58, 17 yrs fu] Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. <i>Int Urogynecol J</i> (2013) 24: 1265-1269
Nilsson CG. Eleven years prospective follow-up of the tension-free vaginal tape procedure for treatment of stress urinary incontinence. <i>Int Urogynecol J</i> (2008) 19: 1043-1047
Nilsson M, et al. (Swedish Registry) [Pop 3334, 12 mo fu] Female urinary incontinence: patient-reported outcomes 1 year after midurethral sling operations. <i>Int Urogynecol J</i> . 2012 Oct;23(10):1353-1359.
Nilsson, C. Creating a gold standard surgical procedure: the development and implementation of TVT. <i>Int Urogynecol J</i> 2015; 26(4): 467-469
Nilsson, C. Eleven years prospective follow-up of the tension-free vaginal tape procedure for treatment of stress urinary incontinence. <i>Int Urogynecol J</i> 2008; 19: 1043-1047
Nilsson, C. Long-term Results of the Tension-Free Vaginal Tape (TVT) Procedure for Surgical Treatment of Female Stress Urinary Incontinence. <i>Int Urogynecol J</i> 2001; (Suppl 2): S5-S8
Nilsson, M., et al. - Female Urinary Incontinence - Patient-reported outcomes 1 year after midurethral sling operations; <i>Int Urogynecol J</i> (2012) 23:1353-1359
Nilsson. [7 yr fu] Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence; <i>Obstetrics & Gynecology</i> Vol. 104, No. 6, December 2004
Nilsson. [Pop 58, 17 yrs fu] Seventeen years' follow-up of the TVT procedure for female stress urinary incontinence. <i>Int Urogynecol J</i> doi 10.1007/s00192-013-2090-2
Norris, J. Use of Synthetic Material in Sling Surgery: A Minimally Invasive Approach. <i>Journal of Endourology</i> 1996; 10(3): 227-230
North C, et al. A 2-year observational study to determine the efficacy of a novel single incision sling procedure (Minitape) for female stress urinary incontinence. <i>BJOG</i> 2010; 117:356-360.

Medical Literature

Norton P. Collagen synthesis in women with Genital Prolapse or Stress Urinary Incontinence. (Abstract only) 1992
Nosti, P., et al., Risk of mesh erosion after abdominal sacral colpoperineopexy with concomitant hysterectomy, American Journal of Obstetrics & Gynecology (Nov. 2009)
Novara G, et al. [meta-analysis] Complication rates of tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. Eur Urol. 2008 Feb;53(2):288-308.
Novara G, et al. Tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials of effectiveness. Eur Urol. 2007 Sep;52(3):663-78.
Novara G, et al. Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. Eur Urol. 2010;58:218-38
Nwabineli. [Pop 124, 5 yr fu] Long-term results of urinary stress incontinence treated with mid-urethral tape as a standalone
Nygaard I. Abdominal Sacrocolpopexy: A Comprehensive Review. Obstet Gynecol 2004;104:805-23
Nygaard, I. Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. JAMA. 2013;309;19;2016-
Nygaard, I. Prevalence of symptomatic pelvic floor disorders in US Women. JAMA 2008; 300:1311-1316.
Nygaard. Pelvic Floor Disorders Network: Prevalence of symptomatic pelvic floor disorders in US women. JAMA. 2008 Sep
O'Sullivan, O. Sacrocolpopexy: is there a consistent surgical technique? Int Urogynecol J 2015
Ogah - Minimally invasive synthetic suburethral sling operations for stress urinary Incontinence in women. Cochrane Database Review; The Cochrane Library 2009, Issue 4
Ogah - Minimally invasive synthetic suburethral sling operations for Stress Urinary Incontinence in Women: a Short version Cochrane Review; Neurourology and Urodynamics 30:284-291 (2011)
Ogah J. Minimally invasive synthetic suburethral sling operations for stress urinary incontinence in women. Cochrane Database Syst Rev. (2009) Oct 7;(4):CD006375
Ogah J. Minimally Invasive Synthetic Suburethral Sling Operations for Stress Urinary Incontinence in Women: A Short Version Cochrane Review. Neurourology and Urodynamics 30:284-291 (2011)
Ogah. Minimally invasive synthetic suburethral sling operations. Cochrane Review [Abstract] Cochrane Database Review; The
Okui. Improvements in overactive bladder syndrome after polypropylene mesh surgery for cystocele. 2009
Okulu - [Pop144, 4 yr fu,] Use of three types of synthetic mesh material in sling surgery: A prospective randomized clinical trial evaluating effectiveness and complications. Scandianvian Journal of Urology, 2013; 47:217-224
Oliphant, S. Trends in Stress Urinary Incontinence Inpatient Procedures in the United States, 1979-2004. Am J Obstet Gynecol 2009; 200(5): 521.e1-521.e6
Oliveira LM et al. [Pop 85, med 14 mos fu] Abs 328 Comparison of retro-pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. Int Urogynecol J 2006; 17 (Suppl 2): 5171-5359
Oliveira R. Exploratory Study Assessing Efficacy and Complications of TVT-O, TVT_Secur, and Mini-Arc: Results at 12-month Follow-up. EurUrol (2011),doi:10.1016/j.eururo.2011.01.018
Oliveira R. Short-term assessment of a tension-free vaginal tape for treating female stress urinary incontinence. BJU International 104, 225-228

Medical Literature

Olivera, C. Non-Antimuscarinic Treatment for Over Active Bladder: A Systematic Review. (Author's Manuscript) American Journal of Obstetrics and Gynecology 2015 10.1016/j.ajog.2016.01.156
Olsen, AL. Epidemiology of surgically managed pelvic organ Prolapse and Urinary Incontinence. Obstet Gynecol. 1997
Olsson 1999 A Three-Year Postoperative Evaluation of TVT; Gynecol Obstet Invest 1999; 48:257-269
Olsson I, Abrahamsson AK, Kroon UB. Long-term efficacy of the tension-free vaginal tape procedure for the treatment of urinary incontinence: a retrospective follow-up 11.5 years post-operatively. Int Urogynecol J (2010) 21:679-683
Ortega-Castillo, V. Surgical Complications with Synthetic Materials. Urinary Incontinence Edited by Mr. Ammar Alhasso; 2012 ISBN 978-953-51-0484-1: 241-262
Osborn - [Pop 77] Analysis of patient and technical factors associated with MUS mesh exposure and perforation. Int Journal of
Osborn DJ. Obesity and female stress urinary incontinence. Urology. 2013 Oct;82(4):759-63
Oswald. The deterioration of polypropylene by oxidative degradation. Polymer Engineering and Science, July 1965
Oxford Levels of Evidence; www.cebi.ox.ac.uk/fileadmin/_processed_/csm_Evidence_pyramid_bluef5c85529a0.jpg
Pacquee. Complications And Patient Satisfaction After Transobturator Anterior And_Or Posterior Tension-Free Vaginal Polypropylene Mesh . 2008
Padilla-Fernández B, et al. Results of the surgical correction of urinary stress incontinence according to the type of transobturator tape utilized. Arch Ital Urol Androl. 2013;85:149-53.
Padmanabhan, P. Change in urinary storage symptoms following treatment for female stress urinary incontinence. Int Urogynecol J 2016 Jan 21 Epub ahead of print
Palobma S. A randomized controlled trial comparing three vaginal kits of single-incision mini-slings for stress urinary incontinence: surgical data. European Journal of Obstetrics & Gynecology and Reproductive Biology 163 (2012) 108-112
Palva K. A randomized trial comparing tension-free vaginal tape with tension-free vaginal tape-obturator: 36-month results.
Pandit, A. Design of surgical meshes - an engineering perspective. Technology and Health Care 2004; 12: 51-65
Pandit, L. Postmenopausal vaginal atrophy and atrophic vaginitis. Amer. Journal of Med. Sciences; 1997;314:228-231.
Papcun. Long term follow-up of the patients with pelvic organ prolapse after the mesh implantation using strict indication
Paplomata. Genital Floor Repair Using Polypropylene Meshes. A Comparative Study.(2007
Paraiso MFR, et al. Pelvic support defects and visceral and sexual function in women treated with sacrospinous ligament suspension and pelvic reconstruction. Am J Obstet Gynecol 1996;175:1423-31.
Paraiso MFR, Walters MD, Karram MM, Barber MD. Laparoscopic Burch colposuspension versus tensionfree vaginal tape: a randomized trial. Obstet Gynecol 2004;104:1249-1258.
Paraiso, M. Laparoscopic and abdominal sacral colpopexies: A comparative cohort study. American Journal of Obstetrics and Gynecology 2005; 192: 1752-8
Pardo. ICS/IUGA Abs 1103 Management of vaginal mucosa erosion and mesh extrusion after genital prolapse surgery with polypropylene mesh. 2010
Parnell, J. Management of Recurrent Urinary Stress Incontinence by the Marshall- Marchetti-Krantz Vesicourethropexy. The Journal of Urology 1984; 132: 912-914

Medical Literature

Pastore. [Pop 42, 1 yr fu] Evaluation of Sexual Function and Quality of Life in Women Treated for SUI: Tension-Free Transobturator Suburethral Tape Versus Single-Incision Sling. Journal of Women's Health Volume 25, Number 4, 2016
Patel, M. Is Burch or mid-urethral sling better with abdominal sacral colpopexy? Int Urogynecol J 2009; 20: 787-790
Patel. Transvaginal mesh for pelvic organ prolapse. 10-year experience with 627 procedures. 2012
Patel. Transvaginal Mesh Repair Systems. Experience with over 500 Procedures. 2012
Pauls, R. Practice patterns of physician members of The American Urogynecologic Society regarding female sexual dysfunction: results of a national survey. Int Urogynecol J 2005; 16: 460-467
Pearce, M. The Female urinary microbiome in urgency urinary incontinence. Am J Obstet Gynecol 2015; 213: 347.e1-11
Pereira, I. Incontinence surgery in obese women: comparative analysis of short- and long-term outcomes with a transobturator sling. Int Urogynecol J 2016; 27: 247-253
Perez Hernandez. ICS 254 Reclassification of complications in surgery using mesh to repair defects of pelvic floor. 2013
Perkins. The Role of Mid-urethral Slings in 2014_ Analysis of the Impact of Litigation on Practice; Curr Bladder Dysfuct Rep
Perschler. IUGA Abs 471 Prolift, A new therapy option of vaginal vault prolapse. 2006
Petri - [Pop 359] Complications of synthetic slings used in female SUI and applicability of the new IUGA-ICS classification. European Journal of Obstetrics & Gynecology and Reproductive Biology 165 (2012) 347-351
Petri - Comparison of late complications of retropubic and transobturator slings in stress urinary incontinence. Int Urogynecol J (2012) 23:321-325
Petri, E. Reasons for the treatment of surgical complications with alloplastic slings. Int Urogynecol J 2005; 17: 3-13
Petros P, Ulmsten U. An integral theory and its method for the diagnosis and management of female urinary incontinence. Scand J Urol Nephrol Suppl. No. 153, 1993.
Petros P. Creating a gold standard device. Scientific discoveries leading to TVT and beyond (Ulf Ulmsten Memorial Lecture 2014). Int Urogynecol J (2015) DOI 10.1007/s00192-015-2639-3
Petros, P. An Integral Theory and its method for the diagnosis and management of Female Urinary Incontinence. Scandinavian Journal of Urology and Nephrology Supplement No. 153
Petros, P. Creating a gold standard surgical device: scientific discoveries leading to TVT and beyond: Ulf Ulmsten Memorial
Petrou, S. Suprameatal transvaginal urethrolisis. The Journal of Urology 1999; 161: 1268-1271
Petzke, F. Increased pain sensitivity in fibromyalgia: effects of stimulus type of mode of presentation. Pain 2003; 105: 403-413
Pogatzki-Zahn, E. Acute pain management in patients with fibromyalgia and other diffuse chronic pain syndromes. Curr Opin in Anaesthesiology 2009; 22: 627-633
Polat, M. Comparison of the Effect of Laparoscopic and Abdominal Hysterectomy on Lower Urinary Tract Function, Vaginal Length, and Dyspareunia: A Randomized Clinical Trial. Journal of Laparoendoscopic & Advanced Surgical Techniques 2016;
Popov. Prevention and treatment of complications of operations prolift mulicenter analysis of over 1000 transactions. 2012
Porena M, Costantini E, Frea B, et al. Tension-free vaginal tape versus transobturator tape as surgery for stress urinary incontinence: results of a multicentre randomised trial. Eur Urol 2007;52:1481-1490.
Pourdeyhimi B. Porosity of surgical mesh fabrics: new technology. J Biomed. Mater. Res.: Applied Biomateriasl, Vol 23, No A1, 145-152 (1989)

Medical Literature

Pradhan, A. Surgical management of stress urinary incontinence. Obstetrics, Gynaecology and Reproductive Medicine 2010; 20(7): 207-211
Prakash P, et al. A prospective randomised controlled trial comparing chronic groin pain and quality of life in lightweight versus heavyweight polypropylene mesh in laparoscopic inguinal hernia repair. Journal of Minimal Access Surgery, 2016; 12(2):154-161.
Prakash. A prospective RCTI comparing chronic groin pain and quality of life in lightweight versus heavyweigh polypropylene mesh in laparoscopic inguinal hernia repair. Journal of Minimal Access Surgery 2016; Vol 12 Issue 2
Price. Abs 659 Vaginal prolapse surgery with synthetic mesh augmentation in the UK: Analysis of the British Society of Urogynaecologists' (BSUG) Database. 2011
Prien-Larien. [Pop 660, 1 yr fu] Influence of TVT properties on outcomes of midurethral sling. Int Urogynecol J doi 10.1007/s00192-015-2921-4
Prien-Larsen. [Pop 316, 5 yr fu] Long-term outcomes of TVT and IVS operations for treatment of female SUI: monofilament vs. multifilament polypropylene tape; Int Urogynecol J (2009) 20:703-709
Pubill. Abs 234 Complications and patient satisfaction after transvaginal repair of genital prolapse using a tension free vaginal mesh. 2011
Pulliam S. Use of synthetic mesh in pelvic reconstructive surgery: a survey of attitudes and practice patterns of urogynecologists. Int Urogynecol J (2007) 18:1405-1408
Pushkar, Kasyan. Abs N62 Pelvic organ prolapse repair with prolift transvaginal mesh Retrospective study for 204 cases. 2010
Qatawneh A. Transvaginal cystocele repair using tension-free polypropylene mesh at the time of sacrospinous colpopexy for advanced uterovaginal prolapse: a prospective randomised study, Gynecol Surg (2013) 10:79-85
Quemener J, et al. [Pop 250, 20 mo fu] Rate of re-interventions after transvaginal pelvic organ prolapse repair using partially absorbable mesh (Prolift M): 20 months median follow-up outcomes. Eur J Obstet Gynecol Reprod Biol 175 (2014) 194-198.
Quemener, Cosson. Rate of re-interventions after transvaginal pelvic organ prolapse repair using partially absorbable mesh - 20 months median follow-up outcomes. 2014
Rackley, R. Tension-free Vaginal Tape and Percutaneous Vaginal Tape Sling Procedures. Techniques in Urology 2011; 7(2): 90-100
Raders J, Lucente V, Haff R. [ICS, IUGA Abs 688] Transobturator TVT (TVT-O) "Inside-to-Out" Suburethral Sling for the treatment of Stress Urinary Incontinence: Early U.S. Experience. (2004)
Raders JL, Lucente VR, Murphy M. [Abs. 310] Transobturator TVT (TVT-O) "Inside-Out" Suburethral sling for the treatment of stress urinary incontinence: Early Clinical Experience. (2005)
Rahn, D. Vaginal estrogen use in postmenopausal women with pelvic floor disorders: systematic review and practice
Ralph. Uterine preservation in women undergoing surgery for prolapse with mesh. 2010
Rapp, D. The Evolution of Midurethral Slings. Nature Clinical Practice Urology 2008; 5(4): 194-201
Rardin, C. Long-term Followup of a Transvaginal Burch Urethropexy for Stress Urinary Incontinence. Journal of Pelvic Medicine & Surgery 2007; 13(2): 73
Rardin, Rosenblatt. Outcomes of TVT in Women With Intrinsic Sphincter Deficiency With or Without Urethral Hypermobility; Journal of Pelvic Medicine & Surgery Volume 11, Number 6 November/December 2005
Rechberg T, Rzezniczuk K, Skorupski P, et al. A randomized comparison between monofilament and multifilament tapes for
Rechberger T. Role of fascial collagen in stress urinary incontienence. Am J Obstet Gynecol (1998) 1511-1514
Rechberger. ICS Abs 237. How transvaginal mesh surgery for advanced pelvic organ prolapse influence female sexual function. 2011

Medical Literature

Rechberger. Total Prolift System surgery for treatment posthysterectomy vaginal vault prolapse- do we treat both anatomy and function. 2008
Rehman (Bezerra) - [Cochrane Review] Traditional suburethral sling operations for urinary incontinence in women (Review); The Cochrane Library 2011, Issue 1
Reich A, Kohorst F, Kreienberg R, Flock F. [7 yr fu] Long-term results of the tension-free vaginal tape procedure in an unselected group: a 7-year follow-up study. Urology (2011) 78:774-777
Reisenauer C. Anatomical conditions for pelvic floor reconstruction with polypropylene implant and its application for the treatment of vaginal prolapse. European Journal of Obstetrics & Gynecology and Reproductive Biology 2007; 131: 214-225.
Reisenauer, C. Transobturator vaginal tape inside-out A Minimally invasive treatment of stress urinary incontinence: Surgical
Ren. Mesh erosion after pelvic reconstructive surgeries. 2010
Rezapour M, et al. [Pop 49, Mean 4 yr fu] Tension-Free Vaginal Tape (TVT) in Stress Incontinent Women with Intrinsic Sphincter Deficiency (ISD) - A Long-Term Follow-up. Int Urogynecol J (2001) (Suppl 2):S12-S14.
Rezapour M, Ulmsten U. [Pop 34, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Recurrent Stress Urinary Incontinence – A Long-term Follow Up. Int Urogynecol J (2001) (Suppl 2):S9-S11.
Rezapour M, Ulmsten U. [Pop 80, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Mixed Urinary Incontinence - A Long-Term Follow-up. Int Urogynecol J (2001) (Suppl 2):S15-S18.
Riachi, Miklos. [case report] Repeat TVT Sling for the Treatment of Recurrent SUI; Int Urogynecol J (2002) 13:133-135
Richter H. - SISTEr [Pop 482, 7 yr fu] Patient Related Factors Associates with Long-Term Urinary Continence After Burch Colposuspension and Pubovaginal Fascial Sling Surgeries. J Uro, Vol. 188, 485-489, August 2012
Richter H. E., et al., The Effect of Age on Short-Term Outcomes After Abdominal Surgery for Pelvic Organ Prolapse, JAGS, Vol. 55 (June 2007)
Richter H. Retropubic versus Transobturator Midurethral Slings for Stress incontinence. n engl j med (2010) 362;22. 2066-2076
Richter HE. A Trial of Continence Pessary vs. Behavioral Therapy vs. Combined Therapy for Stress Incontinence (ATLAS); Obstet Gynecol. 2010 March; 115(3): 609-617
Richter, Brubaker, Zimmern, Sirls (UITN) SISTEr [Pop 482, 7 yr fu] Patient Related Factors Associates with Long-Term Urinary Continence After Burch Colposuspension and Pubovaginal Fascial Sling Surgeries. J Uro, Vol. 188, 485-489, August 2012
Richter, H. Demographic and Clinical Predictors of Treatment Failure One Year After Midurethral Sling Surgery. Obstet Gynecol 2011; 117(4): 913-921
Richter, H.E, Kenton, K.S. - Retropubic versus Transobturator Midurethral Slings for Stress Incontinence. 10.1056/NEJMoao912658
Richter, L. Pelvic Organ Prolapse - Vaginal and Laparoscopic Mesh: The Evidence. Obstet Gynecol Clin N Am 2016; 43: 83-92
Riebe, E., et al., Polypropylene Mesh Implantation in Combination With Vacuum-Assisten Closure in the Management of
Rinne K. A randomized trial comparing TVT with TVT-O: 12-month results. Int Urogynecol J (2008) 19:1049-1054
Riva D, Sacca V, Tonta A, et al. T.V.T. versus T.O.T: a randomized study at 1-year follow-up. Int Urogynecol J 2006;17(Suppl
Rivera. AUGS Abs PP67 Experience with the posterior Prolift vaginal floor repair system. 2006
Riviere, J. Sexual function in women after vaginal surgery with synthetic mesh material. Clin Exp Obstet Gynecol 2014; 41(3):

Medical Literature

Roberts. Functional and Anatomical Outcome of Prolapse Repair Surgery Using Prolift Mesh at 6 Months. 2007
Robinson, D. What is the best surgical intervention for stress urinary incontinence in the very young and very old? An International Consultation on Incontinence Research Society update. Int Urogynecol J 2015; 26: 1599-1604
Rogers, R. ICS, IUGA ABS 155 Anatomic Considerations for the TVT-Obturator Approach for the Correction of Female Stress Urinary Incontinence. 2004
Rogo-Gupta, L. Symptom Improvement After Prolapse and Incontinence Graft Removal in a Case Series of 306 Patients. Female Pelvic Med Reonstr Surg 2015; 21: 319-324
Rogo-Gupta, L. Trends in the Surgical Management of Stress Urinary Incontinence Among Female Medicare Beneficiaries, 2002-2007. Urology 2013; 82(1): 38-41
Rogo-Gupta, L., Raz, S. - Pain Complications of Mesh Surgery. Current Clinical Urology, DOI 10.10007/978-1-61779-924-2_9
Ross S, Robert M, Lier D, Eliasziw M, Jacobs P. Surgical management of stress urinary incontinence in women: safety, effectiveness and cost-utility of trans-obturator tape (TOT) versus tension-free vaginal tape (TVT) five years after a Rostaminia, G. Surgeon preference for surgical treatment of stress urinary incontinence among urogynecologic surgeons, Roth CC, et al. Synthetic slings: which material, which approach. Curr Opin Urol 16:234-239 2006
Roth, T. Management of persistent groin pain after transobturator slings. Int Urogynecol J 2007; 18: 1371-1373
Roy. Cardiovascular sutures as assessed by scanning electron microscopy. Scanning Electron Microscopy 1980 volume III
Saba. Abs 10 Prospective study on the 12 months quality of life outcomes after surgical repair for anterior pelvic organ prolapse Comparison between laparoscopic and vaginal repair. 2012
Salimova. IUGA Abs 398 Averting and management vaginal mucosa erosions after mesh surgery in POP treatment. 2011
Salmas. Abs. Medium term results of female pelvic floor reconstruction with synthetic meshes A clinical comparison of the efficacy, the operating time and complications Our 6 Year experience. 2012
Sand, P. Prospective randomized trial of polyglactin 910 mesh to prevent recurrence of cystoceles and rectoceles. Am J Obstet Gynecol. 2001;184:1357-1364.
Sanses TVD. Anatomic outcomes of vaginal mesh procedure (Prolift) compared with uterosacral ligament suspension and abdominal sacrocolpopexy for pelvic organ prolapse: a Fellows' Pelvic Research Network study, Am J Obstet Gynecol. 2009 Nov;201(5):519.e1-8
Sanses. Anatomic outcomes of vaginal mesh procedure (Prolift) compared with uterosacral ligament suspension and
Sarlos D. Long-term follow-up of laparoscopic sacrocolpopexy, Int Urogynecol J 2014
Sato, K. AUA Abs PD50-03 - Sexual function in female patients who underwent pelvic floor reconstruction with follow-up for a minimum of 5 years. (2015)
Schauer. 10 years follow-up after mid-urethral sling implantation: high rate of cure yet a re-occurrence of OAB-Symptoms; Neurourology and Urodynamics DOI 10.1002/nau 2016
Scheiner, D. Twelve months effect on voiding function of retropubic compared with outside-in and inside-out transobturator midurethral slings. Int Urogynecol J 2012; 23: 197-206
Schierlitz L, et al. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tensionfree vaginal tape (tvt) in women with severe genital prolapse and occult stress incontinence: long term follow up. Int Urogynecol J

Medical Literature

Schimpf - (published) [meta-analysis] Sling surgery for stress urinary incontinence in women a systematic review and metaanalysis; Am J Obstet Gynecol 2014;211:71.e1-27
Schimpf M. Sling surgery for stress urinary incontinence in women: A systematic review and metaanalysis. AJOG 2014
Schiotz H. Ten-year follow-up after conservative treatment of stress urinary incontinence. Int Urogynecol J (2008) 19:911-915
Schoen. 11.1.5 Tissue Response to Injury. Inflammation, Repair and Regeneration (Granulation tissue p464). Biomaterials Science, An introduction to Materials in Medicine, 3 rd edition, Section II.1 pp.464-466
Schraffordt Koops - [Pop 634, 2 yr fu] QOL before and after TVT, a prospective multicentre cohort study, results from the Netherlands TVT database; BJOG 2006; 113:26-29
Schraffordt Koops - The effectiveness of TVT and quality of life measure in women with previous urogynecologic surgery: Analysis from the Netherlands TVT database; American Journal of Obstetrics and Gynecology (2006) 195, 439-44
Schraffordt Koops, S. Prospective analysis of complications of tension-free vaginal tape from The Netherlands Tension-free Vaginal Tape Study. American Journal of Obstetrics and Gynecology 2005; 193: 45-52
Schraffordt Koops. [Pop 634, 2 yr fu] Quality of life before and after TVT, a prospective multicenter cohort study, results from the Netherlands TVT database; BJOG 2006; 113:26-29
Schraffordt Koops. The effectiveness of tension-free vaginal tape (TVT) and quality of life measured in women with previous urogynecologic surgery; Analysis from the Netherlands TVT database; American Journal of Obstetrics and Gynecology (2006)
Scientific Committee on Emerging and Newly Identified Health Risks - Opinion on The Safety of Surgical Meshes used in urogynecological Surgery. Approved December 3, 2015
Seeger. IUGA Abs 383 Transobturator polypropylene mesh interposition for paravaginal defect repair in women with symptomatic cystocele POP- Q Stage III/IV - A prospective trial. 2006
Seklehner, S. A Meta-Analysis of the Performance of Retropubic Mid Urethral Slings Versus Transobturator Mid Urethral Slings. Journal of Urology 2015; 193: 909-915
Serati M, Bauer R, Cornu JN, Cattoni E, Braga A, Siesto G, Lizée D, Haab F, Torella M, Salvatore S. [Pop 191 5 yr fu] TVT-O for the treatment of pure urodynamic stress incontinence: efficacy, adverse effects, and prognostic factors at 5-year follow-up. Eur Urol (2013) 63:872-878
Serati M, et al. Is there a learning curve for the TVT-O procedure. A prospective single-surgeon study of 372 consecutive cases. Eur J Obstet Gynecol Reprod Biol 186 (2015) 85-90.
Serati M, Ghezzi F, Cattoni E, Braga A, Siesto G, Torella M, Cromi A, Vitobello D, Salvatore S. [Pop 58, but 10 yrs fu] Tension-
Sex Function, Pain, Dyspareunia Prolapse Repairs
SGS - Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks. (2011)
Shah - Mesh complications in female pelvic floor reconstructive surgery and their management: A Systemic review. Indian J Urol. 2012 Apr-Jun; 28(2): 129-153
Shah - Surgical management of lower urinary mesh perforation after mid-urethral polypropylene mesh sling: mesh excision, urinary tract reconstruction and concomitant pubovaginal sling with autologous rectus fascia. Int Urogynecol J (2013) 24:2111-
Shah S. Impact of Vaginal Surgery for Stress Urinary Incontinence of Female Sexual Function; Is the Use of Polypropylene Mesh Detrimental? UROLOGY 65: 270-274, 2005

Medical Literature

Shah, AD. The age distribution, rates, and types of surgery for pelvic organ prolapse in the USA. Int Urogynecol J Pelvic Floor Dysfunct. 2008; 421-8; 19(3) - (Epub 2007 Sep 20)
Shao. [Pop 24, median 57 mo fu] TVT retropubic sling for recurrent SUI after Burch colposuspension failure; International Journal of Urology (2011) 18, 452-457
Sharifiaghdas F, Martazavi N. Tension-free vaginal tape and autologous rectus fascia pubovaginal sling for the treatment of urinary stress incontinence: a medium-term follow-up. Med Prine Pract 2008;17:209-214.
Sheiner, D. FV-Gyn 02.02 Tension-free vaginal Tape TVT Compared with Outside-in TOT and insdie-put TVT-O transobturator
Shek. Anterior compartment mesh. A descriptive study of mesh anchoring failure. 2013
Shek. IUGA Abs 31 Perigee versus Anterior Prolift in the treatment of Cystocele. 2008
Shek. Stress urinary incontinence after transobturator mesh for cystocele repair. 2009
Shin Y. Efficacy and Safety of the TVT-Secur and Impact on Quality of Life in Women with Stress Urinary Incontinence: A 2-Year Follow-up. Korean J Urol 2011;52:335-339
Shippey S. Contemporary Approaches to Cystocele Repair: A Survey of AUGS Members. The Journal of Reproductive Medicine, 53:11 (Nov 2008).
Siddiqui - Mesh Sacrocolpopexy Compared With Native Tissue Vaginal Repair: A Systematic Review and Meta-analysis, Obstet
Siedhoff, M. Post-hysterectomy Dyspareunia. Journal of Minimally Invasive Gynecology 2014; 21: 567-575
Signorello, L. Postpartum sexual functioning and its relationship to perineal trauma: A retrospective cohort study of
Silva, W. Uterosacral ligament vault suspension. Five Year Outcomes. Obstet Gynecol:2006;108:255-263.
Simon. Vaginal prolapse repair using the Prolift kit. A registry of 100 successive cases. 2011
Sindhwani, N. Immediate postoperative changes in synthetic meshes - In vivo measurements. Journal of the Mechanical
Singh R. Native tissue repair versus mesh for trans-vaginal prolapse surgery: 5 year follow-up RCT. (2014)
Sirls. Exploring predictors of mesh exposure after vaginal prolapse repair. 2013
Sivaslioglu A., et al., A randomized comparison of polypropylene mesh surgery with site-specific surgery in the treatment of cystocele, Int. Urogynecol. J., 19"467-471 (2008)
Skala. The IUGA/ICS classification of complications of prosthesis and graft insertion. 2011
Sobhgol, S. Rate and related factors of dyspareunia in reproductive age women: a cross-sectional study. International Journal of Impotence Research 2007; 19: 88-94
Sohbati, S. Comparison between the transobturator tape procedure and anterior colporrhaphy with the Kelly's Plication in the Treatment of Stress Urinary Incontinence: a Randomized Clinical Trial. Nephro Urol 2015; 7(5): 1-6
Sokol, A. One-year objective and functional outcomes of a randomized clinical trial of vaginal mesh for prolapse. Am J Obstet Gynecol 2012;206:86.e1-9.
Sola V. Third Generation Sub-Mid Urethral Mesh: Experience with 110 TVT-Secur. Arch. Esp. Urol. 2009; 62 (5): 376-388
Sola, V. TVT versus TVT-O for minially invasive surgical correction of stress urinary incontinence. International Braz J Urol 2007; 33(2): 246-253
Sola. IUGA Abs. 694 Prolapse cystocele surgical repair with site specific correction reinforced with soft vaginal tension free polypropylene mesh compared with trocar-guided soft tension free polypropylene mesh without site specific correction. 2010
Sola. Transvaginal genital prolapse repair with tension free vaginal tape. A case series multicentric study with Prolift mesh. 2011

Medical Literature

Sommer, T. Dynamesh® in the repair of laparoscopic ventral hernia: a prospective trial. <i>Hernia</i> 2013; 17(5): 613-8
Song PH, Kim YD, Kim HT, Lim HS, Hyun CH, Seo JH, Yoo ES, Park CH, Jung HC, Gomelsky A. [Pop 306, 7 yr fu] The 7-year outcome of the tension-free vaginal tape procedure for treating female stress urinary incontinence. <i>BJU Int.</i> 2009
Song, X. The value of the preoperative 1-h pad test with pessary insertion for predicting the need for a mid-urethral sling following pelvic prolapse surgery: a cohort study. <i>World J Urol</i> 2015; Epub Ahead of Print
Song. [Pop 206, 13 yr fu] AUA Abs. MP33-03 The long-term outcomes from TVT procedure for female SUI; Data from minimal 13 years of follow up; http://www.aua2014.org 2014
Song. [Pop 306, 7 yr fu] The 7-year outcome of the tension-free vaginal tape procedure for treating female SUI; <i>Journal Compilation</i> 2009; 104, 1113-1117
Song. EAU Poster 771 Ten-Year Outcomes of the TVT Procedure for Treatment of Female SUI; <i>Eur Urol Suppl</i> 2011; 10(2):244
South MMT, Wu JM, Webster GD, Weidner AC, Roelands JJ, Amundsen CL. Early vs late midline sling lysis results in greater improvement in lower urinary tract symptoms. <i>Am J Obstet Gynecol.</i> 2009;200:564.e1–e5
Spitznagle, T. Myofascial Pelvic Pain. <i>Obstet Gynecol Clin N Am</i> 2014; 41: 409-432
Stanford E. A Comprehensive Review of Suburethral Sling Procedure Complications. <i>Journal of Minimally Invasive Gynecology</i> (2008) IS, 132- 145 © 2008
Stanford EJ. Traditional native tissue versus mesh-augmented pelvic organ prolapse repairs: providing and accurate interpretation of current literature, <i>Int Urogynecol J</i> (2012) 23:19-28
Stanford, Paraiso. A Comprehensive Review of Suburethral Sling Procedure Complications; <i>Journal of Minimally Invasive</i>
Stanford. [rabbit] IUGA Abs. 104 Evaluation of Local Tolerance and of Tissue Integration with a Knitted Urethral Support Prosthesis in Rabbits. <i>Int Urogynecol J</i> (2006) 17 (Suppl 2):S101-S152
Stanton, S. Stress Incontinence. Why and How Operations Work. <i>Urol Clin North Am</i> 1985; 12(2): 279-84
Stavros, A., et al., Lower Recurrence Rates After Mesh-reinforced Versus Simple Hiatal Hernia Repair: A Meta-Analysis of Randomized Trials, <i>Surg. Laprosc Endosc Percutan Tech</i> , Vol. 22, Number 6 (Dec. 2010)
Steege, J. Evaluation and Treatment of Dyspareunia. <i>Obstet Gynecol</i> 2009; 113(5): 1124-1136
Sternschuss, Ostergard. (published) Letter to Editor RE: Post implantation alterations of polypropylene in the human. <i>The Strus.</i> The in vitro effect of hydrogen peroxide on vaginal microbial communities. <i>FEMS Immunol Med Microbol</i> 48 (2006) 56-63
Su. Impact of Prolift procedure on bladder function and symptoms in women with pelvic organ prolapse. 2011
Su. Short Term Impact on Female Sexual Function of Pelvic Floor Reconstruction with the Prolift Procedure. 2009
Subak, L. Cost of Pelvic Organ Prolapse Surgery in the United States. <i>The American College of Obstetricians and Gynecologists</i> , 98:4, Oct 2001.
Subjective parameters and objective outcome measures used in the studies included in the systematic review
Summit, R. Suburethral sling procedure for genuine stress incontinence and low urethral closure pressure. A Continued Experience. <i>Int Urogynecol J</i> 1992; 3: 18-21
Summitt, R. Urinary incontinence: Correlation of history and brief office evaluation with multichannel urodynamic testing. <i>Am</i>
Sun, Y. The treatment of anterior vaginal wall prolapsed by repair with mesh versus colporrhaphy. <i>Int Urol Nephrol</i> 2016; 48: 155-167
Sun. Abs 0662 Surgical outcomes and quality of life after the prolift procedure in the chinese population. 2012
Sung, V, et al. (2008). Graft Use in Transvaginal Pelvic Organ Prolapse Repair - A Systematic Review. <i>Amer Col Obstet Gynecol</i> 112(5) 1131-1135.

Medical Literature

Sung, V. Comparison of Retropubic versus Transobturator Approach to Midurethral Slings: A Systematic Review and Meta-Analysis. Am J Obstet Gynecol 2007; 197(1): 3-11
Suskind, A. Effectiveness of Mesh Compared With Nonmesh sling surgery in Medicare Beneficiaries. Obstet Gynecol 2013; 0: 1-7
Svabik, K. Comparison of vaginal mesh repair with sacrosinous vaginal colpopexy in the management of vaginal vault prolapse after hysterectomy in patients with levator ani avulsion: a randomized controlled trial. ISUOG 2014.
Svenningsen R, et al. (Norwegian registry) [Pop 542, median 129 mo fu] Long-term follow-up of the retropubic tension-free vaginal tape procedure. Int Urogynecol J. 2013 Aug;24(8):1271-1278
Svenningsen R, et al. (Norwegian registry) [Pop 542, median 129 mo fu] Long-term follow-up of the retropubic tension-free vaginal tape procedure. Int Urogynecol J. 2013 Aug;24(8):1271-8
Svenningsen R. [Pop 810, 10 yr fu] Risk Factors for Long-Term Failure of the Retropubic Tension-Free Vaginal Tape Procedure. Neurourology and Urodynamics (2013) 33:1140-1146
Svenningsen R. Risk Factors for Long-Term Failure of the Retropubic Tension-Free Vaginal Tape Procedure. Neurourol. Urodynam, 2013 Wiley Periodicals.
Svenningsen. [Pop 810, 10 yr fu] Risk Factors for Long-Term Failure of the Retropubic TVT Procedure; Neurourology and Urodynamics DOI 10.1002/nau 2013
Sweat - Polypropylene mesh tape for SUI- complications of urethral erosion and outlet obstruction. The Journal of Urology Vol. 168, 144-146, July 2002
Swift, S. Correlation of symptoms with degree of pelvic organ support in a general population of women: What is pelvic organ prolapse? Am J Obstet Gynecol 2003;189:372-9
Swift, Schaffer - Pelvic Organ Support Study (POSST): The distribution, clinical definition, and epidemiologic condition of pelvic organ support defects. American Journal of Obstetrics and Gynecology (2005) 192, 795-806
Tammaa. [Pop 302, 5 yr fu] SGS Poster 18 Retropubic versus Transobturator TVT: Five-year results of the Austrian Trial; Abstracts / Journal of Minimally Invasive Gynecology 21 (2014) S1-S24
Tammaa. Abs 661 Vaginal mesh registry. Results of the Austrian Urogynecology Working Group. 2011
Tamussino - Tension-free vaginal tape operation Results of the Austrian Registry; Obstet Gynecol 2001; 98:732-6
Tamussino K. (Austrian registry) [Pop 2543] Transobturator tapes for stress urinary incontinence: Results of the Austrian registry. Am J Obstet Gynecol 2007;197:634.e1-634.e5.
Tan - Effectiveness and complication rates of tension-free vaginal tape, transobturator tape, and tension-free vaginal tape-obturator in the treatment of female stress urinary incontinence in a medium- to long -term follow up; Saudi Med J 2014; Vol.
Tan PF, Yang LL, Ou RB, Tang P, Yang WJ, Huang JB, Wei W, Wei XH, Wang B, Xie KJ. Effectiveness and complication rates of tension-free vaginal tape, transobturator tape, and tension-free vaginal tape-obturator in the treatment of female stress
Tang X. Short-Term Effect of TVT-Secure Procedure on Quality of Life and Sexual Function in Women with Stress Urinary
Tate A. The use of infection prevention practices in female pelvic medicine and reconstructive surgery. Curr Opin Obstet Gynecol. 2010 Oct;22(5):408-13
Te Linde's Operative Gynecology - Plaintiff's Exhibit 3958
Tellez Martinez-Fornes M, Fernandez Perez C, Fouz Lopez C, Fernandez Lucas C, Borrego Hernando J. A three year follow-up of a prospective open randomized trial to compare tension-free vaginal tape with Burch colposuspension for treatment of

Medical Literature

Teo R, Moran P, Mayne C, Tincello D. Randomized trial of tension-free vaginal tape and tension-free vaginal tape-obturator for urodynamic stress incontinence in women. J Urol 2011;185:1350-1355.
Thijs, S. Abs 96. A randomized controlled trial of anterior colporrhaphy and perigee as a primary surgical correction of symptomatic cystocele. (2010)
Thomas, A. IC ABS 153 One Year Results of A Prospective Randomized Trial Comparing The Original Inside-Out Transobturator (TVT-O™) Procedure and Modified Version Using a Shortened Tape and Reduced Dissection for the treatment of Female Stress Urinary Incontinence. 2010
Thompson P. Abdominal Sacrocolpopexy Utilizing Gorex in Genital Prolapse. J Pelvic Med Surg 2004;10:311-317
Thubert, Deffieux. [Pop 98, 1 yr fu] Bladder injury and success rates following retropubic MUS: TVT Exact vs. TVT; European Journal of Obstetrics & Gynecology and Reproductive Biology 198 (2016) 78-83
Thubert, T. Bladder injury and success rates following retropubic mid-urethral sling: TVT EXACT™ vs. TVT™ European Journal of Obstetrics & Gynecology and Reproductive Biology 2016; 198: 78-83
Thubert, T. Outcomes associated with the use of midurethral slings for stress incontinence surgery according to the type of hospitalization. International Journal of Gynecology and Obstetrics 2015; 129: 123-127
Timbrook Brown, E. Evaluation and Management of Mid-Urethral Sling Complications. Curr Bladder Dysfunct Rep 2016; 11: 160-168
Tincello DG, Kenyon S, Slack M, et al. Colposuspension or TVT with anterior repair for urinary incontinence and prolapse: results of and lessons from a pilot randomised patient-preference study (CARPET 1). BJOG 2009;116:1809-1814.
Tincello. The TVT Worldwide Observational Registry for Long-Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women. Jurology (2011) Vol. 186, 2310-2315
Toglia, M. Suture erosion rates and long-term surgical outcomes in patients undergoing sacrospinous ligament suspension with braided polyester suture. AJOG:2008;49;600.e1-600.e4.
Tommaselli G. Comparison of TVT-O and TVT-Abbrevio for the surgical management of female stress urinary incontinence: a 12-months preliminary study. International Journal of Gynecology & Obstetrics 119S3 (2012) S261-S530
Tommaselli G. Efficacy of a modified technique for TVT-O positioning: a twelve-month, randomized, single-blind, multicenter, non-inferiority study. Eur J Obstet Gynecol (2012)
Tommaselli G. Medium-term and long-term outcomes following placement of midurethral slings for stress urinary incontinence: a systematic review and metaanalysis. Int Urogynecol J (2015)
Tommaselli G. Tension-Free Vaginal Tape-O and -Secur for the Treatment of Stress Urinary Incontinence: A Thirty-Six-Month Follow-up Single-blind, Double-arm, randomized study. Journal of Minimally Invasive Gynecology (2013) 20, 198-204
Tommaselli G. TVT-Secur for the treatment of female stress urinary incontinence: a 24-month follow-up retrospective study. Arch Gynecol Obstet (2012) 286:415-421
Tommaselli GA, Di Carlo C, Gargano V, Formisano C, Scala M, Nappi C. Efficacy and safety of TVT-O and TVT-Secur in the treatment of female stress urinary incontinence: 1-year follow-up. Int Urogynecol J 2010;21:1211-1217.
Tommaselli GA, et al. Tension-free vaginal tape-obturator and tension-free vaginal tape-Secur for the treatment of stress urinary incontinence: a 5-year follow-up randomized study. Eur J Obstet & Gynecol and Reprod Biol 2015;185:151-55
Tommaselli, G. Efficacy and safety of the trans-obturator TVT-Abbrevio device in normal weight compared to overweight patients affected by stress urinary incontinence. European Journal of Obstetrics & Gynecology and Reproductive Biology 2016;

Medical Literature

Tommaselli, G. ICS ABS 357 Vaginal Exposure in Long-Term Follow-up Studies Evaluating Tran-obturator Tapes for the Surgical Treatment of Female Stress Urinary Incontinence: A Systematic Review of the Literature. 2015
Tommaselli, G.A., et al. Medium-term and long-term outcomes following placement of midurethral slings for stress urinary incontinence: a systematic review and metaanalysis. Int Urogynecol J (2015).
Toozs-Hobson -Does age affect the outcome of suburethral tape surgery? The Importance of national registries in answering bigger questions; Int Urogynecol J DOI 10.1007/s00192-016-2995-7
Trabuco, E. Medium-term comparison of continence rates after rectus fascia or midurethral sling placement. Am J Obstet Gynecol 2009; 200:300.e1-300.e6
Trabuco. [Pop 1,375, 10 yr fu] Midurethral Slings for the Treatment of SUI. Long-term Follow-up; Obstetrics and Gynecology Vol. 123, No. 5 (Supplement), May 2014
Tseng LH, Wang AC, Lin Y-H, Li S-J, Ko Y-J. Randomized comparison of the suprapubic arc sling procedure vs tension-free vaginal taping for stress incontinent women. Int Urogynecol J Pelvic Floor Dysfunct 2005;16:230-235.
Tucker, P. Prevalence of sexual dysfunction after risk-reducing salpingo-oophorectomy. Gynecol Oncol 2015; http://dx.doi.org/10.1016/j.gyno.2015.11.002
Turner, L. Comparison of complications and prolapse recurrence between laparoscopic and vaginal uterosacral ligament suspension for the treatment of vaginal prolapse. Int Urogynecol J 2015
Tzartzeva, Zimmern, et al. [ICS Abs 366] In-depth nano-investigation of vaginal mesh and tape fiber explants in women. (2014)
Tzartzeva, Zimmern. Abs M36 Who reports sling and mesh complications to the utilization of the manufacturer and user facility device experience (Maude) database?; Neurourology and Urodynamics DOI 10.1002/nau 2014
Ubertazzi EP. [Pop 62, median 68 mos fu] IUGA Abs OP 122 - Trans vaginal mesh (TVM) five years follow up. A retrospective
Ubertazzi, E.P. IUGA Abs OP 122 - Trans vaginal mesh (TVM) five years follow up. A retrospective study from latam. (2015)
Ubertazzi. Transvaginal mesh Argentine experience over 220 consecutives cases. 2011
Ulmsten U, et al. [Pop 75, 2 yr fu] An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. Int Urogynecol J (1996) 7:81-86
Ulmsten U. [Pop 131, 1 yr fu] A Multicenter Study of Tension-Free Vaginal Tape (TVT) for Surgical Treatment of Stress Urinary Incontinence. Int Urogynecol J, (1998) 9:210-213
Ulmsten U. A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence. British Journal of Obstetrics and Gynecology April 1999, Vol 106, pp. 345-350
Ulmsten U. An Introduction to Tension Free Vaginal Tape (TVT) - A New Surgical Procedure for Treatment of Female Urinary Incontinence. Int Urogynecol J (2001) (Suppl 2):S3-S4
Ulmsten U. Creating a gold standard surgical device: scientific discoveries leading to TVT and beyond. Ulf Ulmsten Memorial
Ulmsten U. Different biochemical composition of connective tissue incontinent and stress incontinent women. (1987)
Ulmsten U. Intravaginal Slingplasty (IVS) - an Ambulatory Surgical Procedure for Treatment of SUI. (1995)
Ulmsten U. Intravaginal Slingplasty (IVS): An Ambulatory Surgical Procedure for treatment of Female Urinary Incontinence. Scand J Urol Nephrol 1995; 29:75-82
Ulmsten U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. (2011)
Ulmsten, Nilsson. [Pop 131, 12 mo fu] A multicenter study of TVT for surgical treatment of SUI; Int Urogynecol J (1998) 9:210-213
Ulmsten, U. Different Biochemical composition of connective tissue in continent and stress incontinent women. Acta Obstet Gynecol Scand 1987; 66: 455-457

Medical Literature

Ulmsten, U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. Urologe 2001; 40:269-273
Ulrich, D. 10-Year Follow-up after the TVT-O Procedure for Stress Urinary Incontinence. Int Urogynecol J 2015; 26(Suppl 1): S146-147
Ulrich, D. The effect of vaginal pelvic organ prolapse surgery on sexual function. Neurourology and Urodynamics 2014
Unger - [Pop 267] Indications and risk factors for midurethral sling revision; Int Urogynecol J DOI 10.1007/s00192-01-5-2769-7
Urinary Incontinence Treatment Network (UITN). The Trial Of Mid-Urethral Slings (TOMUS): Design and Methodology. The Journal of Applied Research, Vol. 8, No. 1, 2008
Usher FC, et al. Hernia repair with Marlex mesh. A comparison of techniques. Surgery. 1959 Oct; 46:718-24;
Usher FC. Knitted Marlex mesh. An improved Marlex prosthesis for repairing hernias and other tissue defects. Arch Surg. 1961
Usher, F.C., et al. Polypropylene Monofilament: A New, Biologically Inert Suture for Closing Contaminated Wounds.
Usher. Use of Marlex Mesh in the repair of incisional hernias. (1958)
Ustun Y, Engin-Ustun Y, Gungor M, Tezcan S. Tension-free vaginal tape compared with laparoscopic Burch urethropexy. J Am Assoc Gynecol Laparosc 2003;10:386-389.
Vaiyapuri G. Retrospective study of transobturator polypropylene mesh kit for the management of pelvic organ prolapse, Singapore Med J. 2012 Oct;53(10):664-70
Vaiyapuri. Comparing the one year outcome of the use of Gynecare Prolift system in pelvic organ prolapse surgeries
Vaiyapuri. IUGA Abs 375, A 3 year evaluation of the outcome of pelvic organ prolapse surgeries performed in 2006 at the KKWCH hospital using the Gynecare Prolift system. 2011
Vaiyapuri. Use of the Gynecare Prolift system in surgery for pelvic organ proplapse. 1 year outcome. 2011
Valentim-Lourenco. IUGA Abs 072 One year anatomical outcome (POP-Q) of pelvic organ prolapse after surgery with Prolift prosthesis vs collagen prosthesis (Pelvicol) vs hysterectomy with classical anterior colporraphy. Prospective study. 2007
Valpas A, Kivela A, Penttinen J, Kujansuu E, Haarala M, Nilsson C-G. Tension-free vaginal tape and laparoscopic mesh colposuspension for stress urinary incontinence. Obstet Gynecol 2004;104:42-49.
Valpas, Nilsson. [Pop 121, 5 yr fu] TVT versus laparoscopic mesh colposuspension; 5 year follow-up results of a randomized clinical trial; Int Urogynecol J DOI (2014) 10.1007/s00192-014-2454-2
Valpas-2004-Obstet Gynecol- Tension-TVT and laparoscopic mesh colposuspension for SUI; Obstetrics and Gynecology, Vol. 104, No. 1, July 2004
Valvekens, E. Long-term outcome of surgical treatment of chronic postoperative groin pain: a word of caution. Hernia 2015; 19: 587-594
Van der Ploeg, J. Vaginal prolapse repair with or without a midurethral sling in women with genital prolapse and occult stress urinary incontinence: a randomized trial. Int Urogynecol J 2016
Van Geelen J. Where to for pelvic organ prolapse treatment after the FDA pronouncements? Int Urogynecol J 2013; 24: 707-718.
Van Geelen, J. The clinical and urodynamic effects of anterior vaginal repair and Burch colposuspension. Am J Obstet Gynecol 1988; 159: 137-44
van Raalte, H., et al., Prolift: An Innovative Delivery System for Transvaginal Placement of Synthetic Grafts for the Repair of Pelvic Organ Prolapse, Journal of Pelvic Medicine & Surgery, Vol. 13 (2007)
Van Raalte, Lucente, Murphy. IUGA Abs 083. Short-term results of the Prolift procedure in 350 patients used in the treatment of pelvic organ prolapse. 2007

Medical Literature

Van Raalte. One-year anatomic and quality-of-life outcomes after the Prolift procedure for treatment of posthysterectomy
Van Rensburg, J. OP 107 Single Incision - Needleless and inside-out TVT-O: a multicenter clinical equivalent randomized trial with preliminary 6 months and one year outcome for stress urine continence. Int Urogynecol J 2015; 26 (Suppl1): S136-137
Vassallo - Management of iatrogenic vaginal constriction. Obstet Gynaecol 2003; 101:512-20
Velemir, Amblard. Transvaginal mesh repair of anterior and posterior vaginal wall prolapse: a clinical and ultrasonographic study. Ultrasound Obstet Gynecol 2010; 35:474-480
Velemir. Transvaginal mesh repair of anterior and posterior vaginal wall prolapse. A clinical and ultrasonographic study. 2010
Vollebregt, A. Primary surgical repair of anterior vaginal prolapse: a randomized trial comparing anatomical and functional outcome between anterior colporrhaphy and trocar-guided transobturator anterior mesh. BJOG 2011; 118: 1518-1527
Wadie BS, Edwan A, Nabeeh AM. Autologous fascial sling vs polypropylene tape at short-term followup: a prospective randomized study. J Urol 2005;174:990-993.
Wadie BS, Mansour A, El-Hefnawy AS, Nabeeh A, Khair AA. Minimum 2-year follow-up of mid-urethral slings, effect on quality of life, incontinence impact and sexual function. Int Urogynecol J 2010;21:1485- 1490.
Wai CY. Patient Satisfaction After Midurethral Sling Surgery for Stress Urinary Incontinence. Obstet Gynecol 2013;121:1009-16
Walsh C. TVT-Secur mini-sling for stress urinary incontinence: a review of outcomes at 12 months. BJU International, 108 , 652-
Walters, M, Ridgeway, BM. Surgical Treatment of Vaginal Apex Prolapse. Obstet Gynecol 2013; 121:354-74
Walters, M. Which Sling for Which SUI patient? OBG Management 2012; 24(5): 28-40
Walters, M., et al., Urogynecology and Reconstructive Pelvic Surgery, Third Edition (2007)
Waltregny d, de Leval J. The TVT-obturator surgical procedure for the treatment of female stress urinary incontinence: a clinical update. Int Urogynecol J (2009) 20:337-348.
Waltregny D, et al. [EAU Abs. 53] Inside-out transobturator vaginal tape (TVT-O)- One-year results of a prospective study. Eur Urol Suppl 4 (2005) No. 3. Pp. 16
Waltregny D, et al. TVT-O for the treatment of female SUI. Results of a prospective study after a 3-year minimum follow-up. Eur Urol 53 (2008) 401-410.
Waltregny D. Inside Out Transobturator Vaginal Tape for the Treatment of Female Stress Urinary Incontinence: Interim Results of a Prospective Study After a 1-Year Minimum Followup. J Urology Vol. 175, 2191-2195, June 2006
Waltregny D. New Surgical Technical for Treatment of Stress Urinary Incontinence TVT-Abbrevio: From Development to Clinical Experience. Surg Technol Int (2012)
Waltregny, D. New Surgical Technique for Treatment of Stress Urinary Incontinence TVT-Abbrevio: From Development to Clinical Experience. Surg Technol IN 2012; 22: 149-57
Wang - [Pop 670, approx 2 yr fu] A histologic and immunohistochemical analysis of defective vaginal healing after continence taping procedures: A prospective case-controlled pilot study. American Journal of Obstetrics and Gynecology (2004) 191, 1868-74
Wang AC, Chen M-C. Comparison of tension-free vaginal taping versus modified Burch colposuspension on urethral obstruction: a randomized controlled trial. Neurourol Urodyn 2003;22:185-190.
Wang AC, et al. [Pop 670, approx 2 yr fu] A histologic and immunohistochemical analysis of defective vagina healing after continence taping procedures: A prospective case-controlled pilot study. American Journal of Obstetrics and Gynecology
Wang F, Song Y, Huang H. Prospective randomized trial of TVT and TOT as primary treatment for female stress urinary incontinence with or without pelvic organ prolapse in Southeast China. Arch Gynecol Obstet 2010;281:279-286.

Medical Literature

Wang Feng-Mei, et al. Prospective study of transobturator mesh kit (Prolift™) in pelvic reconstructive surgery with vaginal hysterectomy after 3 years' follow-up Arch Gynecol Obstet (2013) 288:355-359
Wang W, Zhu L, Lang J. Transobturator tape procedure versus tension-free vaginal tape for treatment of stress urinary incontinence. Int J Gynaecol Obstet 2009;104:113-116.
Wang, Yi-jun. Comparison of three mid-urethral tension-free tapes (TVT, TVT-O, and TVT-Secur) in the treatment of female stress urinary incontinence: 1-year follow-up. Int Urogynecol J (2011) 22: 1369-1374
Wang. Prospective study of transobturator mesh kit (Prolift) in pelvic reconstructive surgery with vaginal hysterectomy after 3 years' follow-up. 2013
Wang. The improvement of pelvic floor muscle function in POP patients after the Prolift procedure. Results from surface electromyography. 2013
Ward - [Pop 177, 5 yr fu] Multicentre randomised trial of TVT and Colposuspension for Primary urodynamic stress incontinence: five year follow-up. Neurourology & Urodynamics Volume 25, Number 6, 2006
Ward K. Prospective multicenter randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. BMJ (2002)325:67
Ward KL. Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. BJOG 2008;115:226-233
Ward, Hilton. [Pop 344, 5 yr fu IRELAND study] TVT vs colposuspension for primary urodynamic stress incontinence: 5 year follow up. Bjog 2008; 115:226-233
Ward, K. A Prospective multicenter randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: Two-year follow-up. American Journal of Obstetrics and Gynecology 2004; 190: 324-31
Ward, K. ABS 50 Multicentre randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: five year follow up. Neurology & Urodynamics 2006
Ward, K. Prospective multicentre randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence.BMJ 2002; 325: 1-7
Ward, K. Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up.
Ward. (BMJ) [IRELAND] Prospective multicentre randomised trial of TVT and colposuspension as primary treatment for stress incontinence; BMJ Volume 325 13 July 2002
Waylonis, G. Fibromyalgia Syndrome. Am J Phys Med Rehabil 1992; 71: 343-348
Weber A. Anterior colporrhaphy: A randomized trial of three surgical techniques. Am J Obstet Gynecol 2001; 185: 1299-1306.
Weber AM, Walters MD, Piedmonte MR, et al. Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. Am. J. Obstet. Gynecol. 2000; 182, 1610-1615.
Weber AM. Walters, M.D., Schover, L.R., Mitchinson, A. Vaginal Anatomy and Sexual Function, Obstet Gynecol. 1995 Dec;86(6):946-9
Weber, A. Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary
Weber, A. Commentary on Brown's 2000 Urinary Incontinence Risk is Increased after Hysterectomy. Evidence-Based Obstetrics and Gynecology 2001; 3: 52-53
Weber. Which Sling for which SUI Patient? OBG Management (2012) 24:5, 28-40
Wei, J. A midurethral sling to reduce incontinence after vaginal prolapse repair. N Engl J Med 2010; 366:2358-67
Weinberger, M. Long-Term Clinical and Urodynamic Evaluation of the Polytetrafluoroethylene Suburethral Sling for Treatment of Genuine Stress Incontinence. Obstetrics & Gynecology, 86:1, July 1995
Weinberger, M. Postoperative catheterization, urinary retention, and permanent voiding dysfunction after Polytetrafluoroethylene Suburethral Sling Placement.Obstet Gynecol 1996; 87: 50-4

Joye Lowman Reliance List

Medical Literature

Welk B JAMA Surg - Removal or Revision of Vaginal Mesh Used for the Treatment of stress urinary incontinence; JAMA Surg.
Welk B. Removal or Revision of Vaginal Mesh used for the Treatment of Stress Urinary Incontinence. JAMA Surg (2015)
Wetta, Richter. Synthetic graft use in vaginal prolapse surgery: objective and subjective outcomes. 2009
Weyhe D, et al. Experimental comparison of monofile light and heavy polypropylene meshes: less weight does not mean less
Whiteside, J. Risk factors for prolapse recurrence after vaginal repair. Am J Obstet Gynecol; 2004;191:1533-1538.
Williams DF. On the mechanisms of biocompatibility. Biomaterials 29 (2008) 2941-2953.
Williams TH, TeLinde RW. The Sling Operation for Urinary Incontinence Using Mersilene Ribbon. Obstet Gynecol 1962; 19(2):241-245.
Williams, D. The Biodegradation of Surgical Polymers. Polyurethanes in Biomedical Engineering, edited by H. Pnack, et al.,
Williams, E. Stress urinary incontinence: the evolution of the sling. Expert Rev. Med. Devices 2008; 5(4): 507-523
Williams. Review Biodegradation of surgical polymers. Journal of Materials Science 17 (1982) 1233-1246
Wiltz, A. Management of Vaginal Synthetic Graft Extrusion following Surgery for stress Urinary Incontinence and Prolapse. Curr Urol 2009; 3: 82-86
Wiltz. Management of vaginal synthetic graft extrusion following surgery for stress urinary incontinence and prolapse. 2009
Wiskind, A. The incidence of genital prolapse after the Burhc colposuspension. Am J Obstet Gynecol 1992; 167(2): 399-405
Withagen M. [ABS 475] Sexual functioning after tension free vaginal mesh procedure (Prolift®) for pelvic organ prolapse.
Withagen M. [Pop 186 (Prolift 83), 1 yr fu] Trocar-Guided Mesh Compared with Conventional Vaginal Repair in Recurrent
Withagen M. Trocar-Guided Mesh Compared with Conventional Vaginal Repair in Recurrent Prolapse, A Randomized Controlled Trial. Vol. 117, No. 2, Part 1, Feb. 2011 Obstetrics and Gynecol
Withagen, M. Sexual functioning after tension free vaginal mesh procedure (Prolift) for pelvic organ prolapse.
Withagen, M. Trocar-guided mesh compared with conventional vaginal repair in recurrent prolapse. Obstet Gynecol 2011;117:242-250.
Withagen, M. Does trocar-guided tension-free vaginal mesh (Prolift™) repair provoke prolapse of the unaffected compartments? Int Urogynecol J 21: 271-278 (2010)
Withagen, M. Risk Factors for Exposure, Pain, and Dyspareunia after Tension-Free Vaginal Mesh Procedure. Obstet Gynecol 118: 629-36. (2011)
Withagen. M. IUGA Abs 476. Total Vaginal Mesh in recurrent pelvic organ prolapse. A promising new technique. 2006
Wong V. Cystocele recurrence after anterior colporrhaphy with and without mesh use. Eur J Obstet Gynecol Reprod Biol 2014; 172: 131-135.
Wong. Adverse events associated with POP surgeries that use implants. 2013
Wong. ICS Abs 57. Is Levator Avulsion a Predictor for Cystocele Recurrence Following Anterior Vaginal Mesh. 2011
Wong. Should mesh be used for cystocele repair Long term outcomes of a case control series. 2011
Wood, L. Urinary Incontinence in Women. BMJ: 2014; 349: g4531
Wood. Materials characterization and histological analysis of explanted polypropylene, PTFE, and PET hernia meshes from an individual patient. J Mater Sci: Mater Med (2013) 24:1113-1122

Medical Literature

Woodruff AJ, et al. Histologic comparison of pubovaginal sling graft materials: A comparative study. Urology 72 (2008) 85-89.
Wu J. Forecasting the Prevalence of Pelvic Floor Disorders in U.S. women 2010 to 2050. Obstetrics and Gynecology, 114:6, Dec 2009.
Wu, C. Concomitant trocar-guided transvaginal mesh surgery with a midurethral sling in treating advanced pelvic organ prolapse associated with stress or occult stress urinary incontinence. Taiwanese J Obstet Gynecol 2013;52:516-522.
Wu, C. The surgical trends and time-frame comparison of primary surgery for stress urinary incontinence, 2006-2010 vs. 1997-2005: a population-based nation-wide follow-up descriptive study. Int Urogynecol J 2014; 25: 1683-1691
Wu, J. Lifetime risk of stress urinary incontinence or pelvic organ prolapse surgery. Obstet Gynecol 2014; 123:1201-1206.
Wu, J. Predicting the number of women who will undergo incontinence and prolapse surgery, 2010 to 2050. Am J Obstet Gynecol 2011; 205(3): 230.e1-230.e5.
Wu, J. Trends in inpatient urinary incontinence surgery in the USA, 1998-2007. Int Urogynecol J 2011; 22: 1437-1443
Wu. Prevalence and incidence of urinary incontinence in a diverse population of women with noncancerous gynecologic conditions (2010)
Yakasai. Outcome of repeat surgery for genital prolapse using prolift-mesh. 2013
Yalcin. [Pop 61, 2 yr fu] Results of TVT operations alone and combined with other vaginal surgical procedures; Arch Gynecol Obstet (2004) 269-96-98
Yazdany, T. Suture complications in a teaching institution among patients undergoing uterosacral ligament suspension with
Yesil A. Mesh implantation for pelvic organ prolapse improves quality of life. Arch Gynecol Obstet 2014; 289: 817-821.
Yesil. Mesh implantation for pelvic organ prolapse improves quality of life. 2014
Yonguc, T. Double-sling procedure for the surgical management of stress urinary incontinence with concomitant anterior vaginal wall prolapse. Int Urol Nephrol 2015
Yonguc, T. Effectiveness of Transobturator Tape Procedure in Obese and Severely Obese Women: 3-Year Follow-Up. Urology 2015; 86: 244-249
York Health Economics Consortium - Summaries of the Safety/Adverse Effects of Vaginal Tapes/Slings/Meshes for Stress Urinary Incontinence and Prolapse. Final Report. November 2012
Younes, G. Vaginal adhesions after transvaginal pelvic reconstructive surgeries: prevalence and clinical implications. Int Urogynecol J 2016; 27: 141-145
Young, Rosenblatt. The Mersilene mesh suburethral sling a clinical and urodynamic evaluation. Am J Obstet Gynecol 1995; 173; 1719-26
Zacharakis - Occult SUI in women with pelvic organ prolapse Is the one step surgical approach a risky choice?; Female Pelvic Medicine & Reconstructive Surgery; Volume 22, Number 1, January/February 2016
Zhang L., et al., Postoperative voiding difficulty and mesh-related complications after Total Prolift System surgical repair for pelvic organ prolapse and predisposing factors, Pubmed (Aug. 2015)
Zhang Y, Jiang M, Tong X-W, Fan B-Z, Li H-F, Chen X-L. The comparison of an inexpensive-modified transobturator vaginal tape versus TVT-O procedure for the surgical treatment of female stress urinary incontinence. Taiwan J Obstet Gynecol
Zhang, Z. Retropubic tension-free vaginal tape and inside-out transobturator tape: a long-term randomized trial. Int
Zhu L, Lang J, Hai N, Wong F. Comparing vaginal tape and transobturator tape for the treatment of mild and moderate stress incontinence. Int J Gynaecol Obstet 2007;99:14-17.

Medical Literature

Zinn, P. Chronic Pelvic Pain. South African Family Practice 2015; 57(1): 4-9

Zondervan, K. Prevalence and incidence of chronic pelvic pain in primary care: evidence from a national general practice database. British Journal of Obstetrics and Gynaecology 1999; 106: 1149-1155

Zullo MA, et al. One-Year Follow-up of Tension-free Vaginal Tape (TVT) and Trans-obturator Suburethral Tape from Inside to Outside (TVT-O) for Surgical Treatment of Female Stress Urinary Incontinence: A prospective randomized trial. Eur Urol 51

Zullo MA, Plotti F, Calcagno M, et al. One-year follow-up of tension-free vaginal tape (TVT) and Transobturator suburethral tape from inside to outside (TVT-O) for surgical treatment of female stress urinary incontinence: a prospective randomised

Zyczynski H. [Pop 597, 2 yr fu] Sexual activity and function in women more than 2 years after midurethral sling placement. Am J Obstet Gynecol 2012;207:421.e1-6.

Zyczynski, Goldman, Sirls (UITN) - Change in overactive bladder symptoms after surgery for SUI in women. Obstet Gynecol 2015;126:423-30

Joye Lowman Reliance List

Production Materials

Document Description [Bates Range]
ETH.MESH.02017152 - 7158
2003 (14 Day Rabbit Study) PSE 02-0579 Stamped Copy March 10, 2003 R&D - Central File: ETH-11280; ETH-11285-297; ETH-11312-315
2005 – 2006 Gynecare Prolift Pelvic Floor Repair Systems [ETH.MESH.00484929]
2005 Prolift IFU [ETH.MESH.02341522-02341527]
2005 Prolift Patient Brochure [ETH.MESH.03905968-03905975]
2005 Prolift Profession Educational Slide Deck [ETH.MESH.09100506]
2005-06 Prof Ed Slides _ Exhibit 127
2006 Apr 19 - Laser Cut Mesh for Gynecare TVT- CER Laser Cut Mesh [ETH.MESH.00167104 -10]
2006 Mar 3 Flatow memo - CPC-2006-0165 Performance evaluation of TVT PROLENE blue Mesh_ Elongation Properties of Mechanical Cut verses Laser Cut
2007 Prolift Professional Education Slide Deck
2007 Prolift Surgeon's Resource Monograph
2007 Prolift Surgeons Monograph [DEFT 730.1-730.72]
2007 Prolift Surgical Technique Guide
2008 Prolift Patient Brochure
2008 Prolift Slide deck [ETH-10505 to ETH-10596]
2011 Pelvic Organ Prolapse and Stress Urinary Incontinence Patient Counseling Guide
2013 Hinoul Clinical Evaluatiown Report - Gynecare TVT™ Family of Products
24 Hour Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
91 Day Tissue Reaction Study
A Solution-Gynecare TVT Tension-Free Support for Incontinence.
Anatomy Videos [ETH.MESH.PM.000006]
Anatomy Videos [ETH.MESH.PM.000009]
Anatomy Videos [ETH.MESH.PM.000057]
Anatomy Videos [ETH.MESH.PM.000068]
Anatomy Videos [ETH.MESH.PM.000088]
Anatomy Videos [ETH.MESH.PM.000089]
Anatomy Videos [ETH.MESH.PM.000090]
Anatomy Videos [ETH.MESH.PM.000134]
Anatomy Videos [ETH.MESH.PM.000151]
Anatomy Videos [ETH.MESH.PM.000154]
Axel Arnaud, M.D. Powerpoint presentation titled Graft or No Graft
Bacterial Analysis of Explanted Transvaginal Meshes
Biocompatibility of Meshes
Chronology - D-9
Clinical Evaluation Report - Gynecare Prolift signed by P. Hinoul on 04.26.2013
Clinical Expert Report Gynecare Prolift Pelvic Floor Repair System dated 7.2.10 [ETH.MESH.01075187 – 75215]
Clinical Study Report Evaluation of the TVM technique for treatment of genital prolapse Protocol Number 2003-016 [ETH.MESH.00372564 – 372568]
Clinical Study Report Evaluation of the TVM technique for treatment of genital prolapse Protocol Number CT-TVM-001-03 [ETH.MESH.00991195 – 991257]
Correspondence between Morgan Liscinsky of FDA & Bloomberg re: Johnson & Johnson Vaginal Mesh Implant.

Joye Lowman Reliance List

Production Materials

D00001256-2005 Prolift Ed.pdf (Gynecare Prolift: Pelvic Floor Repair Systems) [Native Format]
D00001260-2007 and 2008 Prolift and M Prof Ed.pdf (Gynecare Prolift: Pelvic Floor Repair Systems)[Native Format]
Dati. Prolift vs. Avaulta For Transvaginal Repair Of Severe Pelvic Prolapse. (Abstract) . 2008 [ETH-03227 to 3228]
De Leval (2003) Novel Surgical Technique for the Treatment of Female Stress Urinary Incontinence: Transobturator Vaginal Tape Inside-Out
Dedet. Transvaginal Repair Of Genital-Prolapse By The Prolift Technique_Outcome One Year After Surgery. (Abstract) . 2008 [ETH-03223]
DEPO.ETH.MESH.00000367-68 - T-2265 (Prolene Explants - IR Microscopy)
DEPO.ETH.MESH.00004755 - Guidoin Explant
Deposition Subject Matter-Design and Development of Mesh Products
Device Labeling Guidance #G91-1
DX23600-R.1-3 - Prolene Resin Manufacturing Specifications 1.23.03
Email from Seppa re: Performance Evaluation of TVT Secur PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920)
Email from Seppa re: Performance Evaluation of TVT U PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920) Version 2
Email string re - Revised write up of the DeLeval and Waltregny visit
ETH MESH 05795421-508 - Gynecare TVT Tension-Free Support for Incontinence: Professional Education Slides.
ETH MESH 08476210-6342 - TVT 510(k)
ETH.MESH.00001595-1606 - Reisenauer, C. Anatomical conditions for pelvic floor reconstruction with polypropylene implant and its application for the treatment of vaginal prolapse. European Journal of Obstetrics & Gynecology and Reproductive Biology 2006
ETH.MESH.00006636 - Interim report mesh explants pelvic floor repair
ETH.MESH.00006796 - Presentation-Stand and Deliver-Pelvic Floor Repair
ETH.MESH.00012009-089 - Clinical Study Report: Clinical assessment of feasibility, complications and effectiveness at twelve months, three years and five years of the TVM technique for genital prolapse.
ETH.MESH.00016032-039 - Kohli, N. Augmenting pelvic floor repairs. 2006 Supplement to OBG Management
ETH.MESH.00017362-368 - Elmer C, et al. Histological inflammatory response to transvaginal polypropylene mesh for pelvic reconstructive surgery, J Urol (2009), 181 (3), 1189-95.
ETH.MESH.00017553-560 - Tunuguntla, H. Female Sexual Dysfunction Following Vaginal Surgery: A Review. Journal of Urology 2006; 175: 439-446
ETH.MESH.00018382 - Powerpoint GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh in the Treatment of Pelvic Organ Prolapse
ETH.MESH.00030098 - Memo from Anthony Powell and Marianne Kaminski to Gynecare Continence Health Sales Team re GYNECARE TVT Physician Training Policy
ETH.MESH.00071794 - Email re: TVT IFUs on tape extrusion, exposure and erosion
ETH.MESH.00074499 - Gynecare Prolift +M-Training Presentation
ETH.MESH.00126755-757 - Email string, top one from M. Yale to J. Paine, et al. re: Draft FDA response on Prolift+M for input
ETH.MESH.00130934-41 - July 30, 1998 Meeting Notes re TVT
ETH.MESH.00159266-369 - Gynemesh PS, Prolene Soft Mesh in the treatment of POP - Pelvic Floor Surgery and Anatomic Dissection Lab

Joye Lowman Reliance List

Production Materials

ETH.MESH.00159266-369 - Gynemesh PS, Prolene Soft Mesh in the treatment of POP - Pelvic Floor Surgery and Anatomic Dissection Lab
ETH.MESH.00161131-32 - TVT-Innovative Surgical Alternative for the Treatment of Female SUI
ETH.MESH.00161953-54
ETH.MESH.00211259-60 - Email string re - TVT Exact IFU
ETH.MESH.00220335-36 - 12.2.1999 Memo re: Biocompatibility Risk Assessment for Soft Prolene Mesh.
ETH.MESH.00222852-63
ETH.MESH.00222899-909
ETH.MESH.00223779-84
ETH.MESH.00259473-503 - Exhibit T-254
ETH.MESH.00260591-592 - Dan Smith Email Plaintiff's Exhibit 180
ETH.MESH.00262015-016 - Dan Smith Email Plaintiffs Exhibit 2067
ETH.MESH.00262089-123
ETH.MESH.00271215-216 - Email from J. Meek to multiple recipients re: Pre-Reading for Prolift+M: Internal Use Only. Not Copy Reviewed or For Distribution
ETH.MESH.00273967 - Email from Clifford Volpe to Scott Jones re: slides for Pelvic Floor Summit.; Powerpoint: R&D Perspective - The Journey from Prolift to Prolift +M.
ETH.MESH.00295355 - 2010 TVT Exact Prof Ed
ETH.MESH.00295355 - Gynecare TVT Exact Profession Education Slide Deck.
ETH.MESH.00303084-85 - Email string re-Complaint Summaries
ETH.MESH.00309254-350 - Technical File Amendment - Laser Cut Mesh Product Code 830041BL. Septemeber 12, 2006
ETH.MESH.00321804-05 - Definition for Major Invasive Surgeries
ETH.MESH.00339437-42 - Gynecare TVT - 5 Years of Proven Performance
ETH.MESH.00341006-11
ETH.MESH.00349226-237 - May 26, 2000 Ethicon Memo to P. Cecchini RE: Review of Biocompatibility Data on the Tension Free Vaginal Tape (TVT) System for Compliance to FDA G-95/ ISO 10993/ EN 30993
ETH.MESH.00349228 - Ethicon Memo to C. Linsky Re: Cytotoxicity Risk Assessment for the TVT (Ulmsten) Device 8.8.1997
ETH.MESH.00349228-37 - Cytotoxicity Risk Assessment (Barbolt)
ETH.MESH.00354732 - Gynecare TVT Abbrevio Professional Education.
ETH.MESH.00365412-414 - June 14, 2007 Memo RE: ADDENDUM: Post - Launch Complaint Review for the PROLIFT* Pelvic Floor Repair System
ETH.MESH.00369995 - 2008 TVT Family of Products
ETH.MESH.00371496-594
ETH.MESH.00372664-671 - Letter from B. Lisa to J. Dang re: K071512 S04. (02.21.2008)
ETH.MESH.00373310 - Gynecare TVT Tension-Free Support for Incontinence: General Profession Education Deck.
ETH.MESH.00373310-88 - 2003 - TVT Support for Incontinence General Prof Ed Deck
ETH.MESH.00395374-380 - Scientific Advisory Panel on Pelvic Floor Repair Preliminary Minutes Chicago, IL June 22, 2001
ETH.MESH.00397674 - 2002 Dr. Miklos Minimizing and Managing TVT Complications
ETH.MESH.00442129 - PowerPoint Mechanical vs. "Machine"-cut Mesh, January 19, 2005 Prepared by: Allison London Brown & Gene Kammerer
ETH.MESH.00442825-26
ETH.MESH.00461576 - 10.23.2006 letter to EWHU field sales force
ETH.MESH.00523942 - Waltregny 2005 ICS Presentation

Joye Lowman Reliance List

Production Materials

ETH.MESH.00524746-48
ETH.MESH.00525573
ETH.MESH.00526473-74 - Allison Brown Email re-Laser-cut Mesh
ETH.MESH.00541379- Memo to File RE: Mesh Draying for TVT Devices 11.18.03
ETH.MESH.00541379-80 - Mesh Fraying for TVT Devices
ETH.MESH.00575257 - Abbrevio laser cut vs. mechanically cut - notes from meeting with de leval - inappropriate
ETH.MESH.00575270-273 - Jean de Leval Email Re: DSCN3332.JPG May 30, 2009
ETH.MESH.00584811-13 - Memo from Kammerer/ Silimkhan re: Ultrasonic Slitting of PROLENE Mesh for TVT
ETH.MESH.00584846-847 - (05.10.2004) Email string, top one from Gene Kammerer to Mora Melican, et al. re: Mesh for TVM.
ETH.MESH.00589602-607 - Teo, R. Randomized Trial of Tension-Free Vaginal Tape and Tension-Free Vaginal Tape Obturator for Urodynamic Stress Incontinence in Women. Journal of Urology 2011; 185: 1350-1355
ETH.MESH.00590896-897 - Piet Hinoul Email 3.11.09
ETH.MESH.00642325 - Email string re-TVTO versus TVTS efficacy and safety issues
ETH.MESH.00658177-198 - Surgeons Resource Monograph
ETH.MESH.00687819-22 - Email string re-Laser cut mesh
ETH.MESH.00823793-806
ETH.MESH.00836558-59 - Email string re - TVT-O groin pain
ETH.MESH.00851319-321 - Email string, top one from P. Hinoul to C. Volpe, et al. re: Proxima implant dimensions.
ETH.MESH.00857821 - Top Ten Reason to pursue Gynecare TVT Obturator System
ETH.MESH.00858080-081 - Perry Trial - Plaintiff's Exhibit 2313
ETH.MESH.00858094-95 - Gynecare R&D Monthly Update - March
ETH.MESH.00858096-97 - Gynecare R&D Monthly Update - May
ETH.MESH.00858175-176 - Mulberry Weekly Meeting MINUTES for 6.3.03
ETH.MESH.00858252-53 - 2004 Memo from London Brown to Dan Smith re Mechanical Cut vs. Laser Cut Mesh Rationale
ETH.MESH.00860142-144 - Email string re-Sample Media TVTO
ETH.MESH.00862176-185 - Prolene Revision History for MS-729-001
ETH.MESH.00862754-757 - 6.9.03 Dan Smith Email Re: Double Edged Sword
ETH.MESH.00863391 - T-366 - Dan Smith email - particle loss
ETH.MESH.00865069-72
ETH.MESH.00870466 - Ethicon Expert Meeting-Meshes for Pelvic floor
ETH.MESH.00870466-476 - (06.02.2006) Ethicon Expert Meeting: Meshes for Pelvic Floor Repair.
ETH.MESH.00918015 - Sunoco MSDS 04.13.05
ETH.MESH.00922443-446 - Email string, top one from P. St. Hilaire to B. Lisa, et al. re: Bidirectional elasticity statement
ETH.MESH.00993273 - 2006 TVT-O Summit Presentation by Raders and Lucente
ETH.MESH.00994917-18 - McCabe email re - Sheath Sales Tool
ETH.MESH.01154031-37 - Clinical Expert Report - Gynemesh Prolene Soft
ETH.MESH.01186550-56 - Rosenblatt, P. Update on suburethral slings for stress urinary incontinence.
ETH.MESH.01202101-03 - Email string re - Revised writeup of the DeLeval and Waltregny visit
ETH.MESH.01202189 - Stale Kvitle Email regarding Mini Me follow up from our visit May 20, 2009
ETH.MESH.01202190-191 - David Waltregny Email Re: Mini Me follow up from our visit May 21, 2009

Joye Lowman Reliance List

Production Materials

ETH.MESH.01203957-97 - The future of surgical meshes-the industry's perspective
ETH.MESH.01210987-95
ETH.MESH.01215019-24 - Tseng LH, et al. Randomized comparison of the suprapubic arc sling procedure vs TVT for stress incontinent women. Int Urogynecol J (2015) 16:230-235.
ETH.MESH.01218019 - Design FMEA TVT LCM Project
ETH.MESH.01219542-48 - Review of Surgeon Responses of VOC Questionnaire
ETH.MESH.01220135-45 - Email string re-New Standards for Urethral Slings
ETH.MESH.01221055-58 - Pariente J-L. An Independent biomechanical evaluation of commercially available suburethral slings- 8.5% particle loss.
ETH.MESH.01222075-79
ETH.MESH.01222617-54 - Protocol PSE Accession NO. 02-0579-T-2176
ETH.MESH.01228079-84 - Nilsson Podcast Transcript
ETH.MESH.01238454-56 - Email string re-TVTO length
ETH.MESH.01264260 - Prolift +M Piet Hinoul Pelvic Floor Meeting Nderland Utrecht, May 7, 2009
ETH.MESH.01271289-301 - Gynecare TVT with Abdominal Guides Early Clinical Experience
ETH.MESH.01274741-743 - Use of UltraPro Mesh for Pelvic Organ Prolapse (POP) Repair through a Vaginal Approach.
ETH.MESH.01279975-976 - Harel Gadot Email re Next step in SUI sling
ETH.MESH.0128019 - Design FMEA TVT LCM Project
ETH.MESH.01317508-613 - TVT Factbook DHF - Revised 05.14.2001
ETH.MESH.01317515-524 - TVT Preventia FMEA [T-2143]
ETH.MESH.01320328-33 - Performance Evaluation of TVT Secur PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920)
ETH.MESH.01320351-67- Corporate Product Characterization Plan, TVT-Laser Cut Mesh. Dated 02/06/2006
ETH.MESH.01424029-35 - Cobb WS, et al. The Argument for Lightweight Polypropylene Mesh in Hernia Repair. Surgical Innovation, Vol 12, No 1 (2005)
ETH.MESH.01428106-112 - Carvigni, M. The use of synthetics in the treatment of pelvic organ prolapse. Curr Opin Urol 2001; 11: 429-435.
ETH.MESH.01733531-535 - Kasturi, S. Pelvic magnetic resonance imaging for assessment of the efficacy of the Prolift system for pelvic organ prolapse. Am J Obstet Gynecol 2010; 203: 1.e1-1.e5
ETH.MESH.01751069-94
ETH.MESH.01752532-35 - Mesh design argumentation issues
ETH.MESH.01782114-115 - (05.03.2006) Email string, top one from David Robinson to Carolyn Brennan re: Suzette email discussing problems with Prolift.
ETH.MESH.01782783-785 - (02.02.2006) Notes from meeting with Dr. V. Lucente and Dr. M. Murphy (Allentown, PA) to discuss Prolift RCT.
ETH.MESH.01784779-82
ETH.MESH.01784823-28
ETH.MESH.01784823-28 - Clinical Expert report-Laser Cut Mesh
ETH.MESH.01785259-260 - Email string re: +M relaxation
ETH.MESH.01808311-318 - Trip Report Michael Tracey
ETH.MESH.01809056-58
ETH.MESH.01809080-81
ETH.MESH.01809082-83 - Memo re-VOC on new laser cut TVT mesh
ETH.MESH.01813259; ETH.MESH.02180759-61 - Email string with attachment re-Jeans Ideas.
ETH.MESH.01813975-78 - Email string re-FDA Prep-Plaintiff's Exhibit 460

Joye Lowman Reliance List

Production Materials

ETH.MESH.01815660-64
ETH.MESH.01822361-363 - Dan Smith Email regarding TVT Secur October 18, 2006
ETH.MESH.01822361-363 - Dan Smith Email regarding TVT Secur October 18, 2006
ETH.MESH.01822361-62 - Dan Smith Email regarding TVT-Secur leading to less retention
ETH.MESH.02001398-404 - Gynecare Prolift IFU (English Only)
ETH.MESH.02017152-158 - (02.23.2007) Ethicon Expert Meeting: Meshes for Pelvic Floor Repair.
ETH.MESH.02017152-56 - 02.23.2007 Ethicon Expert Meeting: Meshes for Pelvic Floor Repair
ETH.MESH.02026591-95 - MSDS-c4001 Polypropylene Homopolymer
ETH.MESH.02059150-151 - May 24, 2006 Memo RE: First Post - Launch Complaint Review for the PROLIFT* Pelvic Floor Repair System
ETH.MESH.02090196-209 - Plaintiff's Exhibit 4085-04.15.2008
ETH.MESH.02134271-73 - Draft-Mechanisms of Cytotoxicity of TVT
ETH.MESH.02180759-761 - University of Liege De Leval Confidential Meeting TVT-O Modifications 3.29.04
Eth.Mesh.02211890 - Bates stamped non-color version - LNE Pore Size Testing of TVT
ETH.MESH.02211890 - Test Report
ETH.MESH.02211912 - Annex 11: Porosity test on finished product - pelvic floor mesh.
ETH.MESH.02215374-375 - Jacquetin B. Prolene Soft (Gynecare) Mesh for Pelvic Organ Prolapse Surgical Treatment: A Prospective Study of 264 Patients. Abstract 767
ETH.MESH.02215565-567 - Email from Scott Ciarrocca to multiple recipients re: a message from Barbara Schwartz re: Prolift (01.02.2005).
ETH.MESH.02219584 - Scion PA/SUI Treatment Unmet Needs Exploratory Research - Presented January 22, 2010
ETH.MESH.02219584 - Scion PA-SUI Treatment Unmet Needs Exploratory Research Jan. 22, 2010
ETH.MESH.02229063 - Secur placement
ETH.MESH.02232854-874 - Prolift+M - Advanced User Discussion
ETH.MESH.02233126-187 - Prolift+M Educational Module
ETH.MESH.02234874-910 - Waltregny Presentation- A modified version of GYNECARE TVT™ Obturator System Tension-free Support for Incontinence with a shorter tape and reduced dissection
ETH.MESH.02236604-09
ETH.MESH.02248778 - Mechanical vs Machine Cut (Laser.Ultrasonic) Mesh Particle loss less than 2 percent for both
ETH.MESH.02270724 - (07.19.2003) Email string, top one from Michel Cosson to Scott Ciarrocca re: Gynemesh holding force in tissue.
ETH.MESH.02270766-767 - (11.21.2003) Email string, top one from Michel Cosson to Scott Ciarrocca re: D'Art, risk question.
ETH.MESH.02270857-858 - (07.16.2004) Email from Laura Angelini to multiple recipients re: D'Art - Conversation with Prof. Jacquetin.
ETH.MESH.02286052-053 - Email string, top one from S. O'Bryan to S. Ciarrocca re: Prolift IFU
ETH.MESH.02293715-6
ETH.MESH.02310653 - Selman email with attachment re - Information about FDA notification on use of mesh in pelvic surgery
ETH.MESH.02319312 - Memo re-TVT-base & TVT-O Complaint Review for Laser Cut Mesh Risk Analysis
ETH.MESH.02340331-335 - TVT IFU (12.22.03 to 02.11.05)
ETH.MESH.02340471-503 - TVT IFU
ETH.MESH.02340504-33
ETH.MESH.02340568-90 - TVT-S IFU

Joye Lowman Reliance List

Production Materials

ETH.MESH.02340829-835 - TVT-O IFU - (01.07.04 to 03.04.05)
ETH.MESH.02340902-8
ETH.MESH.02341203-13 - TVT Abbrevio IFU
ETH.MESH.02341454-459 - Gynecare Prolift IFU (English Only)
ETH.MESH.02341522-527 - Gynecare Prolift IFU (English Only)
ETH.MESH.02341658-664 - Gynecare Prolift IFU (English Only)
ETH.MESH.02342194-196 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342218-220 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342250-252 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342278-279 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02589032 - Powerpoint - Investigating Mesh Erosion in Pelvic Floor Repair Report by Berman, et al. May 18, 2011
ETH.MESH.02596085 - Letters to the Editor 2010; 1457
ETH.MESH.02603812-821 - Dissection Techniques in Transvaginal Pelvic Organ Prolapse Repair with Synthetic Mesh
ETH.MESH.02614610-24 - Performance Evaluation of TVT U PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920) Version 2
ETH.MESH.02620914-15 - TVT Issue Report
ETH.MESH.02622276-79 - Issue Report; TVT Retropubic 2001.
ETH.MESH.02654027-028 - TVT-O Issue Report 2006
ETH.MESH.03259439-40 - 4.24.2009 Gauld email chain re Green Journal
ETH.MESH.03361293 - Mesh Platform Review: Somerville, November, 2010.
ETH.MESH.03364663-66
ETH.MESH.03365250-1
ETH.MESH.03427878-83
ETH.MESH.03427878-883 - TVT IFU - (11.29.10 to 11.26.14)
ETH.MESH.03427878-945 - TVT IFU
ETH.MESH.03458123-38 - Patient Brochure
ETH.MESH.03459088-104 - Patient Brochure
ETH.MESH.03460813-853 - Prolift Surgeon's Resource Monograph, approved 4.13.2007
ETH.MESH.03667696 - Company Procedure re - Promotion and Advertising Material for Medical Devices
ETH.MESH.03715978 - Weisberg email re: TVT question.
ETH.MESH.03715978-79 - Weisberg email re - TVT Question
ETH.MESH.03736120-127 - Gynemesh PS: A New Mesh for Pelvic Floor Repair Early Clinical Experience
ETH.MESH.03751819
ETH.MESH.03751819 - 2009 The Science of What's Left Behind
ETH.MESH.03905472-77 - Email string re-TVT recommendation from Dr. Alex Wang
ETH.MESH.03905968-75- Patient Brochure
ETH.MESH.03905976-991 - Prolift Patient Brochure: POP, Get the facts, be informed, make your best decision
ETH.MESH.03905992-6000 - Patient Brochure
ETH.MESH.03906037-52 - Patient Brochure
ETH.MESH.03906976 - Exhibit 2227 - TVOT-04.30.2003-Meeting Report
ETH.MESH.03907468-9 - Second Generation TVT - by Axel Arnaud
ETH.MESH.03910175-76 - Email string re - Soft Prolene
ETH.MESH.03910175-77 - Arnaud email re - Soft Prolene
ETH.MESH.03910418-21 - Email string re-Mini TVT - mesh adjustment

Joye Lowman Reliance List

Production Materials

ETH.MESH.03911107-08 - Email string re-TVT complications (an Prof. Hausler)
ETH.MESH.03911901-910 - Deprest J, et al. The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. Int Urogynecol J (2006)
ETH.MESH.03913357-359 - Axel Arnaud Email 5.31.07 Re TVT TVT-O
ETH.MESH.03915380 - Axel Arnaud email re Dr. Lucente-TVT Procedure Improvements-Prevention of Overstretching
ETH.MESH.03916905-13 - Plaintiff's Exhibit 3827
ETH.MESH.03917375-378 - (11.26.2002) Email string, top one from Martin Weisberg to Dr. Richard Juraschek, et al. re: Mini TVT - mesh adjustment.
ETH.MESH.03921355-156 - Miller, D. Prospective Clinical Assessment of the Total Vaginal Mesh (TVM) Technique for Treatment of Pelvic Organ Prolapse - 6 and 12 month results.
ETH.MESH.03922926-28
ETH.MESH.03924557-86 - Meshes in Pelvic Floor Repair-Findings from literature review and conversations-interviews with surgeons, June 6, 2000.
ETH.MESH.03930120-123 - Nilsson, C. Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. Obstet Gynecol 2004; 104(6): 1259-62
ETH.MESH.03932909-11
ETH.MESH.03932909-911 - Confidential - History of TVT-O
ETH.MESH.03932912 - The History of TVT
ETH.MESH.03932912-14 - The History of TVT
ETH.MESH.03934952-67
ETH.MESH.03941623 - DeLeval Email RE: TVT ABBREVO ALERT - French and English Email and English Translation Certification Plaintiff's Exhibit 3619- Perry
ETH.MESH.04044797-800 - TVT Update Jacquetin, B - Klute, C - Stanton, S - Ulmsten, U - Success and Complications
ETH.MESH.04048515-520 - Carl Nilsson KOL Interview Project Scion 06.18.08
ETH.MESH.04050265 - Hinoul Letter regarding de leval meeting - pain in adductor in young active patients
ETH.MESH.04079609 - Gynecare TVT Abbrevio Professional Education (Dr. Babcock).
ETH.MESH.04081189-90 - Meeting Agenda
ETH.MESH.04081301-02 - Memo re - Items need attention
ETH.MESH.04082973-74 - Possible Complications for Surgeries to Correct POP and SUI
ETH.MESH.04092868-69 - Email re - 10100080654 and TVT IFUs
ETH.MESH.04094863-64 - 01.29.2009 email from Bryan Lisa to Meng Chen
ETH.MESH.04097335-36 - Meng Chen - Medical Assessment for mesh fraying
ETH.MESH.04381806-19 - 1997 Literature Review on Biocompatibility of Prolene Sutures and Implants
ETH.MESH.04384112 - Biocompatibility Risk Assessment for the TVT-L Device - June 6, 2001
ETH.MESH.04384126-65
ETH.MESH.04551757-795 - Email from P. Hinoul to J. Hammond, et al. re: benefit risk profile for TVM
ETH.MESH.04558399-409 - Iglesia C. Vaginal Mesh for Prolapse: A Randomized Controlled Trial. Obstet Gynecol 2010;116:293-303
ETH.MESH.04938298-299 - Piet Hinoul Email Re: Prof. de Leval - TVT Abbrevio
ETH.MESH.04939001
ETH.MESH.04941016 - Lightweight Mesh Developments (Powerpoint)
ETH.MESH.04945231-239 - Email string re-Ultrapro vs Prolene Soft Mesh
ETH.MESH.04945496 - Bernd Klosterhalfen Email Re: Ultrapro vs. Prolene Soft Mesh April 18, 2005
ETH.MESH.05217098-100 - Modified Prolene Mesh Clearance Letter

Joye Lowman Reliance List

Production Materials

ETH.MESH.05217103-144 - Modified Prolene Mesh 510(k)
ETH.MESH.05222673-705 - TVT IFU
ETH.MESH.05225354-85 - TVT IFU
ETH.MESH.05225380-384 - TVT IFU - (09.08.00 to 11.26.03)
ETH.MESH.05315240-65 - 28 Day Rat Study
ETH.MESH.05315252-65
ETH.MESH.05316775-812 - Report, PSE Accession NO. 02-0579-T-2133
ETH.MESH.05337217-220 - Email string, top one from D. Miller to J. Paradise, et al
ETH.MESH.05347751-762 - Email string re Investigator-initiated studied policy
ETH.MESH.05479411 - The (clinical) argument of lightweight mesh in abdominal surgery
ETH.MESH.05479535
ETH.MESH.05529274-75 - Gynecare TVT Tension Free Support for Incontinence
ETH.MESH.05529653 - Email string re - Problem statements for TVT brainstorming meeting
ETH.MESH.05572912-913 - Ethicon Professional Education Description
ETH.MESH.05588123-126 - Stephen Wohler Email - AW: How inert is polypropylene? July 9, 2007 - Plaintiff's Exhibit 1158
ETH.MESH.05644163-171 - Pelvic Floor Repair-Surgeon's Feed-back on Mesh Concept
ETH.MESH.05795421-508 - 2001 slides from Parisi binder
ETH.MESH.05795537-99 - 1998 TVT Slide Deck
ETH.MESH.05799233-39 - TVT Exact IFU
ETH.MESH.05916450 - Chronic Pain-Prevention, Future - Bioengineers point of view-D21929 (Powerpoint)
ETH.MESH.05918776 - Email re: Marlex Experience
ETH.MESH.05958248 - Surgeons Resource Monograph
ETH.MESH.05998805-806 - Piet Hinoul Email RE: ALERTE TVT ABBREVO - Plaintiff's Exhibit 3837
ETH.MESH.05998835-836 - Piet Hinoul Email Re: ALERTE TVT ABBREVO
ETH.MESH.06087471-2 - Patient Brochure
ETH.MESH.06087513-4 - Patient Brochure
ETH.MESH.06382976-987 - Jia, X. Efficacy and safety of using mesh or grafts in surgery for anterior and/or posterior vaginal wall prolapse: systematic review and meta-analysis. BJOG 2008; 115: 1350-1361
ETH.MESH.06592243 - 09.14.2012 Email from Carl Nilsson to Laura Angelini
ETH.MESH.06695438 - Justification for Utilizing the Elasticity Test as the Elongation Requirements on TVT LCM
ETH.MESH.06696411-19
ETH.MESH.06859834-35
ETH.MESH.06878438-39
ETH.MESH.06881576-80 - Email string re-TVTO
ETH.MESH.06882641-2
ETH.MESH.06886410-11
ETH.MESH.06887138-40 - Email re IFU
ETH.MESH.06887138-40 - Waltregny email written on behalf of Professor de Leval.
ETH.MESH.06887241-244 - David Waltregny email 7.16.04 re TVT-O
ETH.MESH.06887244 - 07.16.04 David Waltregny email to Dan Smith re: TVT-O.
ETH.MESH.06887245-246 - Dan Smith Email 7.15.04
ETH.MESH.06893952 - Evaluation of UltraPro Meshes
ETH.MESH.06894461 - Klinge U, et al. Impact of Polymer Pore Size on the Interface Scar Formation in a Rat Model. Journal of Surgical Research 103, 208-214 (2002).

Joye Lowman Reliance List

Production Materials

ETH.MESH.06917699-704 - Form For Customer Requirements Specification (CRS) For Project TVT-O PA
ETH.MESH.06923868-06923871 - TVTO-PA Clinical Strategy - 8.21.13 Exhibit A.M. Mitchell T-2177
ETH.MESH.06927231-235 - Email string re-Scion PA commercail recommendation
ETH.MESH.07192929 - Investigating Mesh Erosion in Pelvic Floor Repair Powerpoint
ETH.MESH.07201006 - Prolift Professional Education Slide Deck (2007)
ETH.MESH.07226481 - Ethicon (Burkley) response to Clave paper re degradation
ETH.MESH.07226579-590 - 2000 - TVT CER
ETH.MESH.07246690-719 - Study Report dated May 8, 2012: A systematic review of patient-years of experience in prospective randomized controlled trials (RCTs) in incontinence.
ETH.MESH.07318311-313 - de Leval Email Re: TVT ABBREVO ALERT - French and English Email and English Translation Certification - Plaintiff's Exhibit 3613
ETH.MESH.07351297 - Application FMEA for TVT Classic Doc# FMEA-0000536 Rev.<1>
ETH.MESH.07383730-31 - Email string re-Ultrapro mesh information-identical mesh to Prolift +M
ETH.MESH.07387254-257 - Email RE: August Status Report - Gynecare marketing [11.6.13 Exhibit T-3365]
ETH.MESH.07393700
ETH.MESH.07455220 - 3.6.2012 Response to email from C. Huntington RE: inertness of polypropylene mesh
ETH.MESH.07692905-7
ETH.MESH.08003181-96 - TVT Patient Brochure
ETH.MESH.08003231-46 - Patient Brochure
ETH.MESH.08003247-62 - Patient Brochure
ETH.MESH.08003263-78 - Patient Brochure
ETH.MESH.08003279-94 - Patient Brochure
ETH.MESH.08003295-301
ETH.MESH.08003303-17
ETH.MESH.08107354 - Gynecare TVT Tension-free Support for Incontinence: Professional Education Slides
ETH.MESH.08117473 - 2012 TVT-Exact Updated Prof Ed Slide Deck w Production Cover
ETH.MESH.08156958 - 2002 TVT Advanced Users Forum Presentation
ETH.MESH.08165497-99 - Meeting Minutes-TVT Development Team Meeting
ETH.MESH.08299913-917 - Nilsson, C. Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. Int Urogynecol J 2013; 24(8): 1265-9 [9.11.13 Exhibit T-1271]
ETH.MESH.08311158 - Results - 175 Patients Enrolled and Randomized
ETH.MESH.08315779 - Clinical Expert report-09.25.2012
ETH.MESH.08319128-129 - Ethicon DM Sales Rep Do's and Don'ts [7.11.13 Exhibit T 791]
ETH.MESH.08334244; ETH.MESH.08334245 - Email re Photographs of LCM vs MCM with attachments
ETH.MESH.08334244-45 - Email string re-Photographs of LCM vs MCM with powerpoint attachment
ETH.MESH.08476210 - Fax from FDA requesting changes to labeling
ETH.MESH.08476217-24 - Fax from FDA requesting changes to labelling
ETH.MESH.08568006-12 - Feola A, et al. Stress Shielding-The Impact of Mesh Stiffness on Vaginal Function. Female Pelvic Medicine & Reconstructive Surgery, Vol 17, No 5, Suppl 2, Sept/Oct 2011.
ETH.MESH.09029183-184 - 3 Run Repeatability Study of FSMK0238
ETH.MESH.09100506 - Prolift Professional Education Slide Deck (2005)
ETH.MESH.09264945-46 - Prolene Mesh Re-Design Project
ETH.MESH.09306898-910 - Incontinence - Plaintiffs Exhibit 4164-R
ETH.MESH.09625731-737 -NDA 16-374 4.16.69

Joye Lowman Reliance List

Production Materials

ETH.MESH.09629447-448 - Letter to Dr. Grigsby RE: Prolene Polypropylene Suture, U.S.P., NDA #16-374
ETH.MESH.09630649 - 4.26.1973 FDA Letter RE: NDA 16-374
ETH.MESH.09630649 - Ethicon Memo April 26, 1973
ETH.MESH.09634081 - Section 6 - Info concerning the quantity of drug distributed
ETH.MESH.09634318 - Prolene Package Insert
ETH.MESH.09634664-77 - 1990 FDA reclassification letter
ETH.MESH.09634664-88 - July 5, 1990 FDA Order
ETH.MESH.09656792
ETH.MESH.09656795
ETH.MESH.09744840-45 - Patient Brochure
ETH.MESH.09744848-55 - Patient Brochure
ETH.MESH.09744858-63 - Patient Brochure
ETH.MESH.09744858-63 - TVT Patient Brochure
ETH.MESH.09744866-67 - TVT Abbrevo
ETH.MESH.09746948-998 - License and Supply Agreement [Rosenzweig Exhibit 21 - 12.22.15]
ETH.MESH.09747038-097 - Medscand Agreement
ETH.MESH.09747337-369 - Asset Purchase Agreement
ETH.MESH.09888187-223 - Seven Year Data for Ten Year Prolene Study - Plaintiff's Exhibit 4102
ETH.MESH.09922570 - MO PA (TOPA) R&D Memo on PA Mesh Assessments for MO-PA
ETH.MESH.09922570-578 - R&D Memorandum of PA Mesh Assessments for TVTO-PA Revision 1
ETH.MESH.10027307-28 - 2000 June TVT Surgeons Resource Monograph
ETH.MESH.10150872 - Supplier Chart
ETH.MESH.10179518-636 - Clinical Evaluation Report - Gynemesh PS signed by P. Hinoul on 04.26.2013
ETH.MESH.10216874-875 - Email string RE: AUGS lecture-content of discussions
ETH.MESH.10220659 - Gynecare TVT Tension-free Support for Incontinence: Advanced Users Forum for the Experienced Clinician
ETH.MESH.10281860 - 2013 Clinical Expertise TVT Prof Ed Slide Deck
ETH.MESH.10281860 - Tension-Free Midurethral Sling: Market Update.
ETH.MESH.10575607-13 - Prolene Mesh - Biological Evaluation in Rabbits
ETH.MESH.11335728
ETH.MESH.11336474-87 - Ten Year In Vivo Suture Study Scanning Electron Microscopy-5 Year Report - Plaintiff's Exhibit 4111
ETH.MESH.11543641 - Powerpoint GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh Awareness Module
ETH.MESH.12009027-35 - Gynemesh II-New Mesh Design
ETH.MESH.1210987-95 - Email from Hinoul re: South Africa, TVTO sheaths getting stuck upon removal
ETH.MESH.1222075-79 - Letter to Weisberg/Robinson re: Elongation Characteristics of Laster Cut PROLENE Mesh for TVT, from Kammerer
ETH.MESH.12831391-393 - September 30, 1987 Letter to Dr. Melveger, ETH.MESH.12831405 - June 15, 1982 Memo to Dr. Melveger RE: Crack Depth in Explanted Prolene, Polypropylene Sutures
ETH.MESH.12831391-404 - IR Microscopy of Explanted Prolene received from Prof. R. Guidoin.
ETH.MESH.12831391-92 - P4128 - IR Microscopy of Explanted Prolene received from Prof. R. Guidoin.
ETH.MESH.14369950 - ISO 14971 - Medical Devices - Application of risk management to medical devices
ETH.MESH.161953-54 - 10/12/1990 Letter from FDA re: N16374, Prolene Polypropylene Nonabsorbable Suture Gynecare TVT Obturator System Sales Materials
ETH.MESH.161953-54 - Gynecare TVT Obturator System Sales Materials
ETH.MESH.16357664-68 - Therapeutic Products Directorate

Joye Lowman Reliance List

Production Materials

ETH.MESH.16416002-004 - Helen Kahlson Email Re: Conversion to Laser Cut TVT
ETH.MESH.1751069-94 - 09/07/2009 Safety review: TVT and TVT-O procedures
ETH.MESH.17636681-84 - Identification of Issue - Problem Statement-Description
ETH.MESH.17776990-7011 - Biocompatibility Risk Assessment Report for TVT
ETH.MESH.1784779-82 - Memo re: TVT-Base & TVT-O Complaint Review for Laser Cut Mesh (LCM) Risk Analysis
ETH.MESH.1784823-28 - Clinical Expert Report
ETH.MESH.1809056-58 - Email re: Important Laser cut mesh update
ETH.MESH.1809080-81 - Competetive Devices (BE02004-1641)
ETH.MESH.1809080-81 - Memo re: Comparison of Laser-cut and machine-cut TVT Mesh to Meshes from Competetive Devices (BE02004-1641)
ETH.MESH.1815660-64 - Project Mulberry, Preliminary Clinical Diligence Report
ETH.MESH.222852-63 - 12/15/2003, Gynecare Final Report # 03*0740, TVT Obturator System
ETH.MESH.222899-909 - Clinical Expert Report
ETH.MESH.2236604-09 - TVT Obturator Brochure; "Results, Precision & Proven Mesh"
ETH.MESH.223779-84 - Risk Management Report, TVT Laser Cut Mesh (LCM). Document Number RMR-0000017, Rev. 3
ETH.MESH.22617620-770 - Letter to FDA re K974098 TVT
ETH.MESH.22631022-2029 - TVT - Response to Section 39 Request
ETH.MESH.22634691-92 - Email re - Physician and Patient Labeling Updates to Ethicon Urogynecologic Surgical Mesh - D-8
ETH.MESH.22865906-21 & ETH.MESH.24255174-89 - Email re - Ethicon 510(k) amendments for labeling changes - D-7
ETH.MESH.2293715-6 - Email from Dan Smith re: NG TVT-O NDP – Outcomes from Kickoff Meeting with Pr. De Leval & Dr. Waltregny
ETH.MESH.2340504-33 - TVT IFU
ETH.MESH.2340902-8 - TVT O IFU
ETH.MESH.262089-123 - Manuscript Draft: (de Leval) Novel surgical technique for the treatment of female stress urinary incontinence: Transobturator Vaginal Tape Inside-Out
ETH.MESH.3364663-66 - Email from O'Bryan re: ifu
ETH.MESH.3365250-1 - Email from Weisberg re: IFU update
ETH.MESH.341006-11 - 11/11/10 Letter from John Young re: Global Regulatory Strategy for TVT IFU (RMC P15506/E) Update (Part II, RA0001-2010, Rev. 1)
ETH.MESH.3427878-83 - TVT IFU
ETH.MESH.371496-594 - 01/28/98 Letter from FDA re: K974098 TVT System
ETH.MESH.3911390-1 - Email from Arnaud re: Transient Leg Pain with Mulberry
ETH.MESH.3922926-28 - Email re: OR Agenda Tunn
ETH.MESH.3932909-11 - History of TVT-O
ETH.MESH.3934952-67 - Tension-Free Vaginal Obturator Tape (TVOT) – April 30, 2003 – Meeting Report
ETH.MESH.3939167-71 - Waltregny (2006) Inside Out Transobturator Vaginal Tape for the Treatment of Female Stress Urinary Incontinence: Interim Results of a Prospective Study After a 1-Year Minimum Followup
ETH.MESH.4048515-20 - KOL Interview
ETH.MESH.4384126-65 - Clinical Evaluation Report, Gynecare TVT Tension-free Vaginal Tape / Tension-free Vaginal Tape Accessory Abdominal Guide
ETH.MESH.442825-26 - Email re: TVT Laser Mesh info
ETH.MESH.52235354-85

Joye Lowman Reliance List

Production Materials

ETH.MESH.524746-48 - Email re: TVT Meeting with Agency
ETH.MESH.525573 - Email re: TVT Laser Cut Mesh
ETH.MESH.5315252-65 - Final Report, PSE Accession No. 97-0197, Project No. 16672
ETH.MESH.658177-98 - TVT Surgeon's Resource Monograph, A Report of the June 2000 Summit Meeting
ETH.MESH.6696411-19 - Email re: Performance Evaluation of TVT Prolene Blue Mesh
ETH.MESH.6859834-35 - Email re: Laser Cut TVT
ETH.MESH.6878438-39 - Memo re: VOC on new Laser Cut TVT Mesh
ETH.MESH.6882641-2 - Email from O'Bryan re: GYNECARE TVT Obturator System – FDA
ETH.MESH.6886410-11- Email from Weisberg re: Mulberry
ETH.MESH.7393700 - 05/13/2003 Memo to Gynecare Continence Health Sales Team re: Gynecare TVT Physician Training Policy
ETH.MESH.7692905-7 - Email re: Mesh Fraying Dr. EBERHARD letter
ETH.MESH.8003295-301 - Patient Brochure: "Stop coping, start living."
ETH.MESH.8003303-17 - Patient Brochure: "Stop coping, start living."
ETH.MESH.823793-806 - Transobturator Vaginal Tape Inside-Out (TVT-O): From Development to Clinical Experience
ETH.MESH.865069-72 - Email from Dan Smith re: Draft report translated by "Babel fish" http://babelfish.altavista.com/tr
ETH.MESH.PM.000001 - Prolift Professional Education Videos
ETH.MESH.PM.000006 - Anatomy Videos
ETH.MESH.PM.000007 - Prolift Professional Education Videos
ETH.MESH.PM.000009 - Anatomy Videos
ETH.MESH.PM.000014 - Prolift Professional Education Videos
ETH.MESH.PM.000015 - Prolift Professional Education Videos
ETH.MESH.PM.000019 - Prolift Professional Education Videos
ETH.MESH.PM.000027 - Prolift Professional Education Videos
ETH.MESH.PM.000032 - Prolift Professional Education Videos
ETH.MESH.PM.000033 - Prolift Professional Education Videos
ETH.MESH.PM.000034 - Prolift +M Professional Education Videos
ETH.MESH.PM.000037 - Prolift Professional Education Videos
ETH.MESH.PM.000038 - Prolift Professional Education Videos
ETH.MESH.PM.000039 - Prolift Professional Education Videos
ETH.MESH.PM.000048 - Prolift +M Professional Education Videos
ETH.MESH.PM.000057 - Anatomy Videos
ETH.MESH.PM.000058 - Prolift Professional Education Videos
ETH.MESH.PM.000065 - Prolift Professional Education Videos
ETH.MESH.PM.000068 - Anatomy Videos
ETH.MESH.PM.000075 - Prolift Professional Education Videos
ETH.MESH.PM.000076 - Prolift Professional Education Videos
ETH.MESH.PM.000078 - Prolift Professional Education Videos
ETH.MESH.PM.000088 - Anatomy Videos
ETH.MESH.PM.000089 - Anatomy Videos
ETH.MESH.PM.000090 - Anatomy Videos
ETH.MESH.PM.000092 - Prolift +M Professional Education Videos
ETH.MESH.PM.000134 - Anatomy Videos
ETH.MESH.PM.000145 - Prolift +M Professional Education Videos
ETH.MESH.PM.000151 - Anatomy Videos

Joye Lowman Reliance List

Production Materials

ETH.MESH.PM.000154 - Anatomy Videos
ETH.MESH.PM.000179 - TVT-Secur Key Tech Points 5.24.2007 (Color Original from Prof Ed DVD)
ETH.MESH.PM.000190 - Prolift Professional Education Videos
ETH.MESH.PM.000192 - Prolift Professional Education Videos
ETH.MESH01816988-990
ETH.MESH02017152 - Ethicon Expert Meeting-Meshes for the Pelvic Floor Repair
ETH.MESH-08476311 - Cytotoxicity assessment of Ulstem sling
ETH_10437 Gynemesh PS IFU
ETH-02386 - Cosson, M. Prospective Clinical Assessment of the Total Vaginal Mesh (TVM) Technique for Treatment of Pelvic Organ Prolapse - 6 and 12 month results
ETH-02387 - Lucente, V. Prospective clinical assessment of the total vaginal mesh (TVM) Technique for treatment of pelvic organ prolapse - 6 and 12 month results.
ETH-02388 - Amblard, J. From the TVM to the Prolift® (Gynecare): evolution of a technique for prosthetic support to treat prolapse via the vaginal route, concerning a retrospective multicentric series of 794 patients (684 TVM/110 Prolift)
ETH-02653 - Fatton, B. Preliminary results of the "Prolift™" Technique in the treatment of pelvic organ prolapse by vaginal approach: a multicentric retrospective series of 110 patients. IUGA 2006 Athens Non-discussed Abstract 275
ETH-02750-02755 - Hinoul P. A Prospective Study to Evaluate the Anatomic and Functional Outcome of a Transobturator Mesh Kit (Prolift Anterior) for Symptomatic Cystocele Repair. Journal of Minimally Invasive Gynecology (2008) 15, 615-620
ETH-03220-03221 - Cosson, M. Preservation of uterus when treating prolapse by Prolift TM does not significantly reduce risk of early post-surgical complications and failures. ABS 89
ETH-03223 - Dedet, B. Transvaginal repair of genital prolapse by the Prolift technique: outcome one year after surgery.
ETH-03568-578 - (03.01.2005) Summary Memo for Revision B of the Gynecare Prolift Design Failure Modes Effects Analysis (dFMEA).
ETH-07153-158 - Gynecare Prolift Clinical Expert Report signed by Charlotte Owens on 01.14.05.
ETH-07247-303 - (03.02.2005) Approvals and Summary Memo for Version A of the Gynecare Prolift Application Failure Modes Effects Analysis (aFMEA).
ETH-0977 2009 Prolift IFU
ETH-37788-793 - Gynecare Prolift Clinical Expert report
ETH-60188-195 - Hiltunen R. Low-Weight Polypropylene Mesh for Anterior Vaginal Wall Prolapse - A Randomized Controlled Trial. Obstet Gynecol 2007;110-455-62
Ethicon Biocompatibility Risk Assessment for Gynecare Prolift Total Pelvise Floor Repair System dated 1.19.05 [ETH.MESH.01310817 – 10829]
Ethicon Final Report, PSE Accession No. 00-0035 An Exploratory 91-day Tissue Reaction Study of Polypropylene-Based Surgical Mesh in Rats (PSE Acc. No. 00-0035)
Exh. 10 Gynecare Prolift IFU dated 2004 [ETH-00295 – 00300]
Exh. 15 Letter to Bryan Lisa from Mark M. Melkerson with FDA stamped 5.15.08 re: K071512 Gynecare Prolift with attached 510(k) K071512 [ETH-01363 – 01365]
Exh. 59 – Gynecare Prolift Pelvic Floor Repair System Physcian Learner Profile (2 pages)
FDA - Device Labeling Guidance #G91-1 March 1991
FDA posting FDA Safety Communication: Update on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse issued 7.13.11 [ETH.MESH.06049894-96]
Guidoin R and Chakfe N. Aneurysmal Deterioration of Arterial Substitutes.

Joye Lowman Reliance List

Production Materials

Gynecare Gynemesh PS a New Mesh for Pelvic Floor Repair Early Clinical Experience [ETH.MESH.03736120-27]
Gynecare Gynemesh PS IFU (English Only) LAB-0012266 Rev: 3, released 02.03.15.
Gynecare Prolift - Product Devise Design Safety Assessment (DDSA)
Gynecare Prolift IFU dated 2009 [ETH-10977 – 10983]
Gynecare Prolift Pelvic Floor Repair System Physician Learner Profile [ETH.MESH.04181761-2]
Gynecare Prolift Pelvic Floor Repair System Total, Anterior and Posterior Pelvic Floor Repair Surgical Technique [ETH-07252 – ETH-7281]
Gynecology Solutions
Gynemesh PS Approval File (FDA) Requested August 15, 2007 Folder: K013718 - 131 pages; Summary: Product: GYNEMESH PROLENE SOFT (POLYPROPYLENE) NON ABSORBABLE SYNTHETIC SURGICAL
Heniford DVD Transcription
Hinoul. A Prospective Study To Evaluate The Anatomic And Functional Outcome of a transobturator mesh kit (prolift anterior) for symptomatic cystocele repair. 2008 [ETH-02750 to 2755]
HMESH_ETH_11642462 - Franchise Regulatory Labeling Guidance - Summary of Changes
Information on Surgical Mesh for Pelvic Organ Prolapse and Stress Urinary Incontinence posted by FDA dated 10.23.08 at bottom; Information on Surgical Mesh for Hernia Repairs posted by FDA dated 10.23.08 [ETH.MESH.02105765-02105771]
Johnson & Johnson - Our Credo [8.9.13 A.M. Mitchell Exhibit T-3134]
June, 2009 Klosterhalfen intermediate report on explanted mesh
Kaufman MR. Contemporary role of autologous fascial bladder neck slings: a urology perspective. Controversies in Female Pelvic Reconstruction, 2012, 39(3): 317-323.
Klinge Presentation PVDF: a new alternative? Meeting o Hernia Experts Exhibit P-1944
Letter from Dr. Joerg L. Holste, re: Biocompatibility Risk Assessment for Laser-cut Implant of Gynecare TVT
Letter to Editor re: Ostergard & Sternschuss 2012 Post-implantation alterations of polypropylene in the human.
Letter to Gregory Jones from Celia M. Witten with FDA dated 1.8.02 regarding K013718 Trade name Gynemesh Prolene Soft Nonabsorbable Synthetic Surgical Mesh for Pelvic Floor Repair [ETH.MESH.00031324 – 31325]
Librojo updated TVT Declaration (10-23-15) [12 pages]
Lucente V. - Prospective Clinical Assessment Of The Total Vaginal Mesh (TVM) Technique For Treatment Of Pelvic Organ Prolapse - 6 And 12 Month Results [ETH-02387]
McCabe email re - Sheath Sales Tool - 464
Memo to Customer from Sean M. O'Bryan dated 2.8.05 regarding Gynecare Prolift [ETH.MESH.00031323]
Memo to Hospital Materials Managers & or Directors from Gynecare Worldwide Ethicon dated 10.10.02 regarding Gynecare Gynemesh*PS [ETH-18415]
Memo to S. Ciarrocca re: Regulatory Strategy - Project D'Art; Rev 3
Miller JM, et al. Clinical Evaluation of Monofilament Polypropylene Suture. Am. Surgeon 33 - 666-70. (1967)
MSDS-Marlex Polypropylenes
Our Credo[8.9.13 A.M. Mitchell Exhibit T-3134]
P4117 - Figure 7: Sample 13159, Lot #3405405 (Photograph)
P4118 - Figure 26: J8041-13675 (Photograph)
P4122 - SEM Figure 183: Sample J7959 13409 (Photographs)
Patient Brochure [ETH.MESH.03905968-ETH.MESH.03905975]

Joye Lowman Reliance List

Production Materials

Patient Brochure [ETH.MESH.03905976-ETH.MESH.03905991]
Patient Brochure [ETH.MESH.03905992-ETH.MESH.03906000]
Patient Brochure [ETH.MESH.03906037-ETH.MESH.03906052]
Patient Brochure Pelvic Organ Prolapse Get the Facts, Be Informed, Make Your Best Decision dated in 2006 [ETH-00254 – 00261]
Patient Brochure: Pelvic Organ Prolapse "Get the Facts, Be Informed, Make Your Best Decision." [ETH.MESH.01612323-33]
Payments to Medscand [9.16.13 Exhibit T-3192]
Payments to Medscand by J&J [9.16.13 Exhibit T-3183]
Payments to Ulmsten as Consultant [9.16.13 Exhibit T-3204]
Powerpoint - GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh Awareness Module
Powerpoint - LCM Project: Photographs Comparing Laser Cut Mesh vs. Mechanical Cut Mesh
Powerpoint - Prospective Clinical Assessment of TVM - 1 Year Results
Prolene Resin Manufacturing Specifications 1.23.03 [DX23600-R.1-3]
Prolift +M IFU [ETH.MESH.01595614-753]
Prolift +M IFU [ETH.MESH.02615519-658]
Prolift +M Patient Brochure [ETH.MESH.03906001-6020]
Prolift +M Profession Education Slide Deck [ETH.MESH.00020763]
Prolift +M Profession Education Slide Deck [ETH.MESH.00020764]
Prolift +M Profession Education Slide Deck [ETH.MESH.00093526-44]
Prolift +M Profession Education Slide Deck [ETH.MESH.00093991]
Prolift +M Profession Education Slide Deck [ETH.MESH.02232773-801]
Prolift +M Profession Education Slide Deck [ETH.MESH.02232854-74]
Prolift +M Profession Education Slide Deck [ETH.MESH.02233126-187]
Prolift +M Profession Education Slide Deck [ETH.MESH.02233290]
Prolift +M Profession Education Slide Deck [ETH.MESH.08117625-26]
Prolift +M Professional Education Videos [ETH.MESH.PM.000034]
Prolift +M Professional Education Videos [ETH.MESH.PM.000048]
Prolift +M Professional Education Videos [ETH.MESH.PM.000092]
Prolift +M Professional Education Videos [ETH.MESH.PM.000145]
Prolift IFU [ETH.MESH.02001398-473]
Prolift IFU [ETH.MESH.02341454-1521]
Prolift IFU [ETH.MESH.02341522-89]
Prolift IFU [ETH.MESH.02341658-1733]
Prolift IFU [ETH.MESH.02341734-02341809]
Prolift IFU dated 2004 [ETH-00295 – 00300]
Prolift IFU dated 2009 [ETH-10977 – 10983]
Prolift Professional Education Videos [ETH.MESH.PM.000001]
Prolift Professional Education Videos [ETH.MESH.PM.000007]
Prolift Professional Education Videos [ETH.MESH.PM.000014]
Prolift Professional Education Videos [ETH.MESH.PM.000015]
Prolift Professional Education Videos [ETH.MESH.PM.000019]
Prolift Professional Education Videos [ETH.MESH.PM.000027]
Prolift Professional Education Videos [ETH.MESH.PM.000032]
Prolift Professional Education Videos [ETH.MESH.PM.000033]
Prolift Professional Education Videos [ETH.MESH.PM.000037]
Prolift Professional Education Videos [ETH.MESH.PM.000038]

Joye Lowman Reliance List**Production Materials**

Prolift Professional Education Videos [ETH.MESH.PM.000039]
Prolift Professional Education Videos [ETH.MESH.PM.000058]
Prolift Professional Education Videos [ETH.MESH.PM.000065]
Prolift Professional Education Videos [ETH.MESH.PM.000075]
Prolift Professional Education Videos [ETH.MESH.PM.000076]
Prolift Professional Education Videos [ETH.MESH.PM.000078]
Prolift Professional Education Videos [ETH.MESH.PM.000190]
Prolift Professional Education Videos [ETH.MESH.PM.000192]
Published clinical data and RCTs - Ethicon.com
Published clinical data and RCTs - Ethicon.com - 4204-C
Seven Year Dog Study - T-2263
T-2262 - Deposition Subject Matter Thomas Barbolt Deposition 1.8.14
T-Pro (Thunder) Pipeline Leadership Team (PLT)
TVT & TVT-O Long Term Studies
TVT Abbrevio IFU - 01.2015
TVT Exact IFU - 01.2015
TVT IFU - 01.2015
TVT Patient Brochure - 2015
TVT-O la bandelette trans-obturatrice (Photograph)
TVT-Obturator - 01.2015
TVT-Obturator IFU - 01.2015

Joye Lowman Reliance List

Company Witness Depositions

Barbolt, Thomas - 10.09.2012 Deposition Testimony
Angelini, Laura - 09.16.2013 Deposition Testimony
Angelini, Laura - 09.17.2013 Deposition Testimony
Angelini, Laura - 11.06.2013 Deposition Testimony
Angelini, Laura - 11.14.2013 Deposition Testimony
Arnaud, Axel - 07.19.13 Deposition Testimony
Arnaud, Axel - 09.25.13 Deposition Testimony
Barbolt, Thomas - 01.08.2014 Deposition Testimony
Beath, Catherine - 07.11.13 Deposition Testimony
Chen, Meng - 10.29.13 Deposition Testimony
Chen, Meng - 10.29.2013 Deposition Testimony
Chen, Meng - 10.30.13 Deposition Testimony
Chen, Meng - 10.30.2013 Deposition Testimony
Hart, James - 09.17.2013 Deposition Testimony
Hart, James - 09.18.13 Deposition Testimony
Hart, James - 09.18.2013 Deposition Testimony
Hart, James - 12.20.2013 Deposition Testimony
Hellhammer, Brigitte - 09.11.2013 Deposition Testimony
Hellhammer, Brigitte - 09.12.2013 Deposition Testimony
Hinou, Piet - 01.13.2014 Deposition Testimony
Hinou, Piet - 01.15.2014 Deposition Testimony
Hinou, Piet - 06.26.2013 Deposition Testimony
Hinou, Piet - 06.27.2013 Deposition Testimony
Hinou, Piet - 01.13.2014 Deposition Testimony
Hinou, Piet - 01.14.2014 Deposition Testimony
Hinou, Piet - 01.15.2014 Deposition Testimony
Hinou, Piet - 04.05.2012 Deposition Testimony
Hinou, Piet - 06.26.2013 Deposition Testimony
Hinou, Piet - 06.27.13 Deposition Testimony
Hinou, Piet - 06.27.2013 Deposition Testimony
Hinou, Piet - 09.18.2012 Deposition Testimony
Hinou, Piet - Piet Hinoul taken on 01.14.14 Deposition Testimony
Hinou, Piet Hinoul - 1.14.14 Deposition Testimony
Hoelste, Joerg - 07.29.2013 Deposition Testimony
Hoelste, Joerg - 07.30.2013 Deposition Testimony
Hoelste, Joerg - 12.14.2012 Deposition Testimony
Hoelste, Joerg - 12.15.2012 Deposition Testimony
Holste, Joerg - 12.15.2012 Deposition Testimony
Isenberg, Richard - 11.05.13 Deposition Testimony
Isenberg, Richard - 11.06.13 Deposition Testimony
Isenberg, Rick - 11.06.2013 Deposition Testimony
Kammerer, Gene - 12.03.2013 Deposition Testimony
Kammerer, Gene - 12.05.2013 Deposition Testimony
Kirkemo, Aaron - 01.06.14 Deposition Testimony
Kirkemo, Aaron - 01.07.14 Deposition Testimony
Klinge, Uwe - 11.04.2015 Deposition Testimony
Klosterhalfen, Bernd - 02.02.2014 Deposition Testimony

Joye Lowman Reliance List

Company Witness Depositions

Lamont, Daniel - 09.11.2013 Deposition Testimony
Nager, Charles - 01.14.2016 Deposition Testimony
Nager, Charles - 06.10.2014 Deposition Testimony
Nager, Charles - 06.10.2014 Deposition Testimony
Nager, Charles - 06.10.2014 Deposition Testimony
Owens, Charlotte - 06.19.13 Deposition Testimony
Owens, Charlotte - 06.20.13 Deposition Testimony
Robinson, David - 07.24.2013 Deposition Testimony
Robinson, David - 07.24.2013 Deposition Testimony
Robinson, David - 07.25.2013 Deposition Testimony
Robinson, David - 07.25.2013 Deposition Testimony
Robinson, David - 09.11.13 Deposition Testimony
Robinson, David - 09.11.13 Deposition Testimony
Robinson, David - 09.11.2013 Deposition Testimony
Rosenzweig, Bruce - 01.14.2016 Deposition Testimony
Rosenzweig, Bruce - 12.22.2015 Deposition Testimony
Rovner, Eric - 1.14.2016 Deposition Testimony
Rovner, Eric - 08.26.2014 Deposition Testimony
Smith, Dan - 08.20.2013 Deposition Testimony
Smith, Dan - 08.21.2013 Deposition Testimony
Weisberg, Martin - 05.24.2012 Deposition Testimony
Weisberg, Martin - 05.31.2013 Deposition Testimony
Weisberg, Martin - 08.09.13 Deposition Testimony
Weisberg, Martin - 08.09.2013 Deposition Testimony
Weisberg, Martin - 11.12.15 Deposition Testimony
Weisberg, Martin - 11.12.2015 Deposition Testimony
Weisberg, Martin - 11.12.2015 Deposition Testimony
Weisberg, Martin - 11.13.15 Deposition Testimony
Weisberg, Martin - 11.13.2015 Deposition Testimony
Weisberg, Martin - 11.13.2015 Deposition Testimony
Weisberg, Martin - 11.13.2015 Deposition Testimony
Weisberg, Martin - 8.9.2013 Deposition Testimony

Joye Lowman Reliance List

Other Materials

Publically Available
2008 FDA Public Health Notification: http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/PublicHealthNotifications/
www.acog.org/resources-and-publications/committee-opinions/committee-on-gynecologic-practice/management-of-vulvar-intraepithelial-neoplasia
www.mayoclinic.org/diseases-conditions/vulvar-cancer/basics/risk-factors/con-20043483
02.25.2016 Brief Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee
07.13.2011 - FDA Public Health Notification
07.25.2011 SGS - Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks.
10/20/08 FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence.
2007 NIHCE Interventional procedure overview of single-incision sub-urethral short tape insertion for stress urinary incontinence in women.
2007 No. 79 ACOG Practice Bulletin POP
2007 No. 85 ACOG Practice Bulletin POP
2008 FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence.
2010 ICS Abstract 571 - Clinical Outcomes Of An Observational Registry Utilizing A Trocar-Guided Mesh Repair Of Vaginal Prolapse Using Partially Absorbable Mesh (Khandwala, Prosima)
2011 ACOG Committee Opinion Number 513. Vaginal placement of synthetic mesh for pelvic organ prolapse. American College of Obstetricians and Gynecologists. Obstet Gynecol 2011;188-:1459-1464.
2011 ACOG Frequently Asked Questions. American College of Obstetricians and Gynecologists. ACOG FAQ2.
2011 AUA Foundation - Stress Urinary Incontinence Monograph
2011 AUA Position Statement on the use of vaginal mesh for the repair of pelvic organ prolapse.
2011 ICS Abstract 560 - A trocar-free procedure for vaginal prolapse repair using mesh and a vaginal support device - an observational registry (Slack, Prosima)
2011 IUGA Pelvic Organ Prolapse A guide for women.
2012 ABOG - Guide to Learning in Female Pelvic Medicine and Reconstructive Surgery
2012 Update of AUA SUI Guidelines- Appendices A11 and A16 (re Complications)
2013 ACOG Frequently Asked Questions. American College of Obstetricians and Gynecologists. ACOG FAQ183.
2013 AUA Position Statement on the Use of Vaginal mesh for the Surgical Treatment of Stress Urinary Incontinence
2013 AUA SUI Patient Guide: 1 in 3 women experience Stress Urinary Incontinence
2013 AUGS Position Statement on restriction of surgical options for pelvic floor disorders. Advancing Female Pelvic Medicine and Reconstructive Surgery. 2013;March:1-6.
2013 March - AUGS Position Statement on Restrictions of Surgical Options for PFD FINAL
2013 RANZCOG - UGSA Position Statement on Vaginal Mesh (Rewrite Executive March 2013) C-Gyn 20 Polypropylene Vaginal Mesh Implants for Vaginal Prolapse
2013 Sept. NICE 171 Guideline - The management of urinary incontinence in women
2014 Jan - AUGS-SUFU MUS Position Statement APPROVED 1 3 2014
2014 July - IUGA Position Statement on Mid-Urethral Slings for Stress Urinary Incontinence

Joye Lowman Reliance List

Other Materials

2014 June - Joint ACOG-AUGS Position Statement on uncomplicated Stress Urinary Incontinence - CO 603
2014 Mar 12 - AUGS SUFU Provider FAQs MUS for SUI
2015 ACOG Practice Bulletin Summary of 155 - Urinary Incontinence in Women (replaces 63 from June 2005)
2015 ACOG, AUGS Practice Bulletin 155 (replaces 63 from 2005) Urinary Incontinence in Women
2015 AUA. A Monograph from the Urology Care Foundation. SUI. Update 2015
21 CFR 801.109(c) - Device Labeling
21 CFR 860.7
24 Hour Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
7/13/11 FDA: Surgical Placement of Mesh to Repair Pelvic Organ Prolapse Poses Risks.
A Clinical Assessment of Gynemesh PS for the Repair of Pelvic Organ Prolapse by V. Lucente, et al. 1 pg.
A Comparative Transobturator Sling Matrix - Boston Scientific www.pelvic-floor-institute.com 2012
A Monograph from the Urology Care Foundation: Stress Urinary Incontinence.
A Summary of the evidence on the benefits and risks of vaginal mesh implants. October 28, 2014
ACGME Program Requirements
ACGME Program Requirements for Graduate Medical Education in FPMRS
ACOG Chronic Pelvic Pain
ACOG Committee Opinion No. 513 (2011). Vaginal placement of synthetic mesh for pelvic organ prolapse. ACOG 118: 1459-64
ACOG Frequently Asked Questions - When Sex Is Painful
ACOG Practice Bulletin 63 (Obstet Gyn) Clinical Mgmt Guidelines for Ob-Gyns. Urinary Incontinence in Women. (2005)
ACOG Practice Bulletin, Number 63, June 2005
ACOG Surgery for Stress Urinary Incontinence FAQ
ACOG, AUGS Practice Bulletin 155 (replaces 63 from 2005) Urinary Incontinence in Women.
ACOG, AUGS Practice Bulletin Summary of 155 (replaces 63 from 2005) Urinary Incontinence in Women. November 2015.
AUA (2011) - Position Statement on the Use of Vaginal Mesh for SUI
AUA Expert Witness Affirmation Statement
AUA Expert Witness Testimony In Medical Liability Cases.
AUA Foundation (2011) Stress Urinary Incontinence Monograph
AUA – Urinary Incontinence. Updated August 2012
AUA Foundation 2013 A Patient's Guide, 1 in 3 Women experience Stress Urinary Incontinence.
AUA Guideline for the Surgical Management of Female Stress Urinary Incontinence Update (2009)
AUA Guideline for the Surgical Management of Stress Urinary Incontinence (2009)
AUA National Medical Student Curriculum Urinary Incontinence
AUA Position Statement on the use of vaginal mesh for the repair of pelvic organ prolapse (Nov. 2011)
AUA Position Statement on the use of vaginal mesh for the surgical treatment of stress urinary incontinence [November 2011, October 2013 revised].
AUA Position Statement on the use of vaginal mesh for the surgical treatment of stress urinary incontinence [November 2011].
AUA Position Statement POP (2011) - Position Statement on the Use of Vaginal Mesh for the Repair of POP

Joye Lowman Reliance List

Other Materials

AUA Update Guideline for the Surgical Management of Stress Urinary Incontinence (2010)
AUA-SUI Pocket Guide for Physicians
AUGS Position Statement - March 2013 - Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders
AUGS SUFU Frequently Asked Questions by Patients Mid-urethral Slings for Stress Urinary Incontinence
AUGS (2013) Position Statement on Restriction of Surgical Options for Pelvic Floor Disorders
AUGS Blogs: Midurethral Slings: A Treatment Worth Protecting.
AUGS FAQs-Mid-urethral Slings for SUI-DX23540
AUGS Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders
AUGS Practice Bulletin Summary, Number 155: Urinary Incontinence in Women [November 2015].
AUGS Resident Learning Objectives
AUGS SUFU Frequently Asked Questions by Patients MUS for SUI
AUGS SUFU Frequently Asked Questions by Providers MUS for SUI
AUGS SUFU Position Statement on MUS for SUI
AUGS webpage re: Mesh Information for Patients with Pelvic Floor Disorders (http://www.voicesforpfd.org/p/cm/ld/fid=87)
AUGS/SUFU Position Statement of Mesh Midurethral Slings for Stress Urinary Incontinence.
AUGS: Position statement on the restriction of surgical options for pelvic floor disorders
Batiste Trial - Plaintiff's Opening Presentation.
Brief Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
Brochure Pelvic Organ Prolapse Get the Facts, Be Informed, Make Your Best Decision dated in 2005 (8 pgs)
Brochure Treatment Options for Pelvic Organ Prolapse Stop coping. Start living. Dated in 2008 Gynecare Prolift (15 pgs)
CFR - Code of Federal Regulations Title 21. Current as of 4/1/15
Defense Cross of Weber Slide 12.08.15 Retracted Statement Regarding Nature of POP Surgery
Deposition Subject Matter-Design and Development of Mesh Products
Device Labeling Guidance
EAU Guidelines on Urinary Incontinence. Urinary Incontinence - partial update March 2015
EU Commission Fact Sheet 2015
European Commission: The safety of surgical meshes used in urogynecological surgery [December 2015].
Evidence Pyramid
Excerpts from Budke trial transcript (Day 4, 01.08.2015).
Excerpts from the Deposition of Kimberly Kenton, M.D. taken on March 25, 2016.
FDA - Device Labeling Guidance #G91-1 March 1991
FDA 2013 Mar - Considerations about Surgical Mesh for SUI
FDA Considerations about Surgical Mesh for SUI
FDA Considerations about Surgical Mesh for SUI [03.27.2013].
FDA Executive Summary: Reclassification of the Urogynecologic Surgical Mesh Instrumentation.
Gastroenterology-Urology Medical Devices Advisory Panel [02.26.2016].
FDA Executive Summary: Surgical mesh for treatment of women with POP and SUI [09.08.2011]
FDA Implants and Prosthetics
FDA March 27, 2013 Statement, Considerations about Surgical Mesh for SUI
FDA March 8, 1991 Device Labeling Guidance G91.1

Joye Lowman Reliance List

Other Materials

FDA News Release: Surgical Placement of mesh to repair pelvic organ prolapse poses risk [07.13.2011].
FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence issued 10.20.08
FDA Questions: Reclassification of the Urogynecologic Surgical Mesh Instrumentation.
FDA Safety Communication 7.13.11 - Update on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse
FDA Statement re Considerations about Surgical Mesh for SUI; 2013 Mar 27
FDA Stress Urinary Incontinence
Female SUI Procedures
Final Appraisal Determination Tension Free Vaginal Tape Gynecare TVT for Stress Incontinence. National Institute for Clinical Excellence (2003)
Guide to Learning in Female Pelvic Medicine and Reconstructive Surgery 2012 Division of Female Pelvic Medicine and Reconstructive Surgery
Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update.
http://www.voicesforpfd.org - AUGS Patient Information: Mesh Information for Patients with Pelvic Floor Disorders
ICS Fact Sheet 2015
International Continence Society Stress Urinary Incontinence Fact Sheet (2013)
International Urogynecological Association: The Usage of Grafts in Pelvic Reconstructive Surgery Symposium 2005 July 8-10, 2005, Lago Mar Resort, Fort Lauderdale, FL, USA. Int Urogynecol J 2006; 17: S1-55
IUGA Anterior Vaginal Repair (Bladder Repair)
IUGA Brochure: Vaginal repair with mesh.
IUGA Interstitial Cystitis and Painful Bladder Syndrome (2011)
IUGA Low-Dose Vaginal Estrogen Therapy (2011)
IUGA Mid-urethral sling (MUS) procedures for stress incontinence (2011)
IUGA Position Statement on Midurethral Slings for Stress Urinary Incontinence.
IUGA Position Statement on MUS for SUI (2014)
IUGA Posterior Vaginal Wall and Perineal Body Repair
IUGA Sacrocolpopexy: A guide for women
Librojo updatd TVT Declaration (10-23-15)
Lucente, V. Pelvic Organ Prolapse Poster. AUGS 2004.
NICE Clinical Guideline 171- Urinary Incontinence: The management of urinary incontinence in women. Issued September 2013. (guidance.nice.org.uk/cg171)
Oxford Levels of Evidence Pyramid for Practitioners from Oxford Website http://www.cebi.ox.ac.uk/for-practitioners/what-is-good-evidence.html
Oxford Levels of Evidence; www.cebi.ox.ac.uk/fileadmin/_processed_/csm_Evidence_pyramid_bluef5c85529a0.jpg
Pence Direct Slides
Perry v. Ethicon Closing Statement [02.23.2015].
RANZOG and UGSA 2014 Position Statement
RCT Pyramid
Rosenzweig, Bruce (Carlino) Deposition Exhibits - 12.22.2015
SCENIHR Opinion on the safety of surgical meshes used in urogynecological surgery. [12.03.2015].
SGS (2011) Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks

Joye Lowman Reliance List**Other Materials**

Slide re Dr. Hinoul - Ethicon Medical Director - Rosenzweig 64
Summary of Safety and Effectiveness submitted by Bryan Lisa for Gynecare Prolift and Prolift +M stamped 5.15.08 (2 pgs)
The FDA and Mesh, What You Should Know as a Reconstructive Pelvic Surgeon by Lucente, V.; Cassidenti, A.; Culligan, P. White Paper Dated February 9, 2016
The King's Health Questionnaire. Linda Cardozo and Con Kelleher, 1997
Update AUA-SUI Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update - Appendices A11 and A16 (re Complications)
Urinary Incontinence in Women. ACOG Practice Bulletin, Number 63, June 2005. Obstet Gynecol 2005; 105:1533-45
Other
6.2.2006 Ethicon Expert Meeting Meshes for Pelvic Floor Repair
Get the facts, be informed, make your best decision – (Defense 824)
Materials sent to Kaminski for review 01-30-2012 (Exh 59)
May 15, 2008 510(K) Summary of Safety and Effectiveness

Joye Lowman Materials List

Pamela Bailey - Case Specific

Depositions
Bailey, Houston - 4.26.16
Bailey, Pamela - 4.26.16
Perlow, David, M.D. - 4.14.16
Rony, Adam - 5.2.16
Expert Reports
Walmsley, Konstantin (Case Specific) - 5.12.16
Blaivas, Jerry (General TVT) - 2.1.16
Guelcher Scott (General)
Priddy, Duane (General) - 2.1.16
Wilson, Anne (General TVT) - 1.25.16
Medical Records
Aetna U.S. Healthcare - Insurance 1-81
Align Networks - Workers Compensation 1-31
Align Networks - Workers Compensation 32-32
Align Networks - Workers Compensation 33-55
Align Networks - Workers Compensation 56-56
Align Networks- Certification 32-32
Atlanta Breast Care -Medical and Billing 1-1
Atlanta Breast Care- Original No Records Certification or Letter 1-1
Belk - Employment 1-26
Black, James D Jr MD - Medical 2-2
Black, James D Jr MD -Medical 1-1
Cartersville Family Medicine - Billing 37-37
Cartersville Family Medicine - Medical And Billing 1-36
Cartersville Family Medicine -Medical 38-39
Cartersville Family Medicine- Medical and Billing 1-36
Cartersville Heights Care - Employment 88-88
Cartersville Heights Care- Employment 1-87
Cartersville Internal Medicine - Medical and Billing 1-1
Cartersville Internal Medicine - Medical and Billing 2-2
Cartersville Internal Medicine- Copied NR Cert or Letter 1-1
Cartersville Internal Medicine- Original No Records Certification or Letter 2-2
Cartersville Medical Center - Billing 1-27
Cartersville Medical Center - Film Inventory 1-1
Cartersville Medical Center - Medical 1-491
Cartersville Medical Center - Pathology Inventory 1-2
Cartersville Medical Center- Billing 1-27
Cartersville Medical Center -Billing 28-28
Cartersville Medical Center- Billing- Original Certification 28-28
Cartersville Medical Center- Pathology Inventory 1-2
Cartersville Medical Center- Radiology- Film Inventory 1-1
Centers for Medicare and Medicaid Services (Region 4) - Medicare 1-1

Joye Lowman Materials List

Pamela Bailey - Case Specific

Centers for Medicare and Medicaid Services (Region 4)- Copied NR Cert or Letter 1-1
Centers for Medicare and Medicaid Services (Region 4)- Original No Records Certification or Letter 1-1
Cherokee County Health Department - Billing 1-1
Cherokee County Health Department - Medical 2-3
Cherokee County Health Department 4-4
Cigna Healthcare - Insurance 1-1
Coosa Diagnostic Center - Billing 5-5
Coosa Diagnostic Center - Medical 6-6
Coosa Diagnostic Center - Radiology 5-5
Coosa Diagnostic Center - Radiology Reports 1-4
Coosa Diagnostic Center -Medical 1-4
Coosa Diagnostic Center- Radiology Reports 1-4
Cypress Care - Medical 1-2
Documents produced by all treating physicians
Ed Voyles Honda - Employment 1-1
Ed Voyles Honda- Copied NR Cert or Letter 1-1
Emory Clinic - Billing 20-20
Emory Clinic - Medical 38-38
Emory Clinic (The) - Billing 10-19
Emory Clinic (The) - Billing 1-9
Emory Clinic (The) - Medical 1-37
Emory Clinic- Billing 10-19
Emory Clinic- Billing 1-9
Emory Clinic- Medical 1-37
Emory University Hospital - Billing 1-5
Emory University Hospital - Billing 6-7
Emory University Hospital - Medical 1-74
Emory University Hospital - Medical 75-132
Emory University Hospital - Radiology 1-1
Emory University Hospital- Billing 1-5
Emory University Hospital- Medical 1-74
Emory University Hospital- Medical 75-132
Emory University Hospital- Radiology- Original No Records Certification or Letter1-1
Express Scripts Inc. - Pharmacy 1-3
Gail- PT Solutions- Medical and Billing 1-165
Georgia Bone & Joint Surgeons, P.C. - Medical And Billing 1-1
Georgia Bone & Joint Surgeons, P.C. - Medical And Billing 1-86
Georgia Bone & Joint Surgeons, P.C. - Medical And Billing 2-2
Georgia Bone & Joint Surgeons, P.C. - Medical And Billing 87-87
Georgia Bone And Joint Surgeons PC- Medical and Billing 1-86
Georgia Bone And Joint Surgeons PC- Original Certification 87-87
Georgia Bone And Joint Surgeons PC- Radiology- Copied NR Cert or Letter 1-1
Georgia Bone And Joint Surgeons PC- Radiology- Original No Records Certification or Letter 2-2
Georgia Regional Urology - Medical and Billing 2-2
Georgia Regional Urology - Medical and Billing 4-4
Georgia Regional Urology - Medical and Billing 6-6
Georgia Regional Urology - Medical and Billing 1-1

Joye Lowman Materials List

Pamela Bailey - Case Specific

Georgia Regional Urology - Medical and Billing 3-3
Georgia Regional Urology - Medical and Billing 5-5
Georgia Regional Urology- Copied Incomplete NRC 5-5
Georgia Regional Urology- Copied NR Cert or Letter 3-3
Georgia Regional Urology- No Records Correspondence 2-2
Georgia Regional Urology- Original No Records Certification or Letter 1-1
Georgia Regional Urology- Original No Records Certification or Letter 4-4
Georgia Regional Urology- Original No Records Certification or Letter 6-6
Harbin Clinic - Billing 1-1
Harbin Clinic - Medical 1-73
Harbin Clinic - Medical 74-75
Harbin Clinic - Medical 78-78
Harbin Clinic- Billing 1-1
Harbin Clinic Catersville Family Practice - Billing 1-3
Harbin Clinic Catersville Family Practice - Medical 38-38
Harbin Clinic Catersville Family Practice - Medical 4-37
Harbin Clinic Catersville Family Practice- Billing 1-3
Harbin Clinic Catersville Family Practice- Medical 4-37
Harbin Clinic Catersville Family Practice- Original Certification 38-38
Harbin Clinic- Certification 74-75
Harbin Clinic- Copied NR Cert or Letter 76-77
Harbin Clinic- Medical 1-73
Harbin Clinic -Medical 76-77
Humana Inc- Insurance 1-10
Humana, Inc. - Insurance 1-10
Kaiser Permanente - Medical and Billing 1-1
Kaiser Permanente - Medical and Billing 2-2
Kroger Pharmacy Corporate HQ - Pharmacy 1-6
Kroger Pharmacy Corporate HQ- Pharmacy 1-6
LabCorp of America - Billing 1-1
LabCorp of America - Medical 1-2
LabCorp of America- Billing- Original No Records Certification or Letter 1-1
LabCorp of America- Medical 1-2
Piedmont Mountainside Hospital - Billing 1-1
Piedmont Mountainside Hospital - Medical 1-1
Piedmont Mountainside Hospital- Billing- No Records Correspondence 1-1
Piedmont Mountainside Hospital- Medical- No Records Correspondence 1-1
Piedmont Mountainside Hospital -Radiology 1-1
Piedmont Mountainside Hospital- Radiology- Copied NR Cert or Letter 1-1
Piedmont OBGYN - Medical and Billing 1-1
Piedmont OBGYN- Original No Records Certification or Letter 1-1
Plaintiff Fact Sheet - Plaintiff Fact Sheet 1-22
Plaintiff Fact Sheet 1-22
Plaintiff Profile Form - Plaintiff Profile Form 1-4
Plaintiff Profile Form - Plaintiff Profile Form 5-8
Plaintiff Profile Form - Plaintiff Profile Form 9-14
Plaintiff Profile Form 1-4

Joye Lowman Materials List

Pamela Bailey - Case Specific

Plaintiff Profile Form 5-8
Plaintiff Profile Form 9-14
Plaintiff Supplied Records 129-470
Plaintiff Supplied Records 471-713
Plaintiff Supplied Records 714-956
Plaintiff Supplied Records 957-1199
Plaintiff Supplied Records - Plaintiff Counsel 1-128
Plaintiff Supplied Records - Plaintiff Counsel 1200-1207
Plaintiff Supplied Records - Plaintiff Counsel 129-470
Plaintiff Supplied Records - Plaintiff Counsel 471-713
Plaintiff Supplied Records - Plaintiff Counsel 714-956
Plaintiff Supplied Records - Plaintiff Counsel 957-1199
Plaintiff Supplied Records 1-128
Plaintiff Supplied Records 1200-1207
Promina Windy Hill Hospital - Medical 1-1
Promina Windy Hill Hospital- Copied NR Cert or Letter1-1
PT Solutions - Medical And Billing 1-165
Sidlow Charles J DPM- Original No Records Certification or Letter1-1
Sidlow, Charles J., D.P.M. - Medical and Billing 1-1
Social Security Administration - Social Security 1-1
Solstas Lab Partners - Medical And Billing 1-12
SSA- Copied NR Cert or Letter 1-1
Summit Rad Services- Billing 1-5
Summit Radiology Services P.C. - Billing 1-5
Supplemental medical, pharmacy and employment records for Pamela Bailey
Urban Family Practice Associates - Medical and Billing 1-1
Urban Family Practice Assocs- Original No Records Certification or Letter 1-1
WalMart Stores Inc- Copied NR Cert or Lertter 1-1
WalMart Stores Inc- Original No Records Certification or Letter 2-2
Wal-Mart Stores, Inc. - Pharmacy 1-1
Wal-Mart Stores, Inc. - Pharmacy 2-2
Well Star- Cobb Hospital- Pathology- Original No Records Certification or Letter1-1
Well Star- Cobb Hospital- Radiology- Copied NR Cert or Letter 1-1
Well Star CobbHospital - Medical 1 -3
Well Star CobbHospital - Medical 4-4
Well Star Kennestone Hospital- Copied NR Cert or Letter 1-1
Well Star Windy Hill Hospital- Billing- Copied NR Cert or Letter 2-2
Well Star Windy Hill Hospital- Billing- Original No Records Certification or Letter 1-1
Well Star Windy Hill Hospital- Copied NR Cert or Letter 41-41
Well Star Windy Hill Hospital- Medical 1-40
Well Star Windy Hill Hospital- Radiology- Original No Records Certification or Letter 1-1
WellStar Cobb Hospital - Medical 4-4
WellStar Cobb Hospital - Pathology 1-1
WellStar Cobb Hospital - Radiology 1-1
WellStar Kennestone Hospital - Pathology 1-1
WellStar Windy Hill Hospital - Billing 1-1
WellStar Windy Hill Hospital - Billing 2-2

Joye Lowman Materials List

Pamela Bailey - Case Specific

WellStar Windy Hill Hospital - Medical 1-40
WellStar Windy Hill Hospital - Medical41-41
WellStar Windy Hill Hospital -Radiology 1-1
Windy Hill Anesthesia Associates, PC - Medical and Billing 1-1
Windy Hill Anesthesia Assocs PC- Original No Records Certification or Letter 1-1

Joye Lowman Reliance List**MDL Wave Cases**

Depositions
Galloway, Niall T., M.D. (Stubblefield Plaintiff Expert) - 03.03.2016
Iakovlev, Vladimir, M.D. (Hooper Plaintiff Expert) - 03.10.2016
Mays, Jimmy W., Ph.D. (General Plaintiff Expert) - 03.02.2016
Ostergard, Donald (General Plaintiff Expert) - 03.09.2016
Expert Reports
Blaivas, Jerry (General TVT) - 2.1.16
Dunn, Russell (General) - 1.23.16
Elliott, Daniel (General Prolift) - 2.1.16
Guelcher Scott (General)
Guelcher, Scott (General)
Iakovlev, Vladimir (General) - 2.1.16
Pence, Peggy (Notice of Adoption of Prior Reports) - 02.01.2016
Pence, Peggy (Prolift General) - 07.17.2014
Pence, Peggy (Supplemental Prolift General) – 3.3.16
Plaintiff expert reports and materials cited in Plaintiffs' general reports including but not limited to Donald Ostergard, M.D., Anne Weber, and Ralph Zipper, M.D.
Priddy, Duane (General) - 2.1.16
Weber, Anne (General Prolift) - 2.1.16
Wilson, Anne (General TVT) - 1.25.16